



TABLE OF CONTENTS

LECTURES

PAGE

Perspective Article:

Biasini GM, Botrè F, de la Torre X, Donati F:

Electrical brain stimulation: the rise of a new doping method?11-16

POSTER PRESENTATIONS

Piper T, Thevis M:

Do urinary concentrations of dimethyl sulfoxide and its metabolite dimethyl sulfone indicate topical administrations of doping agents?.....17-20

Muñoz G , Baltazar-Martins JG , Plata MDM , Muñoz-Guerra J , Carreras D , del Coso J:

Prevalence of use of tramadol in conjunction with other non- prohibited stimulants21-24

Martin L, Martin J, Hoang O, Collot D, Audran M, Marchand A:

Detection of rEPOs in plasma from ABP blood samples: impact of freeze-thaw cycle and hemolysis.....25-29

Romberg S, Kempkes R, Thevis M:

Athlete Biological Passport in Practice: Computer Assisted Evaluation of Sysmex Measurements at the Analysis Site30-34

Fußhöller G, Geyer H, Schänzer W, Thevis M:

Bacterial activities in urine samples: Formation of metandienone and 6 β -hydroxy-metandienone from the internal standard methyltestosterone – a case study35-38

Rodriguez Fernandez A, Martinez Brito D, Correa Vidal T, Lopez Castillo D, Montes de Oca Porto R:

Evaluation of the steroid profile in Latin-American population of male football players39-44

Iannone M, di Murro V, de la Torre X, Botrè F:

Effects of non-banned and non-monitored substances - synthetic isoflavones, resveratrol and polydatin - on the parameters of the urinary steroid profile45-49

Comunità F, Botrè F, Grippo D, Montesi G, de la Torre X, Mazzarino M:

Azole antifungals and their effect on the urinary steroid profile: a dose response relationship study.....50-53

Oliveira FA, Oliveira FAG, Labanca BDJ, Padilha MC, Pereira HMG: Report of four months experiencing the 2018 Technical Document for endogenous anabolic androgenic steroids in LBCD	54-57
Masquelier M, Andersson A, Ericsson M: Confirmation of oxandrolone metabolites or the story of a false "false positive"	58-61
Fußhöller G, Guddat S, Schänzer W, Geyer H, Thevis M: Testolactone – Derivatisation Artifact due to the Incorporation of an Ethylmercapto Group	62-65
Shiomura S, Kageyama S, Okano M: Urinary steroid profiles and carbon isotope ratios after administration of testosterone gel in Japanese subjects	66-70
Jardines D, Curcio D, Colamonici C, Botrè F, de la Torre X: Inter-individual behavior of the endogenous reference compounds	71-74
Ericsson M, Thörngren J, Hopcraft O: A new sample preparation procedure for GC-C-IRMS analysis using mixed mode SPE and MS/MS detection for HPLC-fractionation	75-80
Ndlovu F, Van der Merwe M, Goebel C, Grainger J: Development and validation of a method for the detection of small peptides in doping control	81-86
Radu M, Berghes B, Toboc A: Development and validation of a LC-HRMS method for the detection of small peptides in human urine	87-90
Pettersson-Bohlin K, von Walden J, Ericsson M, Thörngren J: Confirmation of derivatized methylhexanamine and its isomers using Q-exactive	91-93
Olgaz Bingöl S, Onol S, Aytekin S, Basaran AA: Differentiation of Modafinil and Dimenhydrinate by UPLC-ESI-MS/MS in Doping Analysis	94-97
Krug O, Thomas A, Walpurgis K, Piper T, Geyer H, Thevis M: Black market products suspected to contain doping relevant ingredients - annual report for 2018	98-102

PRESENTATIONS ABSTRACTS - LECTURES

Garzinsky AM, Walpurgis K, Krug O, Thevis M: Does saliva contribute to exhaled breath samples collected by means of an electret membrane?	103
---	-----

Van Wagoner R, Miller G, Husk J, Bruno B, Eichner D:

Investigating oral fluid and exhaled breath as alternative matrices for anti-doping testing: a collaborative study with minor league baseball and the partnership for clean competition.....104

Pereira HM, Sardela V, Matos R, Prado E, Gomes G, Lima de Sá C, Anselmo C, Nunes I, Ramalho G, Padilha M, Vanini G, Oliveira MA, Oliveira A, Amaral L, Canuto C, Siqueira D, Ambrósio J, de Aquino Neto FR:

Zebrafish water tank model: scale down, study pipeline and reference collections105

Coll Camenforte S , Matabosch Gerones X , Llorente Onaindia J , Pérez Mañá C , Monfort Mercader N, Monfort Faure J , Ventura Alemany R:

Elimination profile of triamcinolone hexacetonide and its metabolites in human urine and plasma after a single intra-articular administration.....106

Reichel C, Fröschl H, Gmeiner G:

Establishing doping-related reference distributions for cobalt in human urine107-108

Lange T , Walpurgis K , Thomas A , Geyer H , Thevis M:

Development of two complementary LC-HRMS methods for analyzing Sotatercept in dried blood spots for doping controls109

Thomas A, Thevis M:

Identification of metabolites of peptide-derived drugs using skin tissue microsomes and Isotope-labeled Reporter Ion Detection strategy110

Piper T, Fusshöller G, Schänzer W, Thevis M:

Investigations into the in vivo metabolism of Methylstenbolone111-112

Cavalcanti G, Gujar A, Pereira H, Padilha M:

Advanced Electron Ionization source (AEI source) : Improving the reliability of confirmation methods in sports drug testing113

Polet M, Van Gansbeke W, Albertsdóttir AD, Coppieters G, Deventer K, Van Eenoo P:

Analysis of non-hydrolyzed sulfated steroids by gas chromatography mass spectrometry.....114

Martinez-Brito D, de la Torre X, Botrè F:

7-Keto-DHEA: metabolite or precursor? Potential pitfalls in interpreting the analytical results and WADA list115

Mazzarino M, Martellone L, Comunità F, de la Torre X, Botrè F:

Evaluation of the efficacy of the protocols used in the anti-doping tests to reveal the presence of 5 α -reductase inhibitors116

Alechaga E, Esquivel A, Monfort N, Ventura R:

Potential of endogenous steroid sulfate metabolites as markers of intramuscular administration of testosterone in Caucasian and Asian population.....117

Miller G, Bruno B, Eichner D, Thevis M:

Using pigs as an in vivo metabolic model for performance-enhancing drugs118

Ponzetto F, Nicoli R, Kuuranne T, Saugy M, Boccard J, Rudaz S: Identification of novel serum markers for testosterone administration by untargeted steroidomic analysis	119
Nair V, Eichner D: TDSSA based testing at SMRTL – results and trends	120
Keiler AM, Savill R, Zierau O, Vollmer G, Thieme D: Comparison of steroidogenic metabolism in two in vitro cell culture models	121
Judak P, Van Eenoo P, Deventer K: DoCoLab's experience in peptide (MW > 2 KDa) analysis	122
Aguilera R, Al-Hilal N, Mansuor S, Sliman H, Georgakopoulos C: The overview results and IRMS data from the 18th Jakarta Palembang Asian and Para-Asian Games 2018	123
Iannella L, Colamonici C, Curcio D, Botrè F, de la Torre X: Development and validation of a GC-C-IRMS method to confirm the exogenous origin of urinary prednisolone and prednisone	124-125
Putz M , Piper T , Dubois M , Delahaut P , Thevis M: Analysis of endogenous steroids in urine by means of isotope ratio mass spectrometry and immunoaffinity purification	126
Piper T , Fußhöller G , Schänzer W , Thevis M: Investigations on the in vivo metabolism of 5α-androst-2-en-17-one	127-128
Narduzzi L , Dervilly-Pinel G , Marchand A , Audran M , Le Bizec B , Buisson C: GH-Omics: a metabolomics approach to detect growth hormone administration	129-130
Pizzatti L, Lopez SB, Rayol VA, Pereira HMG: Digital PCR analysis in Dried Blood spots: Erythropoietin (EPO) Gene Doping detection method updated	131
Heiland C, Masquelier M, Bhuiyan H, Ericsson M: A simple method to immunopurify ESAs from urine, serum or Dried Blood Spot (DBS) tests aiming to optimize EPO screening	132
Walpurgis K , Thevis M , Thomas A: Detection of the myostatin-neutralizing antibody Domagrozumab in plasma/serum by means of Western blotting and LC-HRMS	133
Leuenberger N, Ramirez Cuevaz K, Schobinger C, Barge J, Kuuranne T, Donzé O: Erythroferrone as sensitive biomarker to detect stimulation of erythropoiesis	134
Voss S, Al Hammad K, Samsam W, Georgakopoulos C, Al Maadheed M, Cherif A, Wilson M, Townsend N, Balanos G, Lucas S: The effect of a novel Living High Training Low intervention of the ABP and EPO SAR-PAGE analysis	135

Nunes IK, Amorim C, Dudenhoeffer-Carneiro AC, Pereira H, Sardela P, Sardela V, Mirotti L, Renovato-Martins M: Potential biomarkers for autologous blood transfusion detection	136
Reichel C, Gmeiner G, Thevis M: Detection of Follistatin 344	137-138

PRESENTATIONS ABSTRACTS - POSTERS

Lommen A, Nielsen MWF, Horvatovich PL, Vonaparti A, Georgakopoulos C, Al-Muraikhi AE, Al Maadheed M: New software tool for liquid chromatography retention time modelling and prediction using quantitative structure-chromatographic retention relationships	139
Dib J, Geyer H, Sigmund G, Bosse C, Glatt A, Geisendorfer T, Tsivou M, Gmeiner G, Thevis M: Is heptaminol a metabolite of the emerging stimulant octodrine?	140
Miyamoto A, Sato M, Kageyama S, Okano M: Analysis of tretoquinol (trimetoquinol) and its metabolites in human urine by LC-MS/MS	141
Yan K, Wang X, Wu Y, Luan Z, Gao X, Wang R: The risk experiment and evaluation of higenamine positive result possibility after human take lotus plumule capsule	142
Son J, Cho Y, Oh-Seung K: Profiling analysis of neurotransmitters for brain doping using liquid chromatography-tandem mass spectrometry in urine	143
Athanasiadou I, Vonaparti A, Dokoumetzidis A, Saleh A, Miriam M, Al Maadheed M, Valsami G, Georgakopoulos C: Effect of hyperhydration on pharmacokinetics and detection of orally administered budesonide in doping control analysis	144-145
Athanasiadou I, Dokoumetzidis A, Voss S, El Saftawy W, Al Maadheed M, Valsami G, Georgakopoulos C: Hyperhydration effect on pharmacokinetic parameters and detection sensitivity of recombinant human erythropoietin in urine and serum doping control analysis	146-147
Bressan C, Alechaga E, Cuadras S, Garrosta L, Monfort N, Ventura R, Ayala JF, Santos FJ, Moyano E: Analysis of hydroxylated phenylalkylamine stimulants in urine by GC-APPI-HRMS	148
Jarek A, Urbaniak A, Tarka M, Wojtowicz-Zawadka M, Pasik M, Stanczyk D, Kwiatkowska D: Nicotine ingestion among sportsmen in Poland in 2012 – 2018	149

Walpurgis K, Scheiff AB, Welz M, Müller-Reul J, Görgens C, Guddat S, Fußhöller G, Dib J, Thevis M: Pilot study on the effects of intravesical oxybutynin hydrochloride instillations on the validity of doping control urine samples	150
Grucza K , Wicka M , Kowalczyk K , Stanczyk D , Kaliszewski P , Michalak D , Szutowski M , Kwiatkowska D: Identification of glucuronide conjugate of furosemide in routine doping control analysis	151
Jarek A, Urbaniak A, Tarka M, Wojtowicz-Zawadka M, Chajewska K, Kowalczyk K, Stanczyk D, Kwiatkowska D: Cannabinoid use among athletes in Poland from 2009 to 2018	152
Andersson A, Ericsson M: LabWare LIMS for Doping Control Laboratories	153
Mazzarino M, Piantadosi C, Comunità F, de la Torre X, Botrè F: Urinary excretion profile of prednisone and prednisolone after systemic administration	154
Martinez Brito D, de la Torre X, Botrè F: Metabolism of Arimistane in humans. Identification of urinary metabolites by time-of-flight mass spectrometry	155
Hautbergue T , Soidiki N , Chu-Van E , Audran M , Fenaille F , Buisson C: Untargeted metabolomics for evidencing stanozolol misuse	156-157
Al-Khelaifi F , Donati F , Botrè F , Al Maadheed M , Georgakopoulos C , El-Rayess M: Metabolomics In Anti-Doping Research	158
Marchand A , Martin J , Collot D , Hoang O , Roulland I , Semence F , Sottas P , Varlet-Marie E, Audran M: Combined administration of microdoses of growth hormone and erythropoietin: effects on performance and evaluation of GH detection using anti-doping methods	159-160
Marchand A , Roulland I , Semence F , Schröder K , Domergue V , Audran M: Detection of Hypoxia-Regulated MicroRNAs in Blood as Potential Biomarkers of HIF Stabilizer Molidustat	161-162
Knoop A, Thomas A, Thevis M: Probing for the mitochondrion derived AMPK-activating peptide MOTS-c in human blood employing HPLC-US-MS/MS	163
Dørum S , Sletten C , Fredriksen PM , Dehnes Y: The stability of CERA in urine and blood	164
Heiland C, Masquelier M, Bhuiyan H, Ericsson M: New extraction and analysis techniques of Dried Blood Spot tests for anti-doping screening of EPO	165
Toboc A, Stan C, Stanescu A, Solomon A: ESAs Limit of Detection Related to Urine pH	166

Donati F, Marino AM, Biasini GM, de la Torre X, Botrè F: Detection of circulating hematopoietic stem cells in whole blood in the view of an antidoping context	167
Reihlen P, Blobel M, Thevis M: Evaluation of Labimage Software – a tool for densitometric EPO analysis	168
Saad K , Vonaparti A , Athanasiadou I , Saleh A , Abushareeda W , Alwahaibi A , Khan BFA , Aguilera R , Kraiem S , Horvatovich PL , Al-Muraikhi AE , Al Maadheed M , Georgakopoulos C: Population Reference Ranges of Urinary Endogenous Sulfate Steroids Concentrations and Ratios as Complement to the Steroid Profile of the Athlete Biological Passport in Sports Antidoping	169
Kioui P, Fragkaki AG, Kioukia-fougia N, Angelis YS: Derivatization of phase II metabolites of AAS for confirmation methods. A case study for mesterolone	170
Martinez Brito D, Notarianni ML, Iannone M, Botrè F, de la Torre X: Validation of sulphates deconjugation for metabolic studies	171
Emery C, Schweizer Grundisch C, Kuuranne T, Baume N: Management of the APMU steroidal process in compliance with WADA regulations	172
Mazzarino M, Senofonte M, de la Torre X, Botrè F: Immunopurification of proteins by monolithic microcolumns. The case of insulin analogues	173
Ucaktürk E , Basaran AA: Effect of Mobile Phase Additives on The Sensitivity of Prohibited Peptides by Electro spray Ionization Triple Quadrupole Tandem Mass Spectrometry	174
Mazzarino M , Wuest B , de la Torre X , Botrè F: Comprehensive liquid chromatography triple quadrupole mass spectrometry method for the detection of low molecular weight doping agents	175
Wojtowicz-Zawadka M, Szczepanska Z, Jarek A, Pasik M, Stanczyk D, Kwiatkowska D: Importance of internal standards in GC-MS/MS quantitative methods in view of doping control - theoretical and experimental investigation	176
Velasco B , López A , Rodriguez ME , Mendoza N , Rodríguez L , Mercado K: Simultaneous determination of clenbuterol and ambroxol in human urine using liquid chromatography-tandem mass spectrometry	177
Min H , Seo J , Lee JH , Kim M , Jeong H , Sung C: Single-Step Quantification of human Growth Hormone Biomarker using Quenchbodies	178
Wojtowicz-Zawadka M , Kwiatkowska D , Jarek A , Chajewska K , Szczepanska Z , Assemat G , Gilard V , Malet-Martino M: Presence of anabolic androgenic steroids and stimulants in supplements bought on websites from Poland and France in 2016	179

SCIENTIFIC BOARD

X. de la Torre, Rome (Italy)
H. Geyer, Cologne (Germany)
G. Gmeiner, Seibersdorf (Austria)
R. Kazlauskas, Sydney (Australia)
T. Kuuranne, Lausanne (Switzerland)
U. Mareck, Cologne (Germany)
T. Piper, Cologne (Germany)
C. Reichel, Seibersdorf (Austria)
M. Thevis, Cologne (Germany)
A. Thomas, Cologne (Germany)
P. Van Eenoo, Ghent (Belgium)



MANFRED DONIKE WORKSHOP 2018

TABLE OF CONTENTS

LECTURES

	PAGE
Kwon OS, Son J, Kim HJ, Kim KH, Lee K, Min H, Sung C, Jeon M, Xu YL, Lee J: Anti-Doping Reports in Pyeongchang Olympic and Paralympic Winter Games 2018	11-20
Krug O, Thomas A, Geyer H, Thevis M: Testing doping agents from exhaled breath – Pilot study data	21-28
Lalonde K, Couture M, Charlebois A, Ayotte C: Linearity, stability and quantitation issues relating to the Agilent 7010 axial sources	29-35
Flenker U, Riemann P, Hülsemann F, Gougoulidis V, Thevis M, Schänzer W: Intracrine androgen metabolism. Fundamentals and a new approach to make use of ¹³C/¹²C signals of endogenous Steroids	36-42
Barber A, Lalonde K, Ayotte C: Summary of results from 5 years of IRMS testing	43-48
Naud J, Desharnais P, Ayotte C: Development of a capillary-electrophoresis method for the detection of recombinant erythropoietins	49-57
Masquelier M, Heiland C, Bhuiyan H, Erlandsson G, Molin A, Magnus E: Optimization of ESAs detection in urine and blood: comparison of different immunopurification techniques	58-65

POSTER PRESENTATIONS

Martin-Navas P, de la Fuente C, Carreras D: Macro ABP tool: Data exportation from Sysmex XT2000i (Roche) to LIMS/ADAMS	66-70
Bican GM, Colev JC, Berghes B, Macovei R, Ionică M: Cobalt Detection by Graphite Furnace Atomic Absorption Spectrometry in Urine Samples	71-75
Krug O, Thomas A, Walpurgis K, Piper T, Laußmann T, Röder R, Thevis M: Black market products suspected to contain doping relevant ingredients - annual report for 2017	76-81
Grucza K, Kaliszewski P, Kowalczyk K, Pasik M, Stańczyk D, Wicka M, Szutowski M, Kwiatkowska D: Detection of dorzolamide in athlete urine following ophthalmic application	82-85
Pettersson-Bohlin K, Magnus E, Von Walden J, Thörngren J: Derivatization allows for detection of Tuaminoheptane confirmation on Q-exactive	86-88

Panan S, Pootrakronchai R, Wiriyaosol N, Kusamran T, Kongpatanakul S: Method development for specific confirmation of β2-agonists in doping control	89-93
Pootrakronchai R, Panan S, Viriyakhasem N, Ditthayam S, Wilairat P, Kongpatanakul S: Measurement of enantiomeric composition of clenbuterol in athlete's urine at NDCC	94-97
Bican GM, Colev JC, Berghes B, Dobrescu M, Ionica M: Cocaine Confirmation in Urine Samples	98-103
Wicka M, Stańczyk D, Michalak D, Kaliszewski P, Grucza K, Kowalczyk K, Pawluczyk R, Kwiatkowska D: Determination of excretion profile of trimetazidine in urine by means of LCMS/MS	104-108
Görgens C, Guddat S, Södje D, Geyer H, Thevis M: Detection of myo-inositol trispyrophosphate (ITPP) in human urine following an oral administration of ITPP – a pilot study	109-113
Kaliszewski P, Kowalczyk K, Grucza K, Roguska K, Zalewska Z, Turek-Lepa E, Michalak D, Wójcikowska-Wójcik B, Wicka M, Kwiatkowska D: Detection of hexarelin and its metabolites in urine after oral ingestion by means of LC/MS/MS	114-117
Guddat S, Görgens C, Geyer H, Pfanner T, Thevis M: Clomiphene - targeting of the unchanged drug results in unusual prolonged detection windows in urine	118-121
Salvacion S, Brooker L, Edey C, Mullens B, Kazlauskas R, Goebel C: Steroid results from an excretion study with an epiandrosterone (3β-hydroxy5α-androstane-17-one) containing supplement	122-126
Mazzarino M, Paolillo I, Comunità F, de la Torre X, Botrè F: Carbonic anhydrase inhibitors: an evaluation of the excretion profile of dorzolamide after different administration routes and doses	127-132
Colev JC, Bican GM, Berghes B, Dobrescu M, Radu M, Smarandache C: Adrafinil and Modafinil Detection in Urine Samples	133-138
Espinosa P, Blázquez I, de la Cal A, Fernández B, García L, de Pedraza L, Muñoz G, Carreras D: Oxilofrine: Ephedrine minor metabolite	139-144
He C, Wu M, Zhang L, Zhou X: Circulating microRNA as biomarker of human growth hormone administration to male	145-148
Große J, Chundela Z, Lang R: Screening and Confirmation of Endogenous and Exogenous Anabolic Steroids using the Agilent 7010 GC/MS Triple Quad	149-152
Masquelier M, Löfgren H, Dubedout A, Mukai Y, Ericsson M: Detection of exogenous anabolic androgenic steroids in drugs-of-abuse urine samples with UHPLC-HRMS after enzymatic hydrolysis and direct injection	153-160
Iannone M, Matteucci R, Botrè F, de la Torre X: Development and application of analytical procedures for the analysis of the sulphate metabolites of anabolic androgenic steroids	161-166

Mareck U, Fußhöller G, Geyer H, Görgens C, Guddat S, Haenelt N, Romberg S, Schänzer W, Thevis M: Urinary ethyl glucuronide in doping control samples – evaluation of gender, sport discipline, type of control and concentration	167-169
Obaid N, AlYazedi S, Sliman H, Aguilera R, Alsayrafi M, Georgakopoulos C: AMDIS NIST Algorithm as Purity Measurement of the Chromatographic Peak IRMS	170-172
Romberg S, Sauer M, Klose C, Schänzer W, Thevis M: Paperless Communication of Sample Collection Documentation	173-178

PRESENTATIONS ABSTRACTS - LECTURES

Sardela V, Anselmo C, Carvalho A, Oliveira D, de Araújo A, Santos G, Carneiro G, Ribeiro W, de Aquino Neto FR, Padilha M, Gomes M, da Motta M, Nunes I, Labanca B, Pereira HM: Zebrafish water tank in doping control: model perspectives	179
Goebel C: Providing analytical services for the testing program of the XXI Commonwealth Games Gold Coast, Australia	180
Van Wagoner R, Nair V, Miller G, Eichner A, Bhasin S, Deuster P, Speiser P, Eichner D: Specialty Testing at SMRTL— Application of Anti-Doping Testing Outside of Competitive Athletics	181
Kuuranne T, Baume N: Responsiveness to anti-doping organizations and support to result management – expectations, practicalities and restrictions from the laboratory perspective	182
Georgakopoulos C, Elaradi A, Vonaparti A, Abushareeda W, Horvatovich P, Alsayrafi M, Lommen A: Ultra-fast Reprocessing of HR FS LC/Orbitrap/MS data by MetAlign for Screening in Retroactive Analysis	183-184
Knoop A, Thomas A, Thevis M: MOTS-c: Introducing a mitochondrion derived peptide activating AMPK and its detection in human plasma employing HPLC-US-MS/MS	185
Walpurgis K, Thomas A, Lange T, Reichel C, Geyer H, Thevis M: Combined detection of the ActRII-Fc fusion proteins Sotatercept (ActRIIA-Fc) and Luspatercept (modified ActRIIB-Fc) in serum by means of immunoaffinity purification, tryptic digestion, and LC-MS/MS	186
Sardela P, Sardela V, Silva A, Pereira H, Aquino Neto FR: Metabolomic Investigation of Stimulant Abuse in Athletes by Liquid Chromatography High Resolution Mass Spectrometry and Multivariate Statistical Analysis	187
De Wilde L, Roels K, Polet M, Van Eenoo P, Deventer K: Identification and confirmation of diuretics and masking agents in urine by turbulent flow online SPE LC-MS/MS for doping control	188

Judák P, Goebel C, Grainger J, Van Eenoo P, Deventer K: Two years of experience in small peptide analysis using dilute and shoot methodology	189
Thomas A, Thevis M: Confirmation of prohibited peptides by LC-MS	190
Polet M, Van Gansbeke W, Van Eenoo P: GC-QTOF-MS: towards a complete and open screening method	191
Miller G, Eichner D, Willick S, Hill B, Nair V, Moore C: Clomiphene administration to males results in a testosterone increase and is accompanied by a lengthy, isomer-specific detection window in urine	192
Krumbholz A, Hameder A, Stöver A, Geffert C, Graw M, Thieme D: The influence of ethanol consumption on the endogenous biosynthesis of the glucocorticosteroids cortisol and cortisone	193-194
Ventura R, Coll S, Matabosch X, Papakonstantinou K, Pérez-Mañá C, Mateus JA: Additional studies on budesonide therapeutic use and misuse in sports	195
Baume N, Ponzetto F, Schweizer Grundisch C, Kuuranne T: Steroidal APMU of the Lausanne laboratory: past, present and future	196
Esquivel López A , Ventura Alemany R , Monfort Mercader N , Alechaga Silva É: Evaluation of endogenous steroid sulfates as markers of testosterone oral misuse	197
Aguilera R, Georgakopoulos C, Alsayrafi M, Sliman H, AlYazedi S, Obaid N: The soft exogenous isotope contribution in low concentration steroids samples from IRMS notifications has been studied	198
de la Torre X , Colamonici C , Curcio D , Botrè F: Improving detection capacity of GC-C-IRMS: Gas chromatography large volume injection	199
Putz M, Piper T, Casilli A, Radler de Aquino Neto F, Pigozzo F, Thevis M: Development and validation of a multidimensional gas chromatography/combustion/isotope ratio mass spectrometry-based test method for analyzing urinary steroids in doping controls	200
Buisson C , Audran M , Frelat C , Martinat N , Collomp K: Metabolic and isotopic signature of DHEA administration in women	201
Hülsemann F, Gougoulidis V, Thevis M: Potential cause for atypical 19-norandrosterone IRMS findings	202
Piper T, Putz M, Thevis M: Carbon isotope ratio analysis of epiandrosterone based on enzymatic solvolysis and multidimensional gas chromatography/combustion/isotope ratio mass spectrometry	203-204
Moncrieffe D, Cowan DA, Parkin MC: Peptide selection for the quantification of P-III-NP in human serum by mass spectrometry	205-207

Ericsson M, Bhuiyan H, Lehtihet M, Ekström L:

Follow up of doping with low doses of recombinant human growth hormone: comparison between longitudinally monitoring of P-III-NP, IGF-1 and GH2000 score and the thresholds of the isoform and the biomarker tests

208

Leuenberger N, Schobinger C, Kuuranne T:

Circular RNA-based Biomarkers in Dried Blood Spots for the Detection of Stimulated Erythropoiesis

209

Martin L, Audran M, Marchand A:

Development of an Isoelectric focusing method (IEF) for the screening of all rEPOs and ActRII-Fc proteins

210

Reichel C, Gmeiner G, Thevis M:

An updated protocol for the detection of Sotatercept and Luspatercept in human serum

211-212

Pizzatti L, Lopez S, Rayol V, Mury F, Fernandes T, Pereira H, Aquino Neto FR:

Gene Doping analysis: ready or not?

213

PRESENTATIONS ABSTRACTS - POSTERS

Du Preez H, Van Zyl H:

A Risk Management Plan for the South African Doping Control Laboratory

214

Velasco B, Mercado K, Mendoza N, Rodriguez L, Mendez E, Camacho E:

Stability study of urine reference material and results of a proficiency test

215

Son J, Min H, Lee KM, Sung C, Jeon M, Kim HJ, Kim KH, Lee J, Kwon O:

Development of Doping-Laboratory Information Management System (d-LIMS) for High-throughput Doping Process in Olympics

216

Son J, Park JW:

Effective Identification Tool for Adverse Analytical Findings on Illegal Drug Use in Sports by iD² : Intelligent Doping Diagnosis

217

Nimker V, Jamal H, Ghosh PC, Jain S, Beotra A:

Effect of varying concentration of phospholipids and cholesterol on masking potential of liposomes on various doping agents

218

Kowalczyk K, Grucza K, Wicka M, Sakowska-Bak, Roguska K, Pawluczyk R, Tarka M, Turek-Lepa E, Kwiatkowska D:

Detection of bemitil and its metabolite in urine by means of LC-MS/MS in view of doping control analysis

219

Velasco B, Martinez A, Perez J, Rodriguez L, Rodriguez ME, Bautista J:

Detection of Clenbuterol in several parts of bovine carcass using HPLC/MS and its enantiomeric distribution

220

Mazzarino M, Rizzato N, Stacchini C, de la Torre X, Botrè F: A further insight on the metabolic profile of SR9009	221
Fragkaki A, Sakellariou P, Kiouisi P, Kioukia-Fougia A, Tsivou M, Petrou M, Angelis I: Human in vivo metabolism study of LGD-4033	222-224
Suominen T, Rautava K, Leinonen A: Urinary excretion profiles of 19-norandrosterone after oral administration of lynestrenol and norethisterone	225
Keiler AM, Zierau O, Wolf S, Diel P, Schänzer W, Vollmer G, Thieme D, Wolber G, Parr MK: Detection of androgen- and estrogen-receptor mediated activities of 4-hydroxytestosterone, formestane and their human metabolites in yeast based assays	226
de la Torre X, Martinez Brito D, Colamonici C, Botrè F: Metabolism of formestane in humans. Identification of urinary biomarkers for antidoping analysis after different administration routes	227
Okano M, Sato M, Kageyama S: Determination of lomerizine and its metabolites in human urine after oral administration	228
Piper T, Dib J, Fusshöller G, Thevis M: Studies on the in vivo metabolism of the new SARM YK11: In-house synthesis of 2 metabolites useful for routine doping control analysis	229
Görgens C, Guddat S, Thomas A, Thevis M: Recent improvements concerning the screening of peptides (< 2 kDa) in sports drug testing – sample preparation, mass spectrometric detection, and data review	230
Donati F, Botrè F, De la Torre X, Iannella L, Vannelli E: Analysis of prohibited growth factors in doping control: serum concentration ranges in a reference population of athletes	231
Martin L, Zouhiri N, Audran M, Marchand A: Validation of a method for a combined detection of activin receptor type IIA-Fc and IIB-Fc fusion proteins in human blood	232
Ohta M, Saito M, Sato M, Kageyama S, Okano M: Evaluation of the effect of Insulin-like Growth Factor-I administration on hGH biomarkers assay	233
Toboc A, Danila MG, Pop AM, Bican GM, Radu M, Stanescu AC: Population – based investigation of relationship between urinary hormonal biomarkers	234
Han B, Song HJ, Kim H, Sung C, Kim KH, Lee KM, Kim HJ, Lee J, Son J, Kwon O, Min H: Large peptides doping analysis at the PyeongChang Winter Olympic & Paralympic Games 2018: Validation, Implementation and Case report	235

Martinez Brito D, Bueno Fis E, Fiallo Fernandez T, Torres Castellanos M, Correa Vidal MT, Montes de Oca R:

Application of the Ultra Micro Analytical System (SUMA) technology for prescreening purposes to detect hCG in urine

236

Min H, Yu S, Kim H, Lee J, Lee KM, Kim HJ, Kwon O, Sung C:

PNA Intermediated Capture Assay: High-throughput Analysis of Exogenous DNA for Gene Doping

237

Mäkelä R, Suominen T, Leinonen A, Harju L:

Validation of a microplate enzyme immunoassay for measurement of luteinizing hormone (LH) in urine

238

Lange T, Walpurgis K, Thomas A, Thevis M:

Determination of Sotatercept (ACE-011) in dried blood spots for doping control analysis by means of LC-HRMS

239

Nunes I, Amorim C, Renovato M, Dudenhoeffer-Carneiro AC, Pereira HM, Mirotti L, Sardela V, Sardela P:

Biomarkers analysis from stored red blood cells as a tool for blood transfusion detection

240

Forsdahl G, Kratena N, Geisendorfer T, Pilz SM, Göschl L, Pfeffer S, Weil M, Thevis M, Enev VS, Gärtner P, Gmeiner G:

Synthesis and characterization of a long-term metabolite of dehydrochloromethyltestosterone

241-242

Andersson A, Villén T, Ericsson M:

A comparison of Athlete and Drugs of Abuse Steroid findings

243

Brailsford A, Wojek N, Majidin M, Cowan D, Walker C:

Carbon Isotope Measurements of Available Steroid Preparations: Implications for Anti-Doping

244

Dubey S, Singh SP, Sah S, Jain S:

Identification and separation of nine alkyl amines in urine using dilute and shoot LC-MS/MS analysis in sports doping control

245

Walpurgis K, Thomas A, Dellanna F, Schänzer W, Thevis M:

Detection of the human anti-ActRII antibody Bimagrumab in serum by means of affinity purification, tryptic digestion, and LC-HRMS: Analysis of authentic clinical samples

246

Dib J, Guddat S, Geyer H, Görgens C, Thevis M:

Detection of the Hypoxia-Inducible Factor (HIF) stabilizer drug candidate BAY 85-3934 (Molidustat) in routine doping controls

247

Narciso J, B. Silva R, Luz S:

Uncertainty of examination/qualitative analysis results: Identification of doping agents in urine by GC-MS/MS

248-249

Juchelka D, Tuthorn M, Piper T, Thevis M:

Undisputable results by coupling of GC-IRMS with high-resolution mass spectrometry for final confirmation in sports drug testing

250

SCIENTIFIC BOARD

X. de la Torre, Rome (Italy)
H. Geyer, Cologne (Germany)
G. Gmeiner, Seibersdorf (Austria)
R. Kazlauskas, Sydney (Australia)
T. Kuuranne, Lausanne (Switzerland)
N. Leuenberger, Lausanne (Switzerland)
U. Mareck, Cologne (Germany)
M. Okano, Tokyo (Japan)
T. Piper, Cologne (Germany)
C. Reichel, Seibersdorf (Austria)
S. Romberg, Cologne (Germany)
M. Thevis, Cologne (Germany)
A. Thomas, Cologne (Germany)
P. van Eenoo, Ghent (Belgium)



MANFRED DONIKE WORKSHOP 2017

TABLE OF CONTENTS

LECTURES

PAGE

Mazzarino M, Comunità F, de la Torre X, Botrè F:

Effects of antifungals administration on the determination of the parameters of the steroid profile

12-17

Zhou X, Zhang L, Shen L, Wang Y, Xu Y, Luan Z, Cheng Y, Yang X:

Follow-up Investigation of two rhEPO AAF Cases – Comparison of Erythropoietin Electrophoretic Migration Behavior between Urine and Blood

18-24

POSTER PRESENTATIONS

Edey C, Goebel C, Brooker L:

A snapshot of salbutamol findings in samples analysed by the Australian laboratory in 2016

25-28

Wang Z, Xiao Y, Xu Y:

Monitor Program of Clenbuterol Contamination in 30 Chinese Volunteers Urine by LC-MS/MS

29-32

Wicka M, Stanczyk D, Michalak D, Kaliszewski P, Zalewska Z, Wójcikowska-Wójcik B, Szczepanska Z, Kwiatkowska D:

Fentanyl detection in real urine sample

33-36

Görgens C, Thevis M, Schänzer W, Geyer H, Guddat S, Bosse C:

Investigation of urinary detection windows after multiple oral dosages of meldonium - a pilot study

37-40

Masquelier M, Thörngren JO, Petterson-Bohlin K, Andersson A, Heiland C, Ericsson M:

A unified robotized sample preparation for chromatographic screening of doping substances

41-46

Comunità F, de la Torre X, Mazzarino M, Botrè F:

Higenamine and coclaurine positive doping case associated with herbal massage cream use

47-50

Grucza K, Chołbiński P, Wicka M, Kowalczyk K, Pasik M, Stańczyk D, Szutowski M, Kwiatkowska D:

Excretion study of Higenamine following single oral dose of contaminated dietary supplement

51-55

Yan K, Chang W, Ma Y, Wang Z, Dong Y, Xu Y:

Detection of higenamine by LC-MS/MS method, and some relevant study progress

56-59

Geyer H, Sigmund G, Krug O, Mareck U, Gougoulidis V, Schänzer W, Thevis M:

Contaminated nutritional supplements as possible source for findings of low concentrations of methylhexanamine in doping control samples - a case study

60-62

Koehler K, Geyer H, Schultze G, Parr MK, Guddat S, Braun H, Mareck U, Thevis M, Schänzer W:

Nutritional Supplements: Still a Risk of Inadvertent Doping? An Extended International Follow-up

63-68

Krug O, Walpurgis K, Thomas A, Piper T, Sigmund G, Schänzer W, Thevis M: Black market products suspected to contain doping relevant ingredients - annual report for 2016	69-74
Iannone M, Cardillo N, Botrè F, de la Torre X: Effects of the synthetic isoflavones methoxyisoflavone and ipriflavone on the catalytic activity of CYP19	75-79
Iannone M, Parenti S, Jardines D, Botrè F, de la Torre X: Human metabolism of synthetic isoflavones by GC-q-TOF	80-85
Agon VV, Grainger J, Trout G, Goebel C: Proof of concept for the detection of clandestine compounds in urine samples using metabolomics	86-90
Putz M, Piper T, Schänzer W, Thevis M: <i>In vitro</i> metabolism studies of SARM YK-11	91-94
Petterson Bohlin K, Ericsson M: Detection of small peptides in urine using LC-HRMS	95-97
Walpurgis K, Thomas A, Dellanna F, Geyer H, Schänzer W, Thevis M: Multiplexed detection of ActRII-Fc fusion proteins in serum by means of Western blotting and LC-HRMS	98-101
Kaliszewski P, Kowalczyk K, Roguska K, Zalewska Z, Grucza K, Michalak D, Wojcikowska-Wojcik B, Burkhard-Jagodzinska K, Wicka M, Kwiatkowska D: Influence of oral administration of hexarelin on concentrations of hGH dependent biomarkers IGF-I and PIIINP in serum in context of anti-doping testing	102-104
Stinfil JC, Naud JF, Desharnais P, Ayotte C: Evaluation of the restandardized insulin-Like growth factor-I (IGF-I) assay for the biomarkers test	105-108
Desharnais P, Naud JF, Ayotte C: Single-blotting for ESA analysis of serum/plasma samples by IEF and SARPAGE after immuno-magnetic beads isolation	109-114
Stan C, Stanescu A, Toboc A, Pop V: Modification of serum sample preparation protocol to eliminate the crossreactions and improve the sensitivity of SAR-PAGE method for ESAs	115-119
Asawesna C, Nimsoongnern S, Inthong T, Seetapun S, Kusamran T, Kongpatanakul S: Urinary luteinizing hormone (LH) levels in male athletes during 3-years routine doping control analysis at the NDCC Bangkok	120-123
Stinfil JC, Chapot R, Desharnais P, Naud J, Ayotte C: Decreased P-III-NP concentration measurement in hemolysed serum samples and its effect on GH-Score	124-127
Schweizer Grundisch C, Baume N, Kuuranne T: Steroid profile evaluation following oral testosterone administration coupled to alcohol intake	128-132

Donati F, Mascia E, Orlandi S, Stampella A, Pirri D, Iannella L, Botrè F, de la Torre X: Genotypic variability and doping control: effects of the polymorphism of the family of UGT2B genes on a reference population	133-135
Nimsoongnern S, Weewong C, Lohwithee S, Wiriyakosol N, Wilairat P, Kongpatanakul S: Sample pretreatment for confirmation of 19-norsteroids by GC-C-IRMS in doping control	136-139
Wang J, Wen C, Yang W, Liu X: IRMS Analysis of 11β-Hydroxyandrosterone after Androstenedione Administration	140-144
Suominen T, Kuuranne T, Harju L, Leinonen A: Screening of doping agents by means of LC-TOF-MS part II: dilute-and-shoot screening of acidic compounds	145-147
Saardpun N, Asawesna C, Wilairat P, Kusamran T, Kongpatanakul S: Application of LC/MS-IT-TOF for screening of WADA prohibited doping peptides	148-151

PRESENTATIONS ABSTRACTS - LECTURES

Sardela V, Padilha M, Casilli A, Oliveira F, Levy R, Cavalcanti G, Oliveira F, Pereira H, Mirotti L, Duarte AC, Carneiro AC, Araújo A, Evaristo J, Nogueira F, da Costa G, Pizzatti L, de Aquino Neto F: Doping control improvements between summer Olympics and the Rio 2016 Olympic and Paralympic Games	152-153
Mirotti L, de Aquino Neto F, Pereira H, Carneiro M, Amaral A, Dudenhoefter-Carneiro AC: Human Growth Hormone (hGH) detection at Rio 2016 Games	154
Nair V, Miller G, Moore C, Booth M, Beharry A, Fedoruk M, Eichner D: Observations from hGH biomarker testing in doping control samples – a one year summary	155
Görgens C, Thevis M, Schänzer W, Pop V, Geyer H, Bosse C, Guddat S: The atypical excretion profile of meldonium: comparison of urinary detection windows after single- and multiple-dose application in healthy volunteers	156
Gavrilović I, Wüst B, Cowan D: Fast LC-HRMS Screening by Q-ToF in Doping Control	157
Polet M, Van Gansbeke W, Van Eenoo P: Chemical ionization GC-MS/MS: current developments	158
Geldof L, Deventer K, Verelst C, Van Eenoo P, Ryckx A: Preventive anti-doping research of small molecule erythropoiesis stimulating agents: HIF stabilizers	159
Miller G, Nair V, van Wagoner R, Eichner D: Changes in doping trends following the Designer Anabolic Steroid Control Act of 2014	160
Matabosch X, Coll S, Garrosta L, Monfort N, Pérez-Mañá C, Mateus J, Ezzel M, de la Torre R, Ventura R, Pizarro N: Effect of tea consumption on the steroid profil	161

Van Eenoo P, Geyer H, Gmeiner G, Goebel C, Kazlauskas R, Ayotte C: Booby traps in Doping Analysis	162
Ponzetto F, Boccard J, Randazzo GM, Nicoli R, Kuuranne T, Saugy M, Rudaz S: Exploring blood steroidomics for the improvement of the steroid profile	163
Sardela V, de Aquino Neto F, Pereira H, de Sousa V, de Carvalho A, Fonseca B, Anselmo C: Zebrafish: a tool to human-like metabolism study	164
Thomas A, Knoop A, Schänzer W, Thevis M: <i>In-vitro</i> metabolism of small prohibited peptides	165
Piper T, Dib J, Putz M, Fusshöller G, Pop V, Geyer H, Schänzer W, Thevis M: Studies on the <i>in vivo</i> metabolism of the new SARM YK11 and its implementation into existing doping control methods	166
Geisendorfer T, Göschl L, Benetka E, Gmeiner G: Monitoring of bacterial activity: increase of Diol concentrations	167
Aguilera R: Athlete Isotopic Signature or Isotopic Fingerprint of $\delta^{13}\text{C}$ value	168
Piper T, Thevis M, Schänzer W: Epiandrosterone sulfate prolongs the detectability of testosterone, 4-androstenedione, and dihydrotestosterone misuse by means of carbon isotope ratio mass spectrometry	169
Flenker U, Schänzer W: Use of makeup gas to improve sensitivity and linearity in compound specific analysis of stable hydrogen isotopes	170
Frelat C, Buisson C, Audran M, Martinat N, Mongongu C: Implementation of AICAR analysis by GC-C-IRMS	171
Deventer K, Van Eenoo P, Segura J, Ventura R, Pozo OJ: Routine application for the open screening of anabolic steroids	172
Mirotti L, Renovato-Martins M, Du Rocher B, Dudenhoeffer-Carneiro AC, Pereira HM, Aquino Neto FR: Homologous blood transfusion doping: Data from Rio 2016 Games and experimental evidences to support interpretation improvement	173
Cox H, Miller G, Lai A, Eichner D: Improved detection of blood doping practices using a dried blood spot method to measure immature reticulocytes	174
Dib J, Tretzel L, Piper T, Schänzer W, Thevis M: Determination of the AdipoR Agonists AdipoRon, 112254 and their Metabolites in Urine and Dried Blood Spots in Sports Drug Testing	175
Kuuranne T, Jan N, Baume N, Budgett R, Robinson N: Retesting of anti-doping samples – joint effort between testing authorities and laboratories	176

Leuenberger N, Rando G, Kuuranne T: Rapid on-site detection of gene doping	177
Reichel C, Gmeiner G, Thevis M: Antibody-based strategies for the detection of Luspatercept (ACE-536) in human serum	178
Knoop A, Thomas A, Bidlingmaier M, Delahaut P, Schänzer W, Thevis M: Detecting corticotropin releasing hormone (CRH) in human blood – two immunoaffinity purification LC-HRMS/MS approaches for doping control purposes	179
Thomas A, Thevis M, Schänzer W, Delahaut P, Walpurgis K: Determination of LongR³-IGF-I, R³-IGF-I, Des1-3 IGF-I and their metabolites in human plasma samples by means of LC-MS	180
Walpurgis K, Thomas A, Dellanna F, Schänzer W, Thevis M: Detection of the human anti-ActRII antibody Bimagrumab in serum by means of affinity purification, tryptic digestion, and LC-HRMS	181

PRESENTATIONS ABSTRACTS - POSTERS

Velasco B, Bautista J, Camacho E, Rodriguez ME, Rodriguez L, Mendoza N: Screening of Medicaments with Clenbuterol: Enantiomeric Ratio Analysis by HPLC/MS	182
Balgimbekova K, Beksultanova G, Balgimbekov S: For how long can Clenbuterol be detected in urine after therapeutic and subtherapeutic administration	183
Cho Y, Jeong W, Sung C, Min H, Kim KH, Son J: Development of MoIDES: Molecular Docking Evaluation System for Cocktail Enzymatic Hydrolysis System	184
Jeon M, Lee KM, Cha E, Park J, Lee J, Kwon O, Son J: Development of CEHS: Cocktail Enzymatic Hydrolysis System for CompleteHydrolysis of Phase II Metabolites of Gestrinone	185
Okano M, Sato M, Kageyama S: Determination of higenamine in human urine after the administration of a throat lozenge containing Nandina domestica fruit	186
Matabosch X, Pérez-Mañá C, Pozo OJ, Farré M, Ventura R: Urinary profiles of prednisolone, prednisone and their metabolites after oral and topical administrations	187
Upadhyay A, Ahi S, Dubey S, Vashisth E, Beotra A, Jain S, Shukla S: Urinary excretion patterns of Methylprednisolone after oral & intra-articular administration and effect on endogenous corticosteroids profile	188

Athanasiadou I, Kraiem S, Al-Sowaidi S, Al-Mohammed H, Samsam W, Mohamed Ali V, Alsayrafi M, Valsami G, Georgakopoulos C:

Influence of athletes` hyperhydration on the urinary 'steroid profile' parameters 204-205

Nimker V, Jamal H, Jain S, Srivastava A, Sahu K:

Implementation of Steroidal passport: Experiences of Indian Laboratory 206

Quitian G, Barrabini J, Padilha M, Pereira H, Aquino Neto FR:

Evaluation of the endogenous profile of androgenic anabolic steroids in serum of a brazilian population by GG-MS/MS 207

Hernández D, Correa Vidal T, Martinez D, Montes de Oca R:

The masking effect of 16β-OH-stanozolol on 3'OH-stanozolol determination in a back up screening procedure 208

Jardines D, de la Torre X, Botrè F:

From normal prior distribution to uniform prior information in the Bayesian evaluation of the isotope ratio mass spectrometric delta values data. A theoretical study 209

Oliveira F, Casilli A, Piper T, Silva T, Silva C, Silva R, Dal Sasso M, Salgueiro G, Padilha M, Pereira H, Thevis M, Aquino Neto FR:

19-Norandrosterone confirmation by IRMS: Validation and the Olympic experience 210

Mullen J, Hopcraft O, Börjesson A, Ericsson M, Schulze JJ, Ekström L, Lehtihet M:

Longitudinal evaluation of the steroid profile and the isotopic ratio following a single administration of testosterone gel 211

Wang J, Wen C, Liu X:

Steroid Profile and IRMS Analysis on Musk Administration for Doping Control 212

Lee K, Xu YL, Jeong ES, Cha E, Kim HJ, Son J, Kim KH, Park J, Min H, Sung C, Lee J, Kwon O:

Reference ranges of urinary endogenous steroids profile and 13C delta values of Korean population 213

Mäkelä R, Leinonen A, Suominen T:

Screening of doping agents part I: Screening of growth hormone releasing peptides by LC-TOFMS 214

Esquivel A, Kotronoulas A, Balcells G, Joglar J, Ventura R:

Ionization and collision induced dissociation behavior of steroids bisglucuronides 215

Alechaga E, Monfort N, Ventura R:

Dilute-and-shoot UPLC-MS/MS method for the screening of plasma volume expanders, AICAR, mildronate, ethylglucuronide and hydroxyphenylalkylamines 216

Ohta M, Sato M, Kageyama S, Okano M:

Dilute-and shoot UHPLC/HILIC switching tandem mass spectrometry for urine analysis in doping control 217

Lee J, Jeong ES, Cha E, Lee KM, Kim HJ, Son J, Kim KH, Park J, Min H, Sung C, Kwon O: Practical and economical online H/D exchange technique using electrospray ionization/ mass spectrometry coupled with gas chromatography	218
Kim KH, Kim Y, Sung C, Min H, Park JH, Son J, Lee KM, Kim HJ, Lee J, Kwon OS: Development of hybrid sample preparation method using solid phase extraction and diluted urine reconstitution for screening of various classes of prohibited substances by liquid chromatography-mass spectrometry	219
Cavalcanti G, Rodrigues L, Santos L, Gujar A, Zheng X, Cole J, Padilha M, Aquino Neto F: Non-targeted doping-screening method based on Orbitrap GC/MS: A new perspective	220
Lomen A, Vonaparti A, Abushareeda W, Saad K, Alsayrafi M, Abushareeda P, Nielsen M, Georgakopoulos C: Fast Reprocessing of LC/Q/Exactive Datafiles using MetAlign: A Case Study	221

TABLE OF CONTENTS

LECTURES

PAGE

Shen L, Zhang L, Yang X, He C, Zhou X, Xu Y, Yan K:

Simultaneous Detection of sixteen WADA prohibited GHRPs, GHS , GnRHs and eight metabolites in human urine by HPLC-MS/MS

12 - 19

Pirri D, de la Torre X, Stampella A, Botrè F, Donati F:

A molecular biology-based indirect strategy for the detection of "induced hypoxia" in blood doping

20 - 25

Schwenke D:

Application of fluorescence labeled proteins as internal standards for Sarcosyl-PAGE and Western blot to improved detection of ESAs

26 - 31

POSTER PRESENTATIONS

Hernández Domínguez D, Barbán Duarte L, González O, Martínez Brito D, Montes de Oca Porto R:
Interesting increase of nicotine found in urine samples collected in competition during 2015

32 - 36

Chundela Z, Große J:

Relevance of veterinary β 2-agonists in human doping

37 - 41

Wu Y, Xing Y, Shen L, Lu J:

Identification of Oxilofrine in Human Urine by LC-MS/MS

42 - 45

Singh SP, Dubey S, Kaur T, Beotra A, Jain S, Tomar R:

Detection and quantification of phenethylamine and its derivatives in urine (direct urine injection) and dietary supplements using LC-MS/MS

46 - 50

Martínez Brito D, Perez Gutierrez X, Terrero Serrano O, Correa Vidal T, Montes de Oca Porto R:
Influence of an orally administered dexamethasone liposomal preparation on endogenous corticosteroid profiles

51 - 54

Mazzarino M, de la Torre X, Ughi D:

In vitro investigation of the phase I and phase II metabolism of non-peptide arginine-vasopressin-V2 receptors antagonists. Selection of the most appropriate marker(s) of misuse.

55 - 60

Thoerngren J, Ericsson M:

Metabolism study of the selective androgen receptor modulator LGD-4033

61 - 65

Zhou X, Shen L, He C, Zhang L:

Longitudinal Study on a Case of Atypical Finding for rhGH

66 - 69

Agon V, Simpson J, Hall S, Goebel C:

hGH biomarkers screening method by RIA - an unusual result during method validation

70 - 73

Voss S, Elsaftawy W, Aljaber H, Alsayrafi M, Georgakopoulos C: Combining immunopurification methods for EPO to improve specificity and avoid double blotting in serum EPO SAR-PAGE analysis	74 - 78
Masquelier M, Tollbäck P, Palonek E, Ericsson M: LH detection by AutoDelfia and Vidas 3 immunoassays: total and intact LH comparison in a population of males tested for androgenic anabolic steroid abuse	79 - 82
Colev JC, Berghes B, Pop V, Zorio M, Tarcomnicu I: Liquid-liquid extraction as a simple alternative for the analysis of some of the growth hormone releasing peptides in urine	83 - 87
Viriyakhasem N, Kaewklum M, Seetapun S, Wilairat P, Chatsiricharoenkul S, Kongpatanakul S: Preliminary Study: Determination of the basal concentration of di-(2-ethylhexyl) phthalates metabolites in urine of Thai population by liquid chromatography tandem mass spectrometry	88 - 91
van Renterghem P, Deventer K, van Eenoo P: Stability of the alternative steroid profile (ASP) Part IV: influence of Exogenous steroids and finasteride on alternative steroid profiles	92 - 96
Angelis Y, Thomaidis NS, Lypousi K, Tsivou M, Lyris E: Monitoring of ethylglucuronide in GC-MS detection method of anabolic androgenic steroids	97 - 100
Poohribuncha B, Lohwithee S, Kaewklum S, Joengklinjantana N, Pootrakronchai R, Wilairat P, Kongpatanakul S: Detection of Ethyl Glucuronide (EtG) in Human Urine Using GC-MS Procedure at NDCC for Plasma Volume Expander	101 - 103
Montes de Oca Porto R, Rodriguez Fernandez A, Martínez Brito D, Correa Vidal T, Gonzalez Perez O, Terrero Serrano O: Isotope ratio mass spectrometric reference intervall data for endogenous steroids in Havana anti-doping laboratory	104 - 107
Lalonde K, Ayotte C: Separating peaks: Controlling the isotopic signature of new IRMS reference materials	108 - 111
Piper T, Geyer H, Blatt C, Schänzer W, Thevis M: Hydrogen isotope ratios of urinary norandrosterone - a case study	112 - 115
Wiriyakosol N, Pootrakronchai R, Inthong T, Panan S, Kusamran T, Wilairat P, Kongpatanakul S: Experience with LC/MS/MS analysis for routine screening at NDCC	116 - 118
Zhao J, Yan K, Ma Y, Zhang L, Lv C, Dong Y: Development and validation of a UPLC-MS/MS method for the detection of 9 diuretics in human urine	119 - 122
Mazzarino M, de la Torre X, Botrè F: Fast LC-MS/MS screening procedure to detect AICAR, ethanol metabolites and mildronate in human urine for doping control purpose	123 - 127

Zhang Y, Wang S, Deng J, Liu X, Yang S, Jing J:

The influence of MSTFA derivatised products of Aminoglutethimide by urine matrix 128 - 130

Walpurgis K, Schultze G, Mareck U, Geyer H, Schänzer W, Thevis M:

Detection of endogenous and pseudoendogenous steroids in dietary supplements containing *Rhodiola rosea* 131 - 134

Krug O, Walpurgis K, Thomas A, Piper T, Sigmund G, Schänzer W, Thevis M:

Black market products with suspiciously doping relevant ingredients – annual report 135 - 139

PRESENTATIONS ABSTRACTS - LECTURES

Guddat S, Görgens C, Steinhart V, Schänzer W, Thevis M:

Mitragynine (Kratom) - monitoring in sports drug testing 140

Dib J, Thomas A, Delahaut P, Fichant E, Schänzer W, Thevis M:

Identification and characterization of in vitro and in vivo generated metabolites of the adiponectin receptor agonists AdipoRon and 112254 141

Rzeppa R, Viet LN, Dehnes Y:

Investigations of vaptan metabolism, exemplified with tolvaptan 142

Rossi F:

The Universe beyond the laboratories 143

Parr MK, Wüst B, de la Torre X, Nägele E, Stanic M, Schmidt AH, Botrè F:

Supercritical Fluid Chromatography (SFC) as Orthogonal Technique for Improved Detection of Polar Analytes in Anti-Doping Control 144

Görgens C, Guddat S, Thomas A, Wachsmuth P, Orlovius A, Sigmund G, Thevis M, Schänzer W:

Simplifying and expanding analytical capabilities for various classes of polar and non-polar doping agents by means of direct urine injection high resolution/high accuracy mass spectrometry 145

Sardela V, Martucci ME, de Araújo A, Leal E, Oliveira D, Carneiro G, Pereira HM, de Aquino Neto F:

Comprehensive analyses by liquid chromatography-Q-orbitrap mass spectrometry: fast screening of peptides and small molecules 146

Thomas A, Görgens C, Guddat S, Thieme D, Dellanna F, Schänzer W, Thevis M:

Simplifying and expanding the screening for peptides < 2 kDa by means of direct urine injection, liquid chromatography and ion mobility-mass spectrometry 147

Buisson C, Marchand A, Bailloux I, Lahaussais A, Martin L, Molina A:

HIF stabilizer drug FG-4592 used as a new doping agent by athletes: investigation on a positive case 148

Knoop A, Thomas A, Fichant E, Delahaut P, Schänzer W, Thevis M: Qualitative identification of growth hormone releasing hormones in human plasma by means of immunoaffinity purification and LC-HRMS/MS	149
Tretzel L, Thomas A, Piper T, Hedeland M, Geyer H, Schänzer W, Thevis M: Fully automated determination of nicotine and its major metabolites in whole blood by means of a DBS online-SPE LC-HR-MS/MS approach for sports drug testing	150
Abushareeda W, Vonaparti A, Kraiem S, Saad K, Alwahaibi A, Almansoori M, Meloug M, Saleh A, Alyazedi S, Dbes N, Khalil A, Wuest B, Reiner J, Alsayrafi M, Georgakopoulos C: Preventive doping control analysis: liquid and gas chromatographic high resolution full scan mass spectrometric initial testing procedure for small molecules	151
Geldof L, Deventer K, Tudela E, van Eenoo P: <i>In vitro</i> metabolism studies of REV-ERBα agonists SR9009 and SR9011	152
Gavrilovic I, Galesio M, Cowan D: Simplifying analysis of novel SARMs – the power of in vitro metabolism with tandem high resolution mass spectrometry	153
Ayotte C, Morneau É, Charlebois A, Arsenault A, Lalonde K: Trends in Detectable Doping Substances in International Events	154
van Renterghem P, Deventer K, Lootens L, van Eenoo P: Detection of the long-acting testosterone formulation Nebido® and influence on blood and steroid profile values	155
Ayotte C, Charlebois A, Trudel M: Evaluation of individual athlete's steroid profiles	156
Ponzetto F, Mehl F, Boccard J, Baume N, Rudaz S, Saugy M, Nicoli R: Longitudinal follow-up of endogenous steroids in serum: a first step towards "steroid profile" in blood	157
Matabosch X, Sergi C, Garrosta L, Pérez-Mañá C, Ventura R: Effect of glucocorticoid administration on the steroid profile	158
Polet M, van Gansbeke W, van Eenoo P: GC-CI-MS/MS analysis of anabolic androgenic steroids	159
Balcells G, Matabosch X, Garrosta L, Gomez C, Pozo OJ, Esquivel A, Ventura R: Detection, evaluation and characterization of new steroid sulfate metabolites	160
Okano M, Sato M, Kageyama S: Mass spectrometric characterization of EPO biosimilar products	161
Vogel M, Thomas A, Schänzer W, Thevis M: Analytics of non-peptide erythropoietin mimetic agents by means of high resolution / high accurate LC-MS/MS determination	162

Casilli A, Piper T, Oliveira F, Padilha M, Pereira HM, Thevis M, de Aquino Neto FR: Optimization of an on-line heart-cutting multidimensional gas chromatography clean-up step for IRMS and simultaneous quadrupole MS measurements of endogenous anabolic steroids in urine	163
Jardines D, Colamonici C, Molaioni F, Curcio D, Botrè F, de la Torre X: Longitudinal evaluation of the isotope ratio mass spectrometric data	164
Hülsemann F, Lehn C, Schneiders S, Jackson G, Hill S, Rossmann A, Scheid N, Dunn PJH, Flenker U, Schänzer W: Global spatial distribution of human carbon isotope ratios	165
Flenker U, Riemann P, Schänzer W: Towards an Integration of Steroid Profiling and Stable Isotope Analysis	166
Riemann P, Macha A, Schult C, Gougoulidis V, Haenelt N, Fußhöller G, Flenker U, Schänzer W: Effects of the Female Menstrual Cycle, Hormonal Contraception, and Pregnancy on Profiles and ¹³C/¹²C Ratios of Endogenous Steroids	167
de la Torre X, Colamonici C, Curcio D, Botrè F: High throughput IRMS analysis	168
Nair V, Miller G, Morrison S, Summers M, Willick S, Eichner D: Intranasal Delivery of Natesto Testosterone Gel and Its Effect on Doping Markers	169
Piper T, Schänzer W, Thevis M: Metabolism of exogenous testosterone in UGT2B17 del/del genotype	170
Butch A: Human Chorionic gonadotropin (hCG) isoform concentrations in doping control samples considered negative, positive and atypical	171
Salamin O, Barras L, Barelli S, Lion N, Robinson N, Baume N, Tissot J, Saugy M, Pitsiladis Y, Leuenberger N: Digital multiplex mRNA profiling for the detection of autologous blood transfusion in sports - a pilot study	172
Miller G, Eichner D, Cushman D, Teramoto M: Evaluating Dehydration in the Context of the Biological Passport	173
Giraud S, Weber C, Baume N: Human Growth Hormone biomarkers: Validation and first results on Swiss Athlètes	174
Ferro P, Ventura R, Pérez-Mañá C, Farré M, Segura J: Potential new genetic and protein biomarkers for the improved detection of GH abuse	175 - 176
Reichel C, Farmer L, Thevis M, Lorenc B: Detection of Sotatercept in human serum by sarcosyl ployacrylamide gel electrophoresis	177

Walpurgis W, Thomas A, Reichel C, Vogel M, Schänzer W, Thevis M:

Detection of the erythropoiesis-stimulating agent Sotatercept (ActRIIA-Fc) in serum by means of western blotting and LC-HRMS

178

PRESENTATIONS ABSTRACTS - POSTERS

Kwiatkowska D, Liebetrau F, Schmidt AH, Stanic M, Blokland MH, Meijer T, Waraksa E, Sterk SS, Parr MK:

Determination of Clenbuterol enantiomers in a controlled administration trial for distinction of food contamination and drug abuse

179

Perrenoud L, Schweizer C, Nicoli R, Baume N, Saugy M:

Risk of false positive results to SARM S4 in case of therapeutic use of antineoplastic/antiandrogen drug containing flutamide: a study case

180

Okano M, Sato M, Ohta M, Kageyama S:

Case report: Trimetazidine produced by metabolic conversion of lomerizine.

181

Görgens C, Guddat S, Dib J, Wachsmuth P, Geyer H, Schänzer W, Thevis M:

Mildronate (Meldonium) in professional sports – monitoring of doping control urine samples

182

Dib J, Sigmund G, Tretzel L, Piper T, Bosse C, Schänzer W, Thevis M:

Monitoring 2-phenylethylamine and 2-(3-hydroxyphenyl)acetamide sulfate in doping controls

183

Thomas A, Brinkkötter P, Schänzer W, Thevis M:

Strategies to uncover the administration of recombinant human insulin by LCHRMS

184

He C, Zhou X, Zhang L, Shen L, Liu X, Yang X, Feng F, Xu Y:

Statistic Analysis of Urinary Total LH Level of Chinese Male Athletes

185

Cuervo D, Loli C, Muñoz G, Aguilera R:

Screening and Confirmation of Doping-related Peptides via Accurate-Mass Quadrupole Time-of-Flight (Q-TOF) LC/MS

186

Ohta M, Sato M, Kageyama S, Okano M:

Doping control analysis of small peptides in human urine by microfluidic chromatography/tandem mass spectrometry

187

Weber C, Baume N:

Luteinizing hormone content in urine samples of Swiss athletes during routine doping controls

188

Kniess A, Thieme D:

High-sensitive Method for the Detection of Growth Hormone Releasing Peptides using Strata X Drug B Cartridges for Sample Preparation

189

Kniess A, Groba D, Grosse J, Thieme D:

Pharmacokinetic and Pharmacodynamic Aspects of an Application of recombinant Human Chorionic Gonadotropin (OVITRELLE)

190

Martin L, Ashenden M, Lasne F, Marchand A:

New insights for identification of doping with EPO micro-doses

191

Okano M, Sato M, Kageyama S:

Differentiation of PEGylated and non-PEGylated erythropoietins using LC-MS/MS with In-source CID

192

San Román I, Saratxaga A, Alonso RM, Bartolomé L, Ventura R, Segura J, Monfort N:

Determination of the volatile metabolites of the plasticizer di(2-ethylhexyl) phthalate in urine by MHS-SPME-GC/MS as possible markers for blood transfusion in sports drug testing

193

Charlebois A, Desjardins M, Ayotte C:

Improved Confirmation of Dehydrochlormethyltestosterone long-term Metabolite on the Agilent 7010 Triple Quadrupole GC-MS.

194

Esquivel A, Pozo OJ, Garrosta L, Balcells G, Kotronoulas A, Joglar J, Ventura R:

LC-MS/MS Strategies for the direct detection of glucuronide metabolites of metandienone

195

Ayotte C, Sylvestre A, Poirier D, Charlebois A:

Detection of 5 α -androst-2-en-17-one and variants in athletes' samples

196

Tretzel L, Thomas A, Geyer H, Pop V, Schänzer W, Thevis M:

Dried blood spots (DBS) in doping controls: a complementary matrix for improved in- and out-of-competition sports drug testing strategies

197

Schönfelder M, Hofmann H, Schulz T, Engl T, Kemper D, Rautenberg C, Oberhoffer R, Thieme D:

Potential Detection of Low Dose Transdermal Testosterone Administration in Blood, Urine and Saliva

198

Yan K, Xu Y, Liu X, Dong Y:

Preliminary study of the impact on steroid profile after oral administration of desmopressin

199

Jarek A, Wójtowicz M, Chajewska K, Szczepanska Z, Wójcikowska-Wójcik B, Zalewska Z, Turek-Lepa E, Kwiatkowska D:

Influence of single ethanol dose administration on endogenous steroids levels in human urines

200

Rzeppa S, Viet LN, Dehnes Y:

Analysis of phase II metabolites by high performance liquid chromatography coupled to tandem mass spectrometry

201

Kim KH, Kim Y, Lee J, Son J, Kim HJ, Lee KM, Park J, Min H, Kwon O:

High-speed narcotics and cannabinoids screening by 'dilute-and-shoot' strategy using a high-resolution mass spectrometry for enhanced selectivity

202

Lee J, Jeong ES, Cha E, Kim KH, Kwon O, Cha S:

Direct quantitative analysis of prohibited threshold substances by paper spray ionization mass spectrometry

203

Nicoli R, Desfontaine V, Novakova L, Ponzetto F, Veuthey J, Guilleme D, Saugy M:

Fast and sensitive screening of anabolic agents in urine samples by UHPSFCMS/MS and UHPLC-MS/MS: a comparison study

204

Nicoli R, Novakova L, Grand-Guillaume Perrenoud A, Veuthey J, Guilleme D, Saugy M:

UHPSFC-ESI-MS/MS: a powerful analytical platform for screening of doping agents in urine by 'dilute-and-shoot'

205

Balcells G, Matabosch X, Monfort N, Ventura R:

Dilute-and-shoot multi-screening method of doping agents in human urine using a LC-QTOF instrument

206

van Eenoo P, van Gansbeke W, Polet M, Roels K, Deventer K:

Detection of a new beta-2-agonist, higenamine, present in supplements

207

Weber C, Krug O, Kamber M, Thevis M:

Analysis of 1'078 black market products seized at the swiss border

208

Wójtowicz M, Jarek A, Chajewska K, Waraska E,2, Szczepańska Z, Kwiatkowska D:

Anabolic agents and stimulants present in supplements from Polish market

209

Wójtowicz M, Jarek A, Chajewska K, Stanczyk D, Tarka M, Kwiatkowska D:

Elimination study of NN-DPPA - urine determination by GC-MS system

210

Thevis M, Krug O, Piper T, Geyer H, Schänzer W:

Quantification of undeclared ionic cobalt and nickel in products advertised with erythropoiesis-stimulating properties

211

TABLE OF CONTENTS

LECTURES	PAGE
Mazzarino M, de la Torre X, Khevenhüller F, Iannone M, Palermo A, Botrè F: Effects of antifungals on the circadian fluctuation of the markers of the “steroid profile”. An in vivo study	13-18
Sobolevsky T, Dudko G, Rodchenkov G: Improved detection of steroid sulfate conjugates using LC-MS/MS with paired-ion electrospray (PIESI) ionization	19-25
Sobolevsky T, Rodchenkov G: Detection of epitrenbolone glucuronide and cysteinyl conjugate of trenbolone may provide better retrospectivity of trenbolone abuse	26-32
Beotra A, Dubey S, Kaur T, Singh A, Yadav S, Jain S: Best practices for running a PT program as per ISO/IEC 17043:2010 standard: Accreditation of NDTL-PT Scheme.	33-36
Ouellet A, Lalonde K, LeBerre N, Séguin F, Ayotte C: Two-dimensional purification of low concentration analytes in urine for carbon isotope ratio analysis	37-44
 POSTER PRESENTATIONS	
de Paolis E, de la Torre X, Mazzarino M, Botrè F: Relevance of cyclodextrins on the doping control field: potential masking effects and their detection in biological fluids	45-50
Dong Y, Ma Y, Yan K, Xu Y: Determination of mannitol in human urine by LC-MS/MS for sports drug testing	51-53
Nimker V, Jamal H, Lal R, Ghosh PC, Jain S, Beotra A: Liposomes: Factors affecting interaction of liposomes with doping agents	54-58
Upadhyay A, Dubey S, Dubey S, Priyadarshi R, Beotra A, Shukla S, Jain S: A preliminary study on the endogenous glucocorticoids profile in human urine by UPLC-MS/MS: Effect of synthetic glucocorticoids.	59-63
Sobolevsky T, Dikunets M, Rodchenkov G: Metabolism study of GSK4112, SR9009, and SR9011, new “exercise-in-a-pill” drug candidates	64-69
Mazzone R, Botrè F, Capodaglio M, de la Torre X, Fiacco I, Mazzarino M: An <i>in vitro</i> investigation on the phase I and phase II metabolism of aminoalkylindoles. Selection of the most appropriate marker(s) of misuse.	70-74
Sobolevsky T, Dikunets M, Dudko G, Rodchenkov G: Metabolism study of the selective androgen receptor modulator LGD-4033	75-79

Sobolevsky T, Dikunets M, Rodchenkov G: Newcomers to the synthetic cannabinoid family: detection of major metabolites in urine	80-83
He C, Shen L, Zhang L, Zhou X, Xu Y: Comparison of five immunoassays for the detection of human chorionic gonadotropin	84-87
Zhou X, Zhao Y, He C, Xu Y, Wu M: Serum MiRNAs as the Potential Biomarker for Doping Analysis of Steroids	88-91
He C, Wu M, Hu Y, Zhou X, Shen L, Zhang L, Xu Y: Circulating microRNAs as biomarkers of human growth hormone administration: microassay analysis	92-94
Cocchiola C, Botrè F, de la Torre X, Mazzarino M: Detection of intact insulins in biological fluids by LC-ESI-MS/MS following protein precipitation, ultra filtration and immunoaffinity chromatography purification.	95-100
Castro JL, Martucci MEP, dos Santos GR, Carneiro GR, da Costa GC, Sardela VF, Pereira HM, Aquino Neto FR: Peptides in doping control: screening, confirmation, validation protocols and stability results	101-106
Parrotta G, Botrè F, de la Torre X, Mazzarino M: A multi-analyte procedure to detect small peptides in urine by LC-MS/MS following solid phase extraction.	107-113
Donati F, Conte C, Tonelli F, Stampella A, Pirri D, de la Torre X, Botrè F: Effects of local injections of platelet rich plasma (PRP) on serum levels of markers used for the detection of growth hormone doping	114-117
Rodrigues Tavares AS, Ruivo J, Montes de Oca Porto R, Martínez Brito D, Torres M: Characteristics of IEF Patterns, SDS-PAGE and SAR-PAGE: Result of Cuban rEPO Biosimilar	118-121
Desharnais P, Chapot R, Naud J, Ayotte C: Comparative study of the EPO-immunoaffinity approaches used for anti-doping control purposes.	122-125
Tretzel L, Thomas A, Sköld K, Zeeberg D, Schänzer W, Thevis M: Improvement of the stability of Synacthen® in Dried Blood Spots by means of heat stabilization	126-129
Tangvisethpat C, Grainger J, Goebel C, George AV: Comparison of low volume quantifiable blood sampling kits	130-134
Pereira L, Ramos S, Paixão P, Horta L, Ruivo J: Is the strategy of Biological Passport changing the behaviour of elite athletes in Portugal?	135-138
Okano M, Ikekita A, Kageyama S: Steroid profiles and alcohol marker ethyl glucuronide in Japanese athletes	139-143
Forsdahl G, Johnsgaard T, Geisendorfer T, Kainzbauer J, Gmeiner G: Evaluation of the influence of grapefruit juice on the endogenous urinary steroid profile	144-147
Sobolevsky T, Dikunets M, Dudko G, Rodchenkov G: 3-Oxo-4-azasteroids with purported anabolic activity: detection in urine and influence on steroid profile	148-151

Zorio M, Pop A, Danila M, Pop V: Development and validation of a method for steroid profile using gas chromatography coupled to triple quadrupole mass spectrometry	152-156
LeBerre N, Lalonde K, Ouellet A, Séguin F, Ayotte C: From cleanup and analysis to data compilation: carbon isotope ratio determination of 19-norandrosterone origin in athlete's urine samples	157-160
Dong Y, Yan K, Ma Y, Wang S: An improved LC-MS/MS method to quantify ephedrine in human urine and elimination of the matrix effects	161-164
Yan K, Ma Y, Shen L, Xu Y, Dong Y: Confirmation of furosemide, hydrochlorothiazide and ACB in human urines by LC-MS/MS with full or product ion scan mode	165-168
Balgimbekova K, Nurpeisov N, Talbaev T: A simple quantification and confirmation of 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid (THC-COOH) in urine by liquid chromatography coupled to high resolution Orbitrap mass spectrometry analysis.	169-172
Wicka M, Chołbiński P, Kowalczyk K, Grucza K, Michalak D, Stańczyk D, Kwiatkowska D: Detection of synthetic cannabinoids in urine by LC/MS/MS	173-177
Esquivel A, Balcells G, Pozo OJ, Gómez C, Kotronoulas A, Joglar J, Segura J, Ventura R: New LC-MS/MS screening for methyltestosterone: direct detection of phase I and phase II metabolites in urine	178-182
Georgakopoulos C, Mikros E, Fragkaki AG, Kostidis S, Tsantili-Kakoulidou A, Moumouzias J, Lyras E: Screening of designer steroids by NMR/Pattern recognition	183-188
Pootrakronchai R, Inthong T, Kaewklum M, Saardpun N, Panan S, Kusamran T, Kongpatanakul S: Method validation for routine screening of 145 WADA prohibited substances by LC-MS/MS	189-191
Chołbiński P, Wicka M, Kowalczyk K, Grucza K, Michalak D, Stańczyk D, Kwiatkowska D: Discrimination of phenyl ring positional isomers of methylmethcathinone by LC/MS/MS	193-196
Kazlauskas R, Goebel C: Androst-3,5-diene-7,17-dione in supplements and its urinary metabolite	197-200
Krug O, Thomas A, Walpurgis K, Piper T, Sigmund G, Schänzer W, Thevis M: Mass spectrometric analysis of black market products with suspiciously doping relevant ingredients by HPLC-(HR)MS, GC-(HR)MS, ICP-MS, and 1D-gel electrophoresis-UPLC-MSⁿ	201-205
Kaewklum M, Kaewklum S, Pootrakronchai R, Kusamran T, Wilairat P, Chatsiricharoenkul S, Kongpatanakul S: Incidence of Mitragynine from urine samples at NDCC, Bangkok.	206-209
Sobolevsky T, Dikunets M, Rodchenkov G: Use of meldonium (Mildronate) and emoxypine (Mexidol) by Russian athletes: a prevalence study	210-213

Sobolevsky T, Dikunets M, Rodchenkov G: Identification of an unknown compound with claimed HIF activity in a black market product	214-219
Cuervo D, Martín-Navas P, Saavedra MJ, García L, Aguilera R: An overview of doping-related arrests in Spain during 2014: statistics and analysis conducted by the Doping Control Laboratory in Madrid	220-223

PRESENTATIONS ABSTRACTS - LECTURES

Piper T, Thevis M, Geyer H, Schäfer M, Kienbaum P, Schänzer W: Measuring xenon in blood and urine for doping control purposes	224
Agon VV, Simpson J, Hall S, Goebel C: An unusual case of a plasma volume expander - Dextran (?)	225
Dib J, Schlörer N, Schänzer W, Thevis M: Studies on the Collision-Induced Dissociation of adipoR Agonists After Electrospray Ionization and Their Implementation in Sports Drug Testing	226
Tsivou M, Giannadaki E, Georgakopoulos D, Van Eenoo P, Hooghe F, Van Gansbeke W, Botre F, de la Torre X, Mazzarino M, Donati F, Lyrís E, Georgakopoulos C: Optimization of the synthesis of the chemical stabilization mixture of urine samples with simultaneous minimization of analytical matrix interferences	227-228
Görgens C, Guddat S, Orlovius AK, Sigmund G, Thomas A, Thevis M, Schänzer W: “Dilute-and-Inject” multi-target screening assay for highly polar doping agents using hydrophilic interaction liquid chromatography high resolution/high accuracy mass spectrometry (HILIC-HRMS) for sports drug testing.	229
Guddat S, Görgens C, Dib J, Geyer H, Schänzer W, Thevis S: Mildronate (Meldonium) in professional sports – monitoring doping control urine samples using hydrophilic interaction liquid chromatography - high resolution / high accuracy mass spectrometry	230
Goebel C, Grainger J, Clarke E: My Robot II: the next step in automation.	231
Ventura R, Metabosch X, Monfort N, Pozo OJ, Monfort J, Llorente-Onaindia J, Segura J: Urinary profiles of corticosteroids after intra-articular and related administrations	232
Tretzel L, Thomas A, Geyer H, Delahaut P, Schänzer W, Thevis M: Determination of Synacthen® in Dried Blood Spots for doping control analysis using liquid chromatography tandem mass spectrometry	233

Athanasiadou I, Valsami G, Voss S, Kraiem S, Vonaparti A, El Saftawy W, Al Saadi K, Alwahaibi A, Aljaber A, Dokoumetzidis A, Muhammad-Ali V, Adel A, Alsayrafi M, Georgakopoulos C: Influence of athletes' hyperhydration on sample collection procedure in terms of urine pharmacokinetics of representative prohibited substances	234-235
Polet M, Van Gansbeke W, Hooghe F, Van Eenoo P: Increasing the sensitivity of gas chromatography – triple quadrupole mass spectrometry by using chemical ionization.	236
Nair V, Cox H, Campbell T, Eichner D: Tracing adverse analytical findings to mislabeled underground products	237
Geldof L, Lootens L, Tudela E, Morthier W, Deventer K, Van Eenoo P: <i>In vitro</i> metabolism studies of black market products	238
Lootens L, Geldof L, Meuleman P, Leroux-Roels G, Botrè F, Deventer K, Van Eenoo P: Metabolic study of methyldienolone, methyltrienolone and MENT using human liver microsomes and humanized mice.	239
de la Torre X, Rosati L, Curcio D, Colamonici C, Molaioni F, Jardines D, Botrè F: Mass spectrometric analysis of androstenedione in doping analysis.	240
Gmeiner G, Forsdahl G, Tretzel L, Thevis M, Geisendorfer T, Erceg D: Detection of testosterone esters in blood samples	241
Jan N, Michelot H, Marclay F, Esseiva P, Saugy M: Profiling of customs seized drugs containing testosterone	242
Rzeppa S, Heinrich G, Humpf H, Hemmersbach P: Analysis of anabolic androgenic steroids as sulfate metabolites using liquid chromatography coupled to tandem mass spectrometry	243
Balcells G, Pozo OJ, Esquivel A, Gómez C, Segura J, Rosa V: Towards a more comprehensive and simple method to screen for exogenous anabolic steroids in sport	244
Van Renterghem P, Esposito S, Deventer K, Van Eenoo P: Stability of the alternative steroid profile (ASP) Part III: influence of ACTH and corticosteroids on alternative steroid profiles	245
Brooker L, Edey C, Medojevic N, Tjoa J, Goebel C: Recent trends in "workplace" AAS testing at the Australian Sports Drug Testing Laboratory (ASDTL).	246
Höppner S, Thomas A, Sander M, Opfermann G, Dib J, Schänzer W, Thevis M: Complementing the characterization of <i>in vivo</i> generated <i>N</i>-glucuronic acid conjugates of stanozolol by collision cross section computation and analysis	247

Piper T, Schänzer W, Thevis M:

Investigation and reconsideration of the 19-nortestosterone metabolism 248

Flenker U, Riemann P, Hülsemann F, Gougoulidis V, Haenelt N, Braun H, Köhler K, Mester J, Schänzer W:

Still more physiological Effects on stable Isotope Ratios of endogenous Steroids 249

Riemann P, Hülsemann F, Gougoulidis V, Fußhöller G, Haenelt N, Schult C, Macha A, Schänzer W, Flenker U:

Effects of reduced energy-uptake on concentrations and ¹³C/¹²C ratios of urinary steroids – a case study 250

de la Torre X, Procida G, Curcio D, Colamonici C, Jardines D, Molaioni F, Botrè F:

Stability of endogenous steroids IRMS data. An additional tool for longitudinal investigations. 251

Leuenberger N, Barras L, Nicoli R, Lion N, Barelli S, Tissot JD, Saugy M:

Detection of autologous DEHP-free blood transfusion 252

Kuورانne T, Alfthan H, Leinonen A, Stenman UH:

Development of standardized methods for determination of hCG in urine 253

Dehnes Y, Schulze J, Myrvold L, Holden G, Drange M:

4 years of longitudinal profiles of GH-biomarkers of Norwegian elite athletes 254

Walpurgis K, Thomas A, Schänzer W, Thevis M:

Myostatin inhibitors in sports drug testing: Detection of myostatin-neutralizing antibodies in plasma/serum by affinity purification and Western blotting 255

Thomas A, Walpurgis K, Brinkkötter P, Delahaut P, Schänzer W, Thevis M:

Expanded test method for peptides >2 kDa employing immunoaffinity purification and LC-HRMS/MS 256

Ferro P, Krotov G, Zvereva I, Rodchenkov G, Segura J:

Insight into the GHSR1a activity in urine after nasal administration of 500 µg of GHRP-1, GHRP-2, GHRP-6, Hexarelin and Ipamorelin 257-258

Krotov G, Zvereva I, Ferro P, Semenistaya E, Filatov A, Segura J, Rodchenkov G:

Purification and analysis of Growth Hormone Secretagogues and its biologically active metabolites by cell membrane-based receptor binding followed by LC-MS/MS 259

Krotov G, Postnikov P, Mesonzhnik N, Efimova Y, Rodchenkov G:

Strategies of EPO-Fc fusion protein detection by means of IEF-PAGE and LC-MS/MS 260-261

Zhang L, He C, Xu Y:

Detection of lanthandies tagged monoclonal antibody of erythropoietin by Inductive Coupled Plasma Mass Spectrum (ICP-MS) 262

Gmeiner G, Benetka W, Passet C, Reichel C:

News from GASepo 263

Vogel M, Thomas A, Schänzer W, Thevis M:

Detection of Erythropoietin Mimetic Peptide-Based Drugs from Human Urine by means of EPOR-purification and LC/MS/MS determination

264

PRESENTATIONS ABSTRACTS - POSTERS

Kojima A, Okano M, Dohi M, Kageyama S:

Analysis of polysaccharides dextran and hydroxyethylstarch in dried blood spot and urine

265

Sardela VF, Scalco FB, Cavalcante KM, Simoni RE, Pereira HM, Maria Lucia Cd, Aquino Neto FR:

Fast doping analysis for glycerol

266

Deventer K, Cooman H, Van Eenoo P:

Screening and confirmation of a glycerol-positive urine sample.

267

Okano M, Nishitani Y, Kageyama S:

Influences of intravenous infusion of glycerol on urinary glycerol concentrations and blood parameters

268

Chundela Z, Große J:

Olodaterol and vilanterol detection in sport drug testing

269

Tretzel L, Sigmund G, Dörries L, Piper T, Schänzer W, Thevis M:

Urinary phenylethylamine in sports drug testing

270

Knoop A, Krug O, Vincenti M, Schänzer W, Thevis M:

In vitro metabolism studies and LC-MS characterization of SARM LG121071 for routine doping control

271

Nikitina M, Zhuravleva M, Krotov G, Rodchenkov G:

Serum microRNA profiling by HiSeq1500 after rEPO administration

272

Kishikawa Y, Otsuki T, Kawahara T, Ueki M:

Novel methods for identification of recombinant glycoprotein hormones

273

Mesonzhnik N, Krotov G, Rodchenkov G:

Identification of a new insulin mimetic compound S597 in the preparation available via Internet

274

Reihlen P, Blobel M, Völker-Schänzer E, Schänzer W:

Quick stripping procedure for the reduction of artefacts during EPO analysis

275

Zvereva I, Semenistaya E, Krotov G, Rodchenkov G:

Effectiveness of various *in vitro* model systems for the prediction of the small biologically active peptide metabolites

276

Semenistaya E, Zvereva I, Krotov G, Rodchenkov G:

High throughput sample preparation for analysis of small biologically active peptides from human urine

277

Kempkes R, Romberg S, Reihlen P, Schänzer W:

High-throughput screening for the detection of homologous blood transfusion

278

Georgakopoulos C, Alsaadi K, Voss S, El Saftawy W, Dbes N, Goebel RT, Alsowaidi S, Seyam AM, Bashraheel AS, Mohamed-Ali V, Alsayrafi M:

The effect of fasting during Ramadan on parameters of the hematological module of the Athletes Biological Passport – A pilot study

279

Georgakopoulos C, Alsaadi K, Voss S, Kraiem S, Alwahaibi A, Alyazedi S, Dbes N, Goebel RT, Mohamed-Ali V, Alsowaidi S, Seyam AM, Bashraheel AS, Alsayrafi M:

The effect of fasting during Ramadan on Steroid Profile ABP Parameters - A pilot study

280

Kishikawa Y, Otsuki T, Kawahara T:

Quality management of blood analysis for the Athlete Biological Passport immobile testing unit - System construction examples-

281

Nicoli R, Ponzetto F, Baume N, Saugy M:

Quantification of endogenous steroids in human serum by UHPLC-MS/MS

282

Brooker L, Edey C, Huynh T, Goebel C:

Steroid profiling for the Asian Football Cup 2015

283

Ristimaa J, Rautava K, Leinonen A:

Evaluation of the athlete urinary steroid profiling data – first year experience

284

Mullen J, Ericsson M, Schulze J, Ekström L

The effect of emergency contraceptives and menstrual cycle on the steroid

285

Rzeppa S, Viet LN, Humpf H, Hemmersbach P:

Excretion of oxandrolone metabolites in the sulfate fraction

286

Wang J, Yang R, Zhang J, Liu X, Xing Y, Xu Y:

Excretion study on boldenone for doping control

287

Lee J, Cha EJ, Kim SH, Kim HW, Kim HJ, Kwon OS:

Sensitivity of anabolic steroids based on GC-EI/MS, GC-EI/MS/MS, LC-ESI/MS/MS, LC-Ag+CIS/MS/MS and GC-ESI/MS/MS in doping control analysis

288

Strahm E, Mullen J, Schulze J, Ericsson M, Ekström L:

Dose dependent testosterone sensitivity of the steroid passport and IRMS analysis in relation to the UGT2B17 deletion polymorphism

289

Curcio D, Colamonici C, Molaioni F, de la Torre X, Botrè F

Use of the ESA-analysis ultrafiltrate for GC-C-IRMS: a new frontier?

290

Cilia M, Curcio D, Colamonici C, Molaioni F, Jardines D, de la Torre X, Botrè F: Detection of urinary glucocorticoids metabolites by gas chromatography-isotope ratio mass spectrometry in doping control.	291
Brailsford A, Walker C, Wojek N, Foxton S, Cowan D: Targeting Samples for GC-C-IRMS Analysis: evaluation of USP data.	292
Monfort N, Fabregat A, Pozo O, Segura J, Ventura R: Fast screening for β-blockers in urine based on the detection of the parent drugs, and phase I and phase II metabolites by UHPLC-MS/MS	293
De La Cruz MN, Gonçalves P, Sardela VF, Pereira HM, Aquino Neto FR: Optimization in ephedrine dilute-and-shoot quantification methods	294
Saad K, Vonaparti A, Alsayrafi M, Georgakopoulos C: Anabolic steroids sensitive confirmatory methods based on LCMSMS analysis of underivatised and derivatised analytes of metabolites	295
Abushareeda W, Kraiem S, Alwahaibi A, Alsayrafi M, Georgakopoulos C: GCQTOF Full-Scan High Resolution Screening	296
Abushareeda W, Vonaparti A, Saad K, Almansoori M, Aljabiry A, Meloug M, Alsayrafi M, Georgakopoulos C: LC Q-Exactive Full-Scan High Resolution MS Generic Screening	297
Hullstein I, Malerod-Fjeld H, Hemmersbach P: Black market products in Norway	298
Thorngren J, Ericsson M: β-methylphenethylamine, a new stimulant on the Swedish market.	299
Baume N, Jan N, Robinson N, Dvorak J, Saugy M: Anti-doping program and biological monitoring during the 2014 FIFA World Cup Brazil™	300
Velasco B, Camacho E, Rodriguez L, Rodriguez M, Reynoso E, Godinez M, Mercado K, Quintero I: Experience of the doping laboratory Mexico at the Central American and Caribbean Games Veracruz 2014	301
Pascual JA, Civit E, Farré M, Pérez-Mañá C, Segura J, de la Torre R: Impact of the ingestion of low doses of alcohol on the steroid profile. The PROFETHYL Study.	302

TABLE OF CONTENTS

LECTURES	PAGE
Trout G, Grainger J, Goebel C: My Robot: can complete automation of sample preparation be achieved?	11 - 17
Rzeppa S, Beeck M, Malerod-Fjeld H, Humpf H, Hemmersbach P: High-throughput screening method for glycerol in urine using a “dilute-and-shoot” liquid chromatography-tandem mass spectrometry approach	18 - 21
Fiacco I, Botrè F, Capodaglio M, de la Torre X, Mazzarino M: Characterization of the main biotransformation pathways of synthetic cannabinoids from different chemical classes	22 - 29
Van Renterghem P, Van Eenoo P: Stability of the alternative steroid profile and stereodomic model: Part II –Evaluation of female steroid profiles: influences of contraceptives and pregnancy	30 - 35
Esposito S, Deventer K, Geldof L, Van Eenoo P: Doping control analysis of small peptide hormones: an update	36 - 41
Mazzarino M, Alessi B, de la Torre X, Fiacco I, Palermo A, Botrè F: Modulation of phase II metabolism: A case study on 19-norandrosterone	42 - 48
Giraud S, Saugy M, Robinson N: Growth Hormone distributions from a cohort of track and field Athletes	49 - 54
Clarke E, Goebel C: Identification and Detection of LH in Urine	55 - 62
Naud J, Julien A, Ayotte C: Statistical analysis of the hGH recombinant and pituitary ratios obtained from routine testing of athletes samples with the CMZ isoform kits	63 - 67
Kishikawa Y, Ohtsuki T, Ueki M: Origin identification of recombinant glycoprotein hormones by monitoring human-type glycans	68 - 74
 POSTER PRESENTATIONS	 PAGE
Ahi S, Beotra A, Upadhyay A, Bhardwaj A, Jain S: Excretion study of Clomiphene and its correlation with unusual findings in the routine doping control samples	75 - 78
Inthong T, Matayatsuk Phechkrajang C, Wilairat P, Chaikum N: Detection of deacetylmepipranolol arising from storage of standard solution of mepipranolol	79 - 83
Palermo A, Botrè F, de la Torre X, Fiacco I, Mazzarino M: Metabolic profile of budesonide after different administration routes and doses	84 - 88

Donati F, Boccia F, Stampella A, de la Torre X, Botrè F: microRNA analysis for the detection of autologous blood transfusion	89 - 92
Giraud S, Voss S, Alsayrafi M, Bourdon P, Schumacher Y, Saugy M, Robinson N: Effect of plasma volume on the marker approach to detect Growth Hormone doping	93 - 97
Tsivou M, Giannadaki E, Lyris M, Georgakopoulos C: Stabilization efficiency of spray coated chemical mixture on hCG degradation by proteases	98 - 101
Walpurgis K, Piper T, Wenzel F, Schänzer W, Thevis M: Investigations on storage-induced changes of the red blood cell lipidome	102 - 106
Weber C, Kamber M, Stamm H: Phthalates Content in Urine Samples of Swiss Athletes during Routine Doping Controls in 2012	107 - 111
He C, Zhang L, Jing J, Yang S, Dong Y, Xu Y, Wang X: Investigation of the 'not satisfactory' results in CSCQ performance test	112 - 115
Mazzarino M, Calvaresi V, de la Torre X, Sebastianelli C, Botrè F: Development and validation of an LC-MS/MS analytical procedure for the combined detection of prohibited peptides in biological fluids	116 - 120
Stan C, Toboc A, Stanescu A, Zorio M, Pop V: Performance evaluation using the "Decision Chart" and "Six Sigma Metric" concept for measurement of haematological parameters for Athlete Biological Passport	121 - 125
Kishikawa Y, Ohtsuki T, Ueki M: Real-time tracking of hematological parameters by robust mobile testing unit	126 - 128
Reihlen P, Blobel M, Völker-Schänzer E, Majer B, Schänzer W Detection windows of rEPO using SAR- and IEF-PAGE	129 - 132
de la Torre X, Colamonici C, Curcio D, Jardines D, Beotra A, Jain S, Kaur T, Shrivastava A, Botrè F: Nandrolone criteria for 19-norandrosterone Isotope Ratio Mass Spectrometric confirmation	133 - 136
Edey C, Brooker L, Kazlauskas R, Goebel C: Axiron – a transdermal testosterone administration case study – steroid profiling & GC/C/IRMS	137 - 140
Jain S, Nimker V, Shrivastava A, Jamal H, Lal R, Kaur T, Beotra A, Shukla S: Effect of microbial degradation on steroid profile and IRMS analysis: A case study	141 - 145
Mareck U, Gougoulidis V, Flenker U, Schänzer W Case study: GC/C/IRMS data of an unusual urine sample	146 - 149
Piper T, Thomas A, Schänzer W, Thevis M: Nitrogen isotope ratios of endogenous urinary AICAR	150 - 153
Ambrosio G, Botrè F, de la Torre X, Mazzarino M: <i>In vitro</i> investigation on the effect of antifungals, benzodiazepines and non-steroidal anti-inflammatory drugs on the metabolic profile of morphine	154 - 157

Balmukanov K, Balmukanov A, Talbayev T:

A rapid method for the analysis of doping substances that are excreted mainly in non-conjugated form in urine. 158 - 161

Dong Y, Yan K, Ma Y, Wang S, He G, Deng J, Yang Z:

Dilute and shoot approach for the screening of stimulants LC-dynamic MS/MS 162 - 167

Harju L, Uusalo R, Kuuranne T, Leinonen A:

LC-MS/MS method development of an initial testing procedure for prohibited substances in sport 168 - 171

Charlebois A, Ayotte C:

Following steroid profiles outside the WADA management system (ADAMS) 172 - 176

Cuervo D, Lu J, Fernández-Álvarez M, Muñoz-Guerra J, Xu Y, Aguilera R:

Searching for alternative danazol metabolites via Accurate-Mass by using Liquid Chromatography Quadrupole Time-of-Flight (LC-QTOF/MS) 177 - 181

Fernández-Álvarez M, Lu J, Cuervo D, Xu Y, Muñoz-Guerra J, Aguilera R:

Detection of new Oral-Turinabol metabolites by LC-QToF 182 - 187

Fragkaki A, Angelis Y, Kiouisi P, Georgakopoulos C, Lyris E:

Detection of sulpho-conjugated urinary metabolites of methenolone by liquid chromatography/high resolution mass spectrometry 188 - 192

Mareck U, Fußhöller G, Haenelt N, Geyer H, Guddat S, Gougoulidis V, Klose C, Thevis M, Schänzer W:

Quality control in steroid profiling 193 - 195

Mareck U, Geyer H, Fußhöller G, Haenelt N, Guddat S, Gougoulidis V, Klose C, Thevis M, Schänzer W:

German athletes with naturally elevated T/E – evaluation of follow up studies 196 - 198

Soldevilla Navarro A, Vargas García-Tenorio S, Fernandez Alvarez M, Muñoz-Guerra J, Aguilera R:

An automated derivatization method for anabolic steroids prior to GC-MS/MS analysis 199 - 202

Angelis Y, Petropoulou G, Athanasiadou I, Fragkaki A, Archontaki E, Lyris E:

Detection of synthetic anabolic androgenic steroids and metabolites by LC-Q-TOFMS after derivatization with 1,1'-carbonyldiimidazole 203 - 207

Donati F, Nardini P, Stampella A, de la Torre X, Botrè F, Mazzarino M, Palermo A:

Stability of urine samples for samples identification: DNA-based typing Vs. steroid profile 208 - 210

Ahi S, Beotra A, Dubey S, Kaur T, Upadhyay A, Priyadarshi R, Shrivastava A, Jain S:
Scientific developments and challenges in testing on LC-MS/MS in NDTL, India (2009-2013)

211 - 214

Pop V, Zorio M, Vajjala G, Lamor M, Bican G, Pop A, Alexandrescu V, Toboc A, Stanescu A:

Antidoping testing at the European Youth Olympic Winter Festival (EYOWF/FOTE), 17-23 February 2013, Poiana Brasov, Bucharest, Romania 215 - 218

PRESENTATIONS ABSTRACTS – LECTURES

	PAGE
Sobolevsky T, Krotov G, Rodchenkov G: Antidoping analyses at the Sochi Olympic and Paralympic Games 2014	219
Görgens C, Guddat S, Schänzer W, Thevis M: High-throughput screening and confirmation of myo-inositol trispyro-phosphate (ITPP) in human urine by HILIC high resolution / high accuracy mass spectrometry for doping control purposes	220
Kuورانne T, Kobayashi M, Pelander A, Ketola R, Leinonen A: Targeting misuse of designer drugs: An example on method development for the detection of 2-amino-N-ethyl-1-phenyl-butane in urine samples	221
Matabosch X, Monfort N, Pozo O, Ferrés M, Pérez-Mañá C, Farré M, Segura J, Ventura R: Urinary profiles of betamethasone metabolites after different administration routes	222
Thieme D, Anielski P, Geyer H, Gfrerer L, Krumbholz A: Is hair analysis of clenbuterol suitable to discriminate therapeutic use from contamination?	223
Tretzel L, Thomas A, Geyer H, Gmeiner G, Forsdahl G, Pop V, Schänzer W, Thevis M: Use of dried blood spots in doping control analysis of anabolic steroid esters	224
Walpurgis K, Krug O, Thomas A, Laußmann T, Schänzer W, Thevis M: Detection of an unknown fusion protein in confiscated black market products	225
Geldof L, Lootens L, Van Lysebeth J, Meuleman P, Leroux-Roels G, Deventer K, Van Eenoo P: Metabolic study of a steroid product containing dimethazine using human liver microsomes and a chimeric mouse model	226
Thomas A, Schänzer W, Thevis M: Determination of human insulin and its analogues in human plasma using liquid chromatography coupled to ion mobility mass spectrometry (LC-IM-MS)	227
Krotov G, Semenistaya E, Zvereva I, Thomas A, Rodchenkov G, Thevis M: Studies on the metabolism of GHRP-2 and GHRP-6 after nasal administration	228
Bowers L, Fedoruk M, Eichner D, Madsen M: On the Interpretation of Urinary Steroid Profiles: Effect of ethyl glucuronide and normalization factors	229
Baume N, Jan N, Vouillamoz M, Gridale R, Earl M, Robinson N, Saugy M: Evaluation of longitudinal steroid profiles from football players in UEFA competitions between 2008 and 2012	230
Nair V, Campbell T, Eichner D: Evolution of the supplement industry: a case study with MENT	231
Tudela E, Deventer K, Geldof L, Van Eenoo P: Detection of conjugated and unconjugated anabolic steroids in urine by dilute-and-shoot liquid chromatography-high resolution mass spectrometry	232
Pozo O, Fabregat A, Marcos J, Ventura R, Segura J: Semi-untargeted metabolomic approach based on precursor ion scan for metabolic studies of anabolic steroids	233

Deventer K, Roels K, Van Eenoo P:

Improved sample throughput in LC-MS analysis: Combining dilute-and-shoot and extraction strategies 234

de la Torre X, Colamonici C, Parr MK, Curcio D, Botrè F:

Exogenous formestane confirmation by mass spectrometric techniques 235

Polet M, Van Renterghem P, Van Gansbeke W, Van Eenoo P:

Studies on the minor metabolite 6a-hydroxy-androstenedione for doping control purposes and its contribution to the steroid 236

Piper T, Thomas A, Baume N, Sobolevsky T, Saugy M, Rodchenkov G, Schänzer W, Thevis M:

Determination of 13C/12C Ratios of Endogenous Urinary AICAR 237

Flenker U, Riemann P, Macha A, Gougoulidis V, Haenelt N, Hülsemann F, Parr MK, Schänzer W:

Metabolic isotope fractionation - fundamentals and examples from steroid 238

Riemann P, Macha A, Gougoulidis V, Flenker U, Parr MK, Schänzer W:

13C/12C ratios of endogenous urinary steroids after oral administration of androsta-1,4,6-triene-3,17-dione 239

Wang J, Yang R, Yang W, Liu X, Xing Y, Xu Y:

Detection of testosterone manipulated with 13C labeled standards 240

Riemann P, Fußhöller G, Haenelt N, Müller D, Macha A, Gougoulidis V, Flenker U, Parr MK:

13C/12C ratios of 5 α -androst-1-ene-3,17-dione in human urine 241 - 242

Leuenberger N, Ansermet C, Schumacher Y, Saugy M:

A Fast Automated Screening Method for the Detection of Autologous Blood Transfusion in Sports 243

Cowan D, Bartlett C, Böhning D, Böhning W, Guha N, Holt RIG, Sönksen PH, Wojek N, Becker JO, Bowers LD, Butch AW, Cox HD, Hoofnagle AN, Lopes F, Parkin MC, Thevis M, Thomas A, Woldemariam GA:

IGF-1 and P-III-NP biomarkers of human growth hormone administration – three additional methods for measurement and determination of the biomarker score 244

Butch A, Getachew WA:

Development of an immunoextraction technique for quantitation of urinary hCG, hCG free beta and hCG beta core fragment by LC-MS/MS 245

Smeal S, Miller G, Eichner D:

Changes in Osmolality and Albumin within the Blood Profile following Exercise-Induced Dehydration 246

Okano M, Sato M, Lal R, Jain S, Kageyama S:

Doping control analysis of darbepoetin alfa and its biosimilar Cresp by UPLC-MS/MS 247

Reichel C:

Modulating SAR-PAGE for peginesatide and global peptidic ESA detection 248 - 249

Reihlen P, Blobel M, Kempkes R, Völker-Schänzer E, Majer B, Schänzer W:

Optimizing SAR-PAGE analysis 250

Dehnes Y, Ström H, Myrvold L, Drevin M, Böwer N, Ericsson M, Hemmersbach P: MAIIA EPO SeLect – a screening kit for the detection of recombinant EPO analogues	251
Vogel M, Blobel M, Thomas A, Walpurgis K, Schänzer W, Reichel C, Thevis M: Receptor Affinity Pre-Purification of Erythropoietin Derivatives for Sports	252
PRESENTATIONS ABSTRACTS - POSTERS	PAGE
Dong Y, Yan K, Ma Y, Shen L, Wang X, Xu Y: Excretion study of Clomiphene and its correlation with unusual findings in the routine doping control samples	253
Ericsson M, Thörngren J: A fast and simple quantitative analysis for glycerol in urine using liquid chromatography with high resolution orbitrap mass spectroscopy	254
Okano M, Nishitani Y, Sato M, Kageyama S: Glycerol cases due to self-catheterization	255
Guddat S, Görgens C, Thevis M, Schänzer W: Detection of glycerol by hydrophilic interaction chromatography high resolution/high accuracy mass spectrometry	256
Esposito S, Deventer K, Van Eenoo P: Identification of Pro-Pro-hGHRH(1-44), a novel hGHRH analogue with doping potential, in a confiscated product	257
Perrenoud L, Baume N: Dobutamine metabolism study by UHPLC-HR-MS/MS	258
Kwiatkowska D, Jarek A, Wójtowicz M, Pasik M, Goebel C, Pokrywka A, Kazlauskas R: N,N-dimethyl-2-phenylpropan-1-amine – a new doping agent	259
Wójtowicz M, Jarek A, Goebel C, Turek-Lepa E, Pokrywka A, Stanczyk D, Kazlauskas R, Kwiatkowska D: 2-Amino-N-ethyl-1-phenylbutane (EAPB) detection method - validation and application	260
Grainger J, Goebel C, Handelsman D, Idan A, Turner L, Conway A: Detection of gonadotropin releasing hormone analogs and metabolites	261
Ismail M, Lee S, Chan S: The evaluation of glycoproteomic methodology for differential analysis of recombinant and endogenous erythropoietin	262
Krotov G, Nikitina M, Rodchenkov G: Possible origins of lack of positive samples on homologous blood transfusion	263
Forsdahl G, Geisendorfer T, Erceg D, Norvic N, Nguyen M, Gmeiner G: Screening for endogenous hormones in serum samples: Effect of testosterone applications	264
Kojima A, Okano M, Sato M, Nishitani Y, Dohi M, Kageyama S: Advantage of blood analysis for in-competition testing; Excretion studies of ephedrine and methylephedrine	265

Hülsemann F, Piper T, Lehn C, Schneiders S, Schänzer W: Global spatial distribution of natural stable carbon isotope ratios in modern humans	266
Hullstein I, Sagredo C, Hemmersbach P: Carbon isotope ratio determination of seized nandrolone, boldenone and testosterone preparations in Norway	267
Wang J, Yang R, Yang W, Liu X, Xing Y: Influences of progesterone administration on IRMS test of doping control	268
Monfort N, Martínez L, Bergés R, Segura J, Ventura R: Fast screening method for stimulants in urine by UPLC-MS/MS. Identification of isomeric compounds	269
Ericsson M, Jacobsson Schulze J, Mullen J, Berglund Lindgren E, Ekström L, Lindén Hirschberg A: The impact of genetics and hormonal contraceptives on the steroid profile in female athletes	270
Guddat S, Fußhöller G, Geyer H, Thevis M, Schänzer W: Ultra sensitive detection of stanozolol – positive experiences	271
Kioudi P, Angelis Y, Fragkaki A, Lyras E, Georgakopoulos C: Studies on excretion of mesterolone sulfo-conjugate metabolites extracted by ethylacetate	272
Schweizer Grundisch C: Degradation of Methyltestosterone in urine samples	273
Lee J, Kim S, Cha E, Lee K, Kim H, Son J, Park J, Kwon O: Development and validation of liquid chromatography-silver ion coordination ionspray tandem mass spectrometric method for the simultaneously analysis of steroids in human urine	274
Coetzee A, Van der Merwe P: Prevalence of the use of selective cyclo-oxygenase 1 and 2 inhibitor drugs in urine of athletes	275
Krug O, Thomas A, Walpurgis K, Piper T, Sigmund G, Lagojda A, Schänzer W, Thevis M: Mass spectrometric analysis of black market products by HPLC-(HR)MS, GC-(HR)MS and 1D-gel electrophoresis-UPLC-MSⁿ	276
Krug O, Kutscher D, Thevis M: Mass spectrometric analysis of urinary cobalt by HPLC-(HR)MS and ICP-MS for determination of cobalt concentrations in top athletes	277
Jarek A, Wójtowicz M, Turek-Lepa E, Chajewska K, Pokrywka A, Szczepanska Z, Kwiatkowska D: Permanent use of trimetazidine by athletes in Poland from 2008 to 2013	278
Reinartz A, Guddat S, Sigmund G, Schänzer W, Thevis M: Doping control analysis of trimetazidine – GC-MS/NPD and LC-MS/MS approaches and retrospective data evaluation from 1999 – 2013	279
Camacho E, Mercado K, Mendez E, Rodriguez JL, Herrera JM, Velasco B: Influence of AOD-9604 on the WADA hGH isoform immunoassay	280

TABLE OF CONTENTS

LECTURES	PAGE
Marclay F, Mangin P, Margot P, Saugy M: Perspectives for Forensic Intelligence in Anti-Doping: Thinking outside of the box.	11
Sardela V, Sardela P, Deventer K, Araújo A, Cavalcante K, Padilha M, Pereira H, Van Eenoo P, de Aquino Neto F: Identification and confirmation of sympathomimetic alkylamines in urine using liquid chromatography-mass spectrometry and gas chromatography-mass spectrometry	12
Ahi S, Dubey S, Beotra A, Kaur T, Jain S: A comprehensive and sensitive screening of doping agents on UPLC-MS/MS: An approach towards fulfillment of WADA TD2013 MRPL	13
Musenga A, Cowan D: Fast screening by UHPLC-HRMS in high throughput doping control	14
Höppner S, Schänzer W, Thevis M: SIRT1 activators: Metabolism studies and detection in human plasma and urine	15
Guha N, Erotokritou-Mulligan I, Nevitt SP, Francis M, Bartlett C, Cowan DA, Bassett EE, Sonksen PH, Holt RIG: Biochemical markers of insulin-like growth factor-I (IGF1) misuse in athletes	16
De Brabanter N, Esposito S, Geldof L, Lootens L, Deventer K, Van Eenoo P: Phase I and phase II metabolism of synthetic cannabinoids, the Ghent strategy.	17
Parr MK, Opfermann G, Rudolf T, Pokrywka A, Kwiatkowska D, Schänzer W: Differentiation between the administration of the aromatase inhibitor androsta-trienedione and the anabolic androgenic steroid boldenone	18
Jain S, Shrivastava A, Kaur T, Soni A, Haseen J, Nimker V, Beotra A: Detection of the misuse of testosterone gel in subjects with low basal Testosterone/Epitestosterone (T/E) value	19-25
Parr MK, Blokland MH, Liebetrau F, Schmidt AH, Schänzer W, Sterk S: Enantiomeric separation of clenbuterol as analytical strategy to distinguish abuse from meat contamination	26
Tudela E, Deventer K, Geldof L, Van Eenoo P: Detection and identification of glucuronidated stanozolol metabolites by liquid chromatography-tandem mass spectrometry	27-32

LECTURES	PAGE
Guddat S, Fußhöller G, Thomas A, Geyer H, Opfermann G, Thevis M, Schänzer W: Stanozolol – new aspects of metabolism, sample preparation and analytical methodology	33
Mazzarino M, de la Torre X, Fiacco I, Khevenhüller F, Botrè F: Effects of ketoconazole on the excretion kinetics of methandienone. An <i>in vivo</i> study	34-40
Geldof L, Lootens L, Deventer K, Polet M, Eichner D, Botrè F, Meuleman P, Leroux-Roels G, Van Eenoo P: <i>In vitro</i> and <i>in vivo</i> metabolism studies of a nutritional supplement containing methylstenbolone	41
Lootens L, Geldof L, Tudela E, Meuleman P, Leroux-Roels G, Botrè F, Deventer K, Van Eenoo P: Metabolic study of oxabolone using human liver microsomes and humanized mice	42-47
Van Renterghem P, Deventer K, Van Eenoo P: Influences on the alternative steroid profile, part I	48-53
Esposito S, Deventer K, Goeman J, Van der Eycken J, Van Eenoo P: TB-500: from horseracing to human doping	54
Thevis M, Piper T, Horning S, Juchelka D, Schänzer W: Hydrogen Isotope Ratio Mass Spectrometry and High Resolution/High Accuracy Mass Spectrometry in Metabolite Identification Studies: Detecting Target Compounds for Sports Drug Testing	55
Ahrens B, Butch A: A simplified and accurate method for the analysis of urinary metabolites of testosterone-related steroids using chromatography-combustion-isotope ratio mass spectrometry	56-61
Polet M, Van Gansbeke W, Van Renterghem P, Van Eenoo P: Profiling of urinary formestane and confirmation by isotope ratio mass spectrometry	62
Riemann P, Müller D, Gougoulidis V, Flenker U, Parr M, Schänzer W: ¹³C/¹²C ratios of endogenous steroids after oral boldenone administration	63
Brooker L, Hasick N, Williams M, Goebel C: Stable Carbon Isotope Ratio Profiling of Nandrolone and Boldenone Ester Preparations	64

LECTURES	PAGE
Piper T, Degenhardt K, Federherr E, Thomas A, Saugy M, Thevis M: Effect of changes in the deuterium content of drinking water on the hydrogen isotope ratio of urinary steroids in the context of sports drug testing	65
Flenker U, Riemann P, Gougoulidis V, Haenelt N, Köhler K, Braun H, Engelmeyer E, Predel HG, Mester J: ¹³C/¹²C Ratios of Endogenous Urinary Steroids from a Population of Young Elite Athletes	66
Thieme D, Rautenberg C, Grosse J, Schoenfelder M: Detection of salivary steroid levels after transdermal testosterone administration	67
Walpurgis K, Slijepcevic M, Wenzel F, Thomas A, Geyer H, Franz S, Schänzer W, Thevis M: Influence of repeated subcutaneous G-CSF injections on selected blood parameters relevant for monitoring programs in sports drug testing	68
Thomas A, Walpurgis K, Delahaut P, Kohler M, Schänzer W, Thevis M: Analysis of small interfering (si)-RNA by means of LC-HRMS/MS for doping controls	69
Reichel C: Sialic acid O-acetylation as characteristic marker for recombinant erythropoietins	70
Jain S, Lal R, Raj A, Tyagi D, Beotra A, Kaur T: Characteristics of IEF Patterns and SDS-PAGE Results of Indian Darbepoeitin (CRESP) and its detection window following single subcutaneous injections	71-77
Okano M, Sato M, Kageyama S: Identification of darbepoetin alfa in human urine by LC-MS/MS	78
Deventer K, Esposito S, Jimenez A, Roels K, Van Eenoo P: Detection of hydroxyethylstarch and dextran by UHPLC-orbitrap high resolution mass spectrometry	79
Clarke E, Agon V, Goebel C: Analysis of Carbohydrate Moieties of Recombinant and Natural Peptide Hormones by LC-MSMS	80-86
Reihlen P, Blobel M, Völker-Schänzer E, Majer B, Kempkes R, Schänzer W: Identification of mixed profiles in EPO routine analysis	87-89

POSTER PRESENTATIONS	PAGE
Ahi S, Beotra A, Upadhyay A, Jain N, Priyadarshi R, Jain S: Urinary excretion profile of inhaled formoterol and budesonide in humans: correlation with revised threshold and permitted dose of formoterol	90-93
Cholbinski P, Wicka M, Turek-Lepa E, Pokrywka A, Kwiatkowska D: Clomiphene – How about including the parent compound in screening procedures?	94-97
Garrosta L, Marcos J, Segura J, Ventura R: Screening method for selected doping substances by gas chromatography – triple quadrupole mass spectrometry: Reaching minimum required performance limits	98-102
Kaliszewski P, Cholbinski P, Konczak D, Wicka M, Michalak D, Pokrywka A, Kwiatkowska D: Is budesonide administration by inhalation really permitted?	103-107
Kelly B, Madsen M, Sharpe K, Nair V, Eichner D: A Population Study of Urine Glycerol Concentrations in Elite Athletes Residing in North America	108
Mareck U, Guddat S, Geyer H, Thevis M, Schänzer W: Urinary ethyl glucuronide in samples with elevated T/E ratios – evaluation of gender, sport discipline, type of control and concentration	109-112
Palonek E, Andersson A, Ericsson M: Analysis of Synthetic Cannabinoids in Urine by UPLC-MSMS and K2 (Synthetic Cannabinoids-1) Urine Enzyme Immunoassay	113-116
Saardpun N, Panan S, Wilairat P, Chaikum N: Investigation of possible interference of the metabolite of etoricoxib (Arcoxia®) in the detection of 16α-hydroxyprednisolone by LC-MS/MS	117-120
Sobolevsky T, Dikunets M, Rodchenkov G: In vitro and in vivo metabolism of RAD140, a novel non-steroidal SARM	121-124
Sobolevsky T, Prasolov I, Rodchenkov G: Newcomers to the synthetic cannabinoid family: adamantyl substituted indole carboxamides APICA and its fluorinated analog	125
Tikum N, Kaewklum S, Wilairat P, Chaikum N: Detection of Glycerol in Human Urine Using the Screening Procedure for Hydroxyethyl Starch and Dextran	126-129
Cuervo D, Muñoz-Guerra JA: Fully Automatized Sample Preparation for Detection of 69 Doping-Related Substances	130-135

POSTER PRESENTATIONS	PAGE
Grainger J, Trout G, Goebel C: Evaluation of ionic liquid GC columns	136-139
Chundela Z, Große J: Metabolites of methylnortestosterone	140-143
de la Torre X, Colamonici C, Curcio D, Mazzarino M, Molaioni F, Botrè F: In-situ steroids 19-demethylation vs aromatization	144-146
Forsdahl G, Vatne H, Geisendorfer T, Gmeiner G: Screening of Testosterone Esters in Human Plasma	147
Kageyama S, Hirai C, Okano M, Asakawa S, Ikekita A, Akama T, Suzuki H: Strategy for detecting testosterone doping in Japan – The 1st year	148-151
Strahm E, Sjöberg U, Garle M, Rane A, Ekström L: Implication of human UGT2B7, 2B15 and 2B17 in 19-norandrosterone metabolism	152
Tudela E, Deventer K, Van Eenoo P: Stability study of 3'-hydroxystanozolol glucuronide	153-155
Balcells G, Bartlett C, Cowan D: Experience of using MAIIA columns for EPO testing at the 2012 Olympic and Paralympic Games	156-159
Donati F, Acciarini R, Colicchia S, Corpetti G, de la Torre X, Iannella L, Stampella A, Botrè F: Searching for markers to detect autologous blood transfusion. An investigation on platelets activation by flow cytometry	160
Donati F, Colicchia S, de la Torre X, Iannella L, Botrè F: Fast screening for liposomes encapsulated hemoglobin (LEH) using ADVIA 120 flow cytometry-based hematological analyzer	161-163
He C, Jing J, Zhang L, Zhou X, Yang S, Xu Y, Hu M, Wu M: Certain Unknown Effects on the GH Isoform Ratios	164-167
Kniess A, Ziegler E, Thieme D, Müller R: Intra-Individual Variation of GH-dependent Markers in Athletes: Comparison of Population Based and Individual Thresholds for Detection of GH Abuse in Sports	168
Krug O, Thomas A, Walpurgis K, Piper T, Sigmund G, Geyer H, Schänzer W, Thevis M: Mass spectrometric analysis of black market products by HPLC-(HR)MS, GC-(HR)MS and 1D-gel electrophoresis-UPLC-MSⁿ	169-172

POSTER PRESENTATIONS	PAGE
Santos Levy R, Davies de Oliveira Sardela P, Figueiredo Sardela V, Pereira HMG, Radler de Aquino Neto F: Urinary reference intervals of gonadotrophic hormones in Brazilian athletes using the IMMULITE immunoassay system	173-176
Monfort N, Ventura R, Valvi D, Balcells G, Vrijheid M, Segura J: Phthalates in urine as markers of blood transfusion in sports: Population concentrations of five DEHP metabolites and reference limits	177-181
Sobolevsky T, Prasolov I, Rodchenkov G: Urinary metabolism of ibutamoren, a small molecule growth hormone secretagogue	182-186
Turi S, Corpetti G, de la Torre X, Garribba F, Botrè F: Technical improvement for the detection of erythropoietins in biological matrices: An update	187-190
Zhang L, Xu Y, He C, Jing J, Yang Z, Deng J: Detection window of CERA abuse through haematology profiles post single injection	191-195
Brailsford A, Gavrilović A, Kicman A, Cowan D: Isotope ratio mass spectrometry at the London 2012 Olympic and Paralympic Games - Experience and Conclusions	196-200
Piper T, Thevis M, Saugy M: Measured deviations from its certified values in carbon isotope ratios of the secondary isotopic reference material USADA 33-1 as a function of signal intensity	201
Fiacco I, Calabrese F, de la Torre X, Mazzarino M, Botrè F: Degradation kinetics of selected threshold compounds in biological samples: effect of different external conditions	202-206
Grobbelaar E, Van der Merwe P, Venter P, Human B: Coca Tea: Just an ordinary tea or inadvertent doping?	207-209
Huynh T, Grainger J, Trout G, Goebel C: Multi-residue extraction and analysis method for prohibited substances in animal urine	210-213
Kuورانne T, Kobayashi M, Leinonen A: Development of in vitro methodology in metabolite production and analytical techniques: beta-blockers and TOF-MS screening of unknown metabolites	214-217

POSTER PRESENTATIONS	PAGE
Pop V, Bican G, Pop A, Lamor M, Zorio M: New prohibited substances addition to procedures using triple quadrupole LC/MS² technique	218-222
Sardela V, Pereira H, Radler de Aquino Neto F: Prevalence of stimulants as doping agents in Brazil	223
Thörngren JO, Ericsson M, Masquelier M: Screening and confirmation results of three interesting cases in 2012 at the Doping Control Laboratory, Karolinska University Hospital	224-228
Torres Castellanos M, Estevez I, Gonzalez S, Martinez D, Montes de Oca R, Granda M: Prevalence of Caffeine use in urine samples analyzed during 2010-2012	229-231
Wang J, Liu X, Xing Y, Xu Y, Wang X, He Z: Influences of musk administration on the profiles and the carbon isotope ratios of urinary steroids	232
Kwan SH, Ismail MN, Bahrudin F: Comparison of purification techniques for erythropoietin anti-doping analysis	233-236
Martínez Brito D, Velasco Bejarano B, Correa Vidal MT, Camacho Frias E: Steroid profile.Differences inside de Latin-American population of athletes	237-240
Thomas A, Walpurgis K, Krug O, Schänzer W, Thevis M: Screening for small peptides in urine by means of nano-UPLC-MS/MS in doping controls	241
Tsivou M, Giannadaki E, Georgakopoulos D, Lyris E, Georgakopoulos C: Stabilization in urine collection containers: reality or science-fiction	242-246
Greer C, Grainer J, Trout G, Fu S, Goebel C: Matrix Effects and Internal Standards for Prednisolone and Prednisone	247-249
Martin L, Schatz P, Mortensen B, Martin JA, Lasne F: Detection of peginesatide by SDS-PAGE	250-252
Reihlen P, Kempkes R, Blobel M, Völker-Schänzer E, Majer B, Schänzer W, Thevis M: Recovery of supposedly degraded CERA from urine samples	253-256
Orlovius AK, Thomas A, Schänzer W, Thevis M: Influence of AOD-9604 on the WADA hGH isoform immunoassay	257

TABLE OF CONTENTS

LECTURES	PAGE
Sardela VF, Deventer K, Pereira HMG, Aquino Neto FR, Van Eenoo P: Development and validation of a UHPLC-tandem mass spectrometric method for the direct detection of formoterol in human urine	10
Orlovius AK, Guddat S, Parr MK, Guetschow M, Thevis M, Schänzer W: In vitro formation of fenoterol sulfates using different tissue preparations and recombinant sulfotransferases	11
Muñoz G, Tudela E, Muñoz-Guerra JA: Matrix effects marker for multianalyte analysis of glucocorticoids and diuretics by LC-MS/MS in biological samples	12
Mazzarino M, Fiacco I, Palermo A, de la Torre X, Botrè F: The use of cytochrome P450 inhibitors in sport. A new generation of doping masking agents?	13-22
Jan N, Marclay F, Schmutz N, Smith M, Lacoste A, Saugy M: Use of Forensic Investigations in Anti-Doping	23-27
Parr MK, Daniels J, Schlörer NE, Schänzer W: Structure proof of tibolone 3-hydroxy metabolite	28-33
Sobolesvsky T, Rodchenkov G: Long-term detection of dehydrochloromethyltestosterone: one-year experience	34-37
Okano M, Ueda T, Kano H, Nichitani Y, Ikekita A, Sato M, Kageyama S: UDP-glucuronosyltransferase 2B17 genotyping in Japanese athletes and evaluation of the current sports drug testing for detecting testosterone misuse by female athletes	38
Sobolesvsky T, Rodchenkov G: Oxymetholone and desoxymethyltestosterone: how many metabolites do we know? HPLC clean-up to identify the new targets	39
Badoud F, Grata E, Boccard J, Rudaz S, Veuthey JL, Saugy M: Profiling of endogenous steroids by UHPLC-QTOF-MS^E	40-45
Parr MK, Schänzer W, Schlörer N, Voronina E, Hengevoss J, Diel P: Alternative detection strategies for anabolic steroid abuse by NMR metabonomics and endocrine feedback loop analyses	46-51

LECTURES AND POSTER PRESENTATIONS	PAGE
Van Rentgerhem P, Sottas PE, Saugy M, Van Eenoo P: Validation of a steroidomic model and its application in doping control	52-57
Lootens L, Geldof L, Decroix L, Deventer K, Botrè F, Leroux-Roels G, Meuleman P, Van Eenoo P: Metabolic study of Prostanazol using human liver microsomes and humanized mice	58-64
Gómez C, Pozo O, Marcos J, Segura J, Ventura R: Alternative long-term markers for the detection of methyltestosterone misuse	65
Pereira HMG, Silva ACA, Barbosa SS, Silva RSF, Padilha MC, Aquino Neto FR: Two-dimensional comprehensive gas chromatography coupled to time of flight mass spectrometry in doping control: Evaluation of the chromatographic plane organization	66-72
De Brabanter N, Van Gansbeke W, Geldof L, Van Eenoo P: Improvements in GC-QqQ-MS screening, 1 year of experience	73
Deventer K, Jimenez A, Esposito S, Roels K, Van Eenoo P: Application of UHPLC-orbitrap based mass spectrometry with scan-to-scan polarity switching for the direct detection of doping agents in urine	74
Polet M, Van Gansbeke W, Deventer K, Van Eenoo P: Development of a sensitive GC-C-IRMS method for the analysis of androgens	75
Ouellet A, LeBerre N, Ayotte C: A simplified and accurate method for the analysis of urinary metabolites of testosterone-related steroids using chromatography-combustion-isotope ratio mass spectrometry	76-81
Esposito S, Deventer K, Van Eenoo P: Doping control analysis of desmopressin in human plasma and urine by HPLC-ESI-MS/MS	82-86
Dehnes Y, Drange M, Ottersen SB, Hemmersbach P: Longitudinal profiles of indirect markers for GH misuse	87-92
Möller I, Thomas A, Geyer H, Schänzer W, Thevis M: Detection and method validation of peginesatide in human serum by means of LC-MS/MS	93-99

POSTER PRESENTATIONS	PAGE
Machala E, Grainger J, Agon V, Goebel C: Validation and implementation of MAIA columns into routine analysis of urinary EPO screening	100-102
Desharnais P, Naud JF, Ayotte C: Desialylation improves the detection of recombinant erythropoietins in urine samples analyzed by SDS-PAGE	103-109
Okano M, Nishitani Y, Sato M, Kageyama S: Administration study of growth factors	110
Esposito S, Deventer K, Van Eenoo P: Characterization and identification of a C-terminal amidated mechano growth factor (MGF) analogue in black market products	111
Virus E, Dikunets M, Sukhanova I, Sobolevsky T, Rodchenkov G: High-temperature liquid chromatography/Orbitrap mass spectrometry with hypercarb column for selective screening of exogenous anabolic steroids in human urine	112-115
Sobolevsky T, Dikunets M, Sukhanova I, Rodchenkov G: Applicability of routine analytical procedures to detect andarine and ostarine. A comparative study	116-119
Sobolevsky T, Savelieva N, Semenistaya E, Rodchenkov G: Importance of phase II metabolites for the detection of beta-blockers by direct urine analysis	120-123
Bourmbopoulou A, Roumana M, Vassilaki F, Angelis YS, Lyris M, Tsivou M, Kiouisi P, Vouroudi A, Koupparis MA, Georgakopoulos G: A unified doping screening procedure based on LLE with ethyl acetate and combined GCMS, GCHRMS and LCQTOFMS analysis	124-128
Grainger J, Trout G, Goebel C: Multi-residue extraction and analysis method for prohibited substances in urine	129-131
Krug O, Thomas A, Walpurgis K, Sigmund G, Schänzer W, Thevis M: Analysis of confiscated products with suspiciously doping relevant ingredients by GC-MS, LC-HRMS and LC-MSn	132-134
De Brabanter N, Van Gansbeke W, Hooghe F, Van Eenoo P: Fast quantification of 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid (THCA) using microwave-accelerated derivatisation and gas chromatography-triple quadrupole mass spectrometry (GC-QqQ-MS)	135-138

POSTER PRESENTATIONS	PAGE
Mazzarino M, Fiacco I, Turi S, Botrè F: A simple and rapid procedure for the determination of the urinary concentration of formoterol by LC-MS/MS	139-143
Ergaliuly G, Balmukanov K, Beksultanova G, Shaldybayeva A, Talbayev T: Detection and confirmation of hydroxyethylstarch (HES) in human urine by liquid chromatography-mass spectrometry	144-147
Oueslati F, Slouma R, Halabi N, Safta F, Louselati MH: Detection of bendroflumethiazide metabolites in human urine using liquid chromatography-tandem mass spectrometry: application to urinary excretion study	148-151
Okano M, Osada T, Sato M, Uchiyama A, Kageyama S: Mass spectrometric identification of epitiostanol metabolite: In vitro metabolism using human embryonic stem cell (hESC)-derived hepatocytes and in vivo excretion study in human	152-156
Sobolevsky T, Dikunets M, Sukhanova I, Virus E, Rodchenkov G: Detection of PPARδ agonists GW1516 and GW0742 and their metabolites in human urine	157
Sobolevsky T, Prasolov I, Dikunets M, Rodchenkov G: In vitro metabolic studies of AM2233 and JWH-210, novel synthetic cannabinoids	158-162
Sobolevsky T, Prasolov I, Rodchenkov G : Detection of urinary metabolites of AM-2201 and UR-144, novel synthetic cannabinoids	163
Fiacco I, de la Torre X, Donati F, Mazzarino M, Botrè F : Salbutamol metabolism. How to differentiate oral vs. inhaled administrations: looking outside the box.	164-168
Gómez C, Fabregat A, Pozo O, Marcos J, Deventer K, Segura J, Ventura R : Exploring boldione metabolism by LC-MS/MS.	169
Lu J, He G, Wang X, Xu Y, Wu Y, Dong Y, He Z, Liu X, Bo T, Ouyang G: Detection of new clomiphene metabolites in human urine by liquid chromatography – quadrupole time-of-flight tandem mass spectrometry	170
Vahermo M, Sutinen H, Leinonen A, Yli-Kauhaluoma J: Synthesis and characterization of the O-desisopropyl metabolite of bisoprolol	171-174

POSTER PRESENTATIONS	PAGE
Van Renterghem P, Sottas PE, Saugy M, Delbeke F, Brooker L, Polet M, Van Thuyne W, Geyer H, Van Gansbeke W, Schänzer W, Van Eenoo P: A summary of the Alternative Steroid Profiling WADA project	175-178
Jardines D, Curcio D, de la Torre X, Colamonici C, Abate MG, Molaioni F, Botrè F: Longitudinal studies in steroid profiling – a multivariate approach: IRMS extension	179-183
Jardines D, de la Torre X, Botrè F: Hydroxylated steroids stability	184-188
Mareck U, Fußhöller G, Geyer H, Opfermann G, Thevis M, Schänzer W: GC -single and -triple quadrupole mass spectrometry in steroid profiling	189-192
Hullstein IR, Svendsen Selmer T, Sagredo C, Henninge J, Juul A, Hemmersbach P: Urinary steroid profiles after use of testosterone by different routes of administration – how do we detect doping with low doses?	193-196
Müller D, Opfermann G, Rojas S, Schlörer N, Pokrywka A, Kwiatkowska D, Diel P, Schänzer W, Parr MK: 5α-Androst-1-ene-3,17-dione: metabolism, influence on steroid profile and biological activity	197-200
Piper T, Emery C, Saugy M: Norandrosterone analysis by GC/C/IRMS	201-204
Brooker L, Drury J, Hasick N, Idan A, Handelsman D, Goebel C: Co-administration of dietary supplements containing dehydroepi-androsterone and pregnenolone: Investigation of the impact on routine GC-C-IRMS doping control results	205-208
Piper T, Emery C, Saugy M: Improved sample preparation and subsequent investigations on population based thresholds for carbon isotope ratios of urinary steroids	209-212
Pop V, Zorio M, Pop A, Vajjala I: Population study on $\Delta\delta^{13}C$ values of endogenous steroids in Romania	213-216
Jain S, Kaur T, Garg T, Srivastava A, Soni A, Beotra A: Effect of storage condition on C13/C12 ratios and steroid profile	217-220
Covelli C, de la Torre X, Botrè F: Tramadol detection in sports	226-229

Coetzee A, Holtzhauzen LJ, van der Merwe P:

Prevalence of the use of analgesics and non-steroidal anti-inflammatory drugs in urine of South African athletes 230-232

Beotra A, Ahi S, Jain S :

Monitoring of glucocorticosteroids in out-of-competition testing to study the potential pattern of misuse 233-236

Ahi S, Beotra A, Upadhyay A, Jain N, Singh R, Jain S:

Excretion profile of inhaled formoterol: distinguishing between therapeutic use and abuse in sports 237-240

Kaur T, Dubey S, Singh SP, Jain S, Agrawal J, Chakraborty M, Beotra A:

Monitoring of nicotine use in sport 241-245

Reinartz A, Sigmund G, Machnik M, Thevis M, Schänzer W:

Prevalence of antidepressants and biosimilars in elite sport – a follow-up study 246-249

Koehler K, Braun H, Thevis M, Schänzer W:

Glycerol as prohibited substance: meta-analysis on the effects of glycerol administration on haematocrit and plasma volume 250

Donati F, Placidi P, Abagnale M, de la Torre X, Botrè F:

Flow cytometry on the move. Extending feasibility of the Cytomics FC500: from homologous blood transfusion detection to soluble molecules multiassay 251-254

Krumbholz A, Anielski P, Reisch N, Thieme D:

Hair analyses of steroids as tool of disease controle in patients with cogenital adrenal hyperplasia 255-258

Jain S, Lal R, Raj A, Tyagi D, Beotra A, Kaur T:

Characteristics of IEF Patterns and SDS-PAGE Results of Indian EPO Biosimilars 259-262

TABLE OF CONTENTS

LECTURES	PAGE
Kazlauskas R, Hasick N: ASDTL supplements project 2010	10-14
Parr MK, Opfermann G, Schlörer N, Geyer H, Rataj F, Zierau O, Diel P, Schänzer W: Sense or nonsense of prohormone designing: Reduced metandienone as supplement	15-23
Botrè F, Esposito E, de la Torre X: How we risk: liposomes and steroids	24-33
Orlovius AK, Guddat S, Parr MK, Koch A, Gütschow M, Thevis M, Schänzer W: Identification and monitoring of octopamine sulfoconjugate in urine by LC/(ESI)-MS/MS	34-42
Beotra A, Jain S, Kaur T, Lal R, Ahi S, Dubey S, Garg T, Kashif M, Haseen J, Singh A: Doping control analysis during the 1 st Singapore Youth Olympic Games at National Dope Testing Laboratory, India	43-47
Hintikka L, Haapala M, Franssila S, Kuuranne T, Leinonen A, Kostiainen R: Feasibility of gas chromatography-microchip atmospheric pressure photoionization-mass spectrometry in analysis of anabolic steroids	48
Sobolevsky TG, Rodchenkov GM: Mass spectral characterization of novel dehydrochloromethyltestosterone and oxandrolone metabolites after HPLC clean-up	49
Lootens L, De Spaey A, Deventer K, Meuleman P, Leroux-Roels G, Van Eenoo P: Mibolerone Metabolism in the uPA ^{+/+} -SCID chimeric mice	50-59
Parr MK, Zöllner A, Fußhöller G, Opfermann G, Hobler A, Bernhardt R, Bureik M, Schänzer W: New players in the nightwatch research	60-62
Van Renterghem P, Sottas P-E, Saugy M, Delbeke FT, Van Eenoo P: Statistical discrimination of steroid profiles – introduction of steroidomics in doping analysis	63-72

	PAGE
LECTURES	
Kolmonen M, Leinonen A, Kuuranne T, Pelander A, Deventer K, Ojanperä: Application of size exclusion chromatography and time-of-flight mass spectrometry to screening of polysaccharide-based plasma expanders	73-74
Deventer K, Esposito S, De Boer D, Pozo O, Tsjoen G, Delbeke FT, Van Eenoo P: Is a simple detection approach possible for desmopressin?	75-83
Brailsford AD, Gavrilović I, Cowan DA, Kicman AT: GC+GC with heart-cutting as a simple and rapid sample purification method for GC-C-IRMS	84-93
Ahrens BD, Butch AW: Steroid profiles and isotope-ratio mass spectrometry analysis of various metabolites and endogenous reference compounds. The UCLA experience.	94-99
Piper T, Fußhöller G, Emery C, Schänzer W, Saugy M: Investigations on carbon isotope ratios and concentrations of urinary formestane	100
de la Torre X, Colamonici C, Curcio D, Molaioni F, Pizzardi M, Castrignanò E, Botrè F: 19-norandrosterone origin: A simple procedure for GC/C/IRMS sample preparation by HPLC	101-111
Piper T, Schlug C, Mareck U, Schänzer W: Investigations on changes in ¹³ C/ ¹² C ratios of endogenous urinary steroids after pregnenolone administration	112
Agon VV, Goebel C: Analysis of derivatised carbohydrates of natural and recombinant peptide hormones by LC/MS/MS	113-122
Sato M, Okano M, Kaneko E, Ikekita A, Kageyama S: Detection of Epoetin-alfa and its biosimilar Epoetin-kappa	123
Jain S, Beotra A, Kaur T, Lal R, Dubey S, Ahi S, Garg T, Kashif M, Haseen J, Singh A: An overview of doping control analysis during Commonwealth Games 2010, New Delhi	124-129
Deventer K, Pozo OJ, van Eenoo P, Delbeke FT: Excretion studies with beta-2-agonists	130-139

POSTER PRESENTATION	PAGE
Kochnova EA, Sobolevsky TG, Rodchenkov GM: Optimization of the hydrolysis stage for sample preparation for the steroid profile and xenobiotics analysis	140-143
Mazzarino M, de la Torre X, Botrè F: Comparison between reverse phase and hydrophilic interaction liquid chromatography techniques in doping analysis: a case study on phenolalkylamines	144-147
Mazzarino M, Pernice S, de la Torre X, Botrè F: A screening procedure for synthetic insulins by an HPLC-chip interfaced to a quadrupole time-of-flight mass spectrometer	148-151
Reihlen P, Völker-Schänzer E, Majer B, Schänzer W: Easy to use IEF compatible immunoaffinity purification of urine retentates	152-153
Virus ED, Sobolevsky TG, Semenistaya EN, Dikunets MA, Rodchenkov GM: Development and validation of a general screening method for doping substances in human urine by HPLC/Orbitrap mass spectrometry	154-157
Cavalcanti GA, Garrido BC, Padilha MC, Mazzarino M, de la Torre X, Botrè F, Aquino Neto FR : Detection of new exemestane metabolites by liquid chromatography interfaced to electrospray-tandem mass spectrometry	158-161
Dubey S, Kaur T, Ahi S, Beotra A, Jain S: Strategy for identification and confirmation of 4-methyl-2-hexaneamine in human urine in doping control	162-165
Oueslati F, Siaï A, HentatiE, Ben Amor S, Fenina N, Loueslati MH: Excretion study of budesonide metabolites after inhalation and oral administration using LC-ESI-MS/MS	166-169
Sardela VF, Sardela PDO, Padilha MC, Pereira HMG, Aquino Neto FR: Analysis of adrenergic aliphatic amines in urine for doping control	170-173
Silva MLC, Garrido BC, Borges RM, Padilha MC, de la Torre X, Aquino Neto FR: Designs of experiments applied to salbutamol stability study in urine and different solutions in doping control	174-177
Simoni RE, Sardela VF, Arnaldo C, Scalco FB, Oliveira MLC, Pereira HMG, Aquino Neto FR : Screening for dextran and HES in athletes' urine	178-181

POSTER PRESENTATION	PAGE
Sobolevsky TG, Prasolov IS, Dikunets MA, Rodchenkov GM: Mass spectral characterization of NBI-31772, a nonpeptide IGF-binding protein inhibitor	182-185
Emery C, Grata E, Saugy M: HPLC fractionation method for the isolation of endogenous urinary steroids prior to GC/C/IRMS analysis	186-189
Jain S, Lal R, Garg T, Jamal H, Goswami M, Nimker V, Soni A, Beotra A, Kaur T: Comparative study of endogenous steroid profile of Indian athletes with other Commonwealth Games 2010 athletes	190-194
Wang J, Lui X, Xu Y, Wu M: Profiling urinary steroids by GC-MSD and confirming androstenedione administration through isotope ratio mass spectrometry	195-198
Kucherova Y, Starcevic S, Starcevic B, Ahrens BD, Butch AW: Detection of methandienone and stanozolol metabolites: Recent experience at UCLA	199-202
Liu X, Xing Y, Xu Y, Yang Z, Wu M: Degradation of endogenous steroids by microorganisms	203-206
Martínez Brito D, Correa Vidal T, García Mir V, González Hernández S, Montes de Oca R, Ledea Lozano O, Granda Fraga M: Reference ranges of urinary steroid profile parameters in a Latin American population	207-210
Montes de Oca R, González Hernández S, Martínez Brito D, Correa Vidal T, Granda Fraga M: Preliminary results on $\delta^{13}\text{C}$ values of endogenous steroids in Cuban population	211-214
Pop V, Vajjala I, Bican G, Picu R: Comparative detection of stanozolol metabolites in excretion urines	215-218
Sobolevsky TG, Prasolov IS, Rodchenkov GM: Illicit dehydrochloromethyltestosterone: how pure is it?	219-222
Xing Y, Liu X, Xu Y, Wu M: Effect of different internal standards on steroids profile screening	223-226
Grebeschenko AS, Dykhal YI, Rodchenkov GM: Characterisation of human chorionic gonadotropin reference materials by different immunoassays	227-230

POSTER PRESENTATION	PAGE
Henninge J, Hullstein I, Hemmersbach P: Unknown peptide preparations analysed in 2010: An overview	231-234
Ikekita A, Kaneko E, Okano M, Sato M, Kageyama S: Validation of urinary hCG analysis using automatic immunoassay analyzer PATHFAST [®] based on the chemiluminescence enzyme immunoassay (CLEIA) with Magstration [®] technology	235-238
Jain S, Reichel C, Benetka W, Lal R, Raj A, Tyagi D, Beotra A: Competition testing of erythropoietin (EPO) during Commonwealth Games–2010	239-242
Pussinen C, Leinonen A, Kuuranne T: Investigation of applicability of ADVIA Centaur serum total hCG assay for detection of human chorionic gonadotropin in urine	243-246
Trulsen LN, Øverøyen AW, Dehnes Y: Colostrum and acute effect on serum IGF-1 levels – A pilot study	247-250
Balgimbekova K, Balmukanov K, Januzakova A, Shaldybayeva A, Talbayev T: Improved screening method for doping control using a GC-QQQ tandem mass spectrometer	251-254
Donati F, Stampella A, Vemucci E, de La Torre X, Botrè F: Can we use forensic human identification techniques to detect homologous blood transfusion in doping control? A pilot study	255-258
Lee JE, Tran JC, Shin SM, Lee J, Kim HJ, Lee KM, Kwon OS, Kelleher NL: Top-down proteomic analysis by use of molecular weight-based separation and online LC-FTMS	259-263
Parr MK, Blatt C, Zierau O, Geyer H, Diel P, Schänzer W: Insights on effects of “dietary supplement” ingredient methyl-1-testosterone	264-265
Kwiatkowska D, Pokrywka A, Jarek A, Gorczyca D: Potential doping substances detected in boosters in Poland	266-269
Inthong T, Pinijprapa W, Wilairat P, Kusamran T, Anukarahanonta T, Chaikum N: Database system for monitoring chain of custody of samples in doping analysis	270-273
Jardines D, de la Torre X, Abate MG, Molaioni F, Colamonici C, Curcio D, Botrè F: Longitudinal studies in steroid profiling – a multivariate approach	274-277

POSTER PRESENTATION	PAGE
Kashif M, Beotra A, Joshi M, Donati F, Nair SC, Jain S: Homologous Blood transfusion testing in NDTL, India: A case study	278-283
Kaur T, Gotzmann A, Jamal H, Singh A, Kumar Y, Lal R, Joshi M, Beotra A, Jain S: Experience in Sample Receiving during Commonwealth Games	284-287
Krug O, Thomas A, Sigmund G, Walpurgis K, Beuck S, Laussmann T, Schänzer W, Thevis M: Analysis of confiscated products with suspiciously doping relevant ingredients by SDS-PAGE, LC-MS(/MS), GC-MS/NPD	288-291
Oliveira FFD, Garrido BC, Leal FD, Padilha MC, de la Torre X, Aquino Neto FR: Evaluation of ambroxol as a masking agent in doping control	292-295
Piper T, Fußhöller G, Schänzer W: Investigations on the deconjugation processes of conjugated urinary steroids during degradation with ¹⁸ O labelled water	296-299
Vahermo M, Leinonen A, Yli-Kauhaluoma J: Synthesis of three hydroxyraloxifenes as reference compounds in doping analytics	300-303
Toledano R, Díaz-Plaza E, Blázquez I, Vázquez A, Villén J, Muñoz J: Analysis of steroids by on line coupling LC-GC-MS using the TOTAD interface and a fraction collector	304-308
Görgens C, Guddat S, Thomas A, Geyer H, Schänzer W: Identification and quantitative determination of long-term alcohol markers ethylglucuronide and ethylsulfate in human urine by LC-MS/MS in doping control analysis	309-312
Mazzarino M, Fiacco I, De Angelis F, Di Cicco T, de la Torre X, Botrè F: A rapid analytical method for the detection of plasma volume expanders and mannitol based on the urinary saccharides profile	313-316
Völker-Schänzer E, Majer B, Kempkes R, Reihlen P, Thomas A, Thevis M, Schänzer W: An efficient sample preparation for CERA analysis in serum	317-320

TABLE OF CONTENTS

LECTURES	PAGE
Kolmonen M, Leinonen A, Kuuranne T, Pelander A, Ojanperä I: Quantitation of morphine and its glucuronides in human urine by HILIC-TOFMS	9-16
Möller I, Thomas A, Beuck S, Rodchenkov G, Bornatsch W, Geyer H, Schänzer W, Thevis M: <i>In-vitro</i> metabolism of GW1516 and implementation of its major metabolites in routine doping controls	17-26
Kazlauskas R, Agon V: ASDTL supplements project 2009	27-33
Parr MK, Diel P, Zierau O, Schänzer: Investigations regarding the WADA classification of the supplement ingredient androsta-1,4,6-triene-3,17-dione	34-41
Paulsen DB, Rollins DE, Fowles R, Valiante JD, Danaceau JP: Steroid profiling among National Football League players	42-51
Lootens L, Van Eenoo P, Pozo OJ, Meuleman P, Leroux-Roels G, Delbeke FT: Applications of in vivo urinary steroid detection in uPA ^{+/+} -SCID chimeric mice	52-61
Sten T, Kurkela M, Kuuranne T, Leinonen A, Finel M: UDP-Glucuronosyltransferases in conjugation of 5 α - and 5 β -androstane steroids	62-63
Parr MK, Fußhöller G, Gütschow M, Hess C, Schänzer W: GC-MS(/MS) investigations on long-term metabolites of 17-methyl steroids	64-73
Gavrilović I, Ansell RJ, Brailsford AD, Cowan DA, Kicman AT: Molecularly imprinted polymers selective for testosterone; potential application for GC/C/IRMS sample clean-up	74-83
Reichel C: The overlooked difference: Structural basis for a mass spectrometry-based dopingtest for recombinant erythropoietins	84-87
Reichel C, Benetka E, Geisendorfer T, Scheibelhofer V, Abzieher F: HEPARIN: More than an anticoagulant - interference of heparin on IEF- PAGE of erythropoietins	88-96

LECTURES	PAGE
Holt RIG, Erotokritou-Mulligan I, McHugh CM, Bassett EE, Bartlett C, Fityan A, Bacon JL, Cowan DA, Sonksen PH: The GH-2004 project: ethnicity does not affect the response of IGF-I and procollagen III N-terminal propeptide to the administration of exogenous growth hormone (GH) in amateur athletes	97-106
Okano M, Nishitani Y, Sato M, Ikekita A, Kageyama S: hGH isoform profiles in Japanese male subject -Reference population, rhGH administration and influence of GH secretagogue-	107-108
Thomas A, Kohler M, Delahaut, P, Schänzer W, Thevis, M: Preliminary results for the development of a peptide screening method by means of LC-MS/MS	109-117
 POSTER PRESENTATION	
Harju L, Kuuranne T, Leinonen A: Applicability of anthrone dyeing microtiter method for screening of hydroxyethyl starch and dextran – a deeper insight	118-121
Sukhanova II, Dikunets MA, Rodchenkov GM: Sample preparation of urine samples for liquid chromatography-tandem mass spectrometry using functionalized ferromagnetic beads	122-125
Kaur T, Dubey S, Chakraborty M, Jain S, Beotra A, Shinde CP: Enantiomeric profiling of amphetamine and methamphetamine in sportspersons: a comparison of two chiral derivatization methods	126-129
Sato M, Okano M, Ikekita A, Kageyama S: Quality control of the completeness of solid-phase extraction and hydrolysis using the deuterated internal standards – Screening procedure for stimulants, narcotics, diuretics, β -blockers and other dope agents in human urine by means of UPLC [®] /MS/MS	130-133
Coetzee A, van der Merwe PJ: LC/MS/MS method for the detection of narcotic analgesics and non-steroidal anti-inflammatory drugs in human urine	134-137
Donati F, Mazzarino M, de la Torre X, Botrè F: A fast pre-confirmation method for the detection of HBOCs by capillary electrophoresis and UV detection	138-141

POSTER PRESENTATION	PAGE
Strano Rossi S, de la Torre X, Molaioni F, Botrè F: Determination of sildenafil, vardenafil and tadalafil metabolites in human urine by GC/MS	142
Sardela VF, de Oliveira PD, Pereira HMG, Aquino Neto FR: Could a pseudoephedrine artifact lead to a misinterpretation? A pitfall in ephedrine analysis	143-146
Marclay F, Saugy M: Determination of nicotine metabolites in urine by LC-MS/MS: trends of smoke and smokeless products exposure in ice hockey	147-151
Orlovius AK, Parr MK, Guddat S, Gütschow M, Thevis M, Schänzer W: Detection of urinary phase-I and phase-II metabolites of ephedrine and oxilofrine by LC-MS/MS	152-155
Sobolevsky T, Prasolov I, Rodchenkov G: Detection of synthetic cannabinoid JWH-018 in urine	156
Möller I, Wintermeyer A, Thomas A, Krug O, Bender K, Schänzer W, Thevis M: <i>In-vitro</i> metabolism of the synthetic cannabinoid JWH-018 and implementation of its major metabolites in human doping controls	157-158
Cavalcanti GA, Leal FD, Padilha MC, Pereira HMG, de La Torre X, Aquino Neto FR: Identification of urinary metabolites of exemestane oxidized in the exomethylene group by GC-MS	159-162
Koch A, Sigmund G, Guddat S, Thevis M, Schänzer W: Octopamine and biogenic amines	163-166
Kaewklum S, Suknet N, Ditthayam K, Wilairat P, Chaikum N: Determination of morphine in urine after the therapeutic administration of a common cough mixture, "Brown Mixture", containing camphorated opium tincture	167-170
Mazzarino M, Braganò MC, de la Torre X, Botrè F: Effects of toremifene and tamoxifene on the urinary androgenic steroid profile in males and females	171-174
Kaur T, Jain S, Bhula B, Lal R, Beotra A, Prasad GBKS: Delta values of endogenous steroids in Indian population: Establishing Reference Ranges	175-178

POSTER PRESENTATION	PAGE
Sjöberg U, Palonek E, Garle M: Investigation of variation of deuterated testosterone and epitestosterone internal standards in screening	179-182
Pop V, Văjială I, Zorio M, Lamor M: Better recoveries in confirmation of stanozolol metabolites by LC/MS technique	183-186
Walpurgis K, Kohler M, Thomas A, de Maree M, Mester J, Schänzer W, Thevis M: Effects of endurance exercise on the urinary proteome analyzed by 2D-PAGE and Orbitrap mass spectrometry	187-190
Dehnes Y, Lamon S, Lönnberg M: EPO immunoaffinity columns – a powerful tool for purifying erythropoietin and its recombinant analogues	191-194
Okano M, Sato M, Ikekita A, Kageyama S: Determination of growth-hormone secretagogue pralmorelin (GHRP-2) and its metabolite in human urine by means of liquid chromatography/tandem mass spectrometry	195
Kohler M, Gotzmann A, Görgens C, Flenker U, Thevis M, Schänzer W: Comparison of hGH serum concentrations of Caucasian and African top athletes: an ethnicity study	196-199
Zhang L, He C, Yang S, Wu M, Xu Y, Deng J, Cao Y, Xing Y, Yang Z: Preliminary excretion study of CERA in human urine and serums: which is the better matrix for detecting CERA abuse?	200-203
Mazzarino M, Jardines D, Turi S, de la Torre X, Botrè F: Effects of synthetic glucocorticoids administration on the urinary endogenous corticosteroids profile	204-207
Beotra A, Gupta YK, Ahi S, Dubey S, Upadhyay A, Priyadarshi R, Jain S: Preliminary studies on detection of corticosteroids in adulterated herbal drugs	208-211
Beotra A, Ahi S, Dubey S, Upadhyay A, Jain S, Prasad GBKS: Determination of long term metabolites of methylprednisolone using liquid chromatography tandem mass spectrometry	212-215
Beotra A, Ahi S, Dubey S, Upadhyay A, Priyadarshi R, Jain S: Metabolite identification and excretion profile of deflazacort on ultra performance liquid chromatography-tandem mass spectrometry	216-219

POSTER PRESENTATION	PAGE
Oueslati F, Kraiem S, Rezgui A, Saidani M, Merhabane Z, Loueslati MH: Detection and excretion study of fluticasone propionate by liquid chromatography–mass spectrometry	220-223
Oueslati F, Kraiem S, Jedidi J, Ben Romdhane AM, Loueslati H, Fenina N: Study of methylprednisolone elimination profile in human urine using LC-ESI-MS/MS	224-227
Silva, CA Pereira HMG, Aquino Neto FR: Evidences of inter individual variability in phase II urinary excretion profile of endogenous glucocorticosteroids	228-231
Starcevic B, Butch A: Use of LC/MS ³ on a new quadrupole linear trap mass spectrometer and high resolution chromatography to improve detection of anabolic steroids, glucocorticosteroids, anti-estrogenic agents, and β_2 -agonist and their metabolites	232-235
Strano Rossi S, de la Torre X, Botrè F: Speeding up the analytical times: fast GC analysis for stimulants, narcotics and drugs of abuse	236
Virus E, Semenistaya E, Sobolevsky T, Rodchenkov GM: Investigation of electrospray photoionization (ESPI) as a new ‘universal’ ionization method for determination of doping agents by HPLC/Orbitrap mass spectrometry	237-240
Parr MK, Westphal F, Sönnichsen FD, Geyer H, Schänzer W: 1-DHEA identification in seized dietary supplement	241-244
Sobolevsky T, Prasolov I, Rodchenkov G: Designer stimulants recently identified on black market	245-248
Chołbinski P, Tszysznice W, Wójcikowska-Wójcik B, Pokrywka A, Kwiatkowska D: Validation of qualitative screening method for doping substances by using UPLC-QTOF system	249-252
Jarek A, Gorczyca D, Kwiatkowska D, Pokrywka A: 100 years of anti-doping research. In memoriam of Alfons Bukowski	253-254
Kochnova E, Shevtsova I, Sobolevsky T, Rodchenkov G: Software for analysis of urinary and blood parameters using Bayesian approach	255-258

Scientific Board

D. Cowan, London (Great Britain)
F. Delbeke, Gent (Belgium)
M. Garle, Stockholm (Sweden)
H. Geyer, Köln (Germany)
G. Gmeiner, Seibersdorf (Austria)
A. Gotzmann, Köln (Germany)
R. Kazlauskas, Sydney (Australia)
T. Kuuranne, Helsinki (Finland)
U. Mareck, Köln (Germany)
C. Reichel, Seibersdorf (Austria)
W. Schänzer, Köln (Germany)
J. Segura, Barcelona (Spain)
M. Thevis, Köln (Germany)
P. Van Eenoo, Gent (Belgium)
R. Ventura, Barcelona (Spain)

TABLE OF CONTENTS

LECTURES	PAGE
R. Kazlauskas, V. Agon, C. Goebel, E. Hine, G.J. Trout: ASDTL Projects 2008	11
F. Botrè, X. de la Torre, M. Mazzarino, A. Tieri, K. Bush, D. Cowan: Are liposomes masking agents? An in-progress study	21
P. Van Eenoo, K. Deventer, O.J. Pozo, L. Lootens, P. Van Renterghem, F.T. Delbeke: Results of several (small) research projects at DoCoLab in 2008	29
S. Strano Rossi, D. Leone, X. de la Torre, F. Botrè: Urinary concentrations of threshold substances: a clear enough discrimination between doping and therapy? The case of ephedrine	35
K. Deventer, O.J. Pozo, P. Van Eenoo, F.T. Delbeke: Excretion studies with thiazide diuretics	43
C. Goebel, M. Sultani, R. Kazlauskas, G.J. Trout: Detection of low level anabolic agents by LC/MS/MS with investigation of matrix effects	51
Y. Kucheroval, B. Starcevic, B.D. Ahrens, A.W. Butch: Development of a high-throughput sample preparation procedure for gas chromatography-mass spectrometric analysis of various classes of doping agents using a 96-well plate format	61
M.K. Parr, N. Haenelt, G. Fußhöller, U. Flenker, H. Geyer, G. Rodchenkov, G. Opfermann, W. Schänzer: Recent steroid findings in "Designer Supplements"	71
P. Van Renterghem, P. Van Eenoo, H. Geyer, W. Schänzer, F.T. Delbeke: Alternative steroid profiling: Reference ranges for urinary endogenous steroids in a caucasian population of athletes	81
T. Sten, I. Bichlmaier, T. Kuuranne, A. Leinonen, J. Yli-Kauhaluoma, M. Finel: Genetic variability and the urinary testosterone/epitestosterone ratio	91
M. Tsivou, D. Livadara, D.G. Georgakopoulos, M. Koupparis, J. Atta-Politou, C.G. Georgakopoulos: Stabilization of endogenous steroids in sport urine samples	93

LECTURES	PAGE
M.K. Parr, A. Zoellner, M. Bureik, C.A. Dragan, N. Schlörner, F. Peters, H. Maurer, W. Schänzer: Production of metandienone longterm-metabolite, 17 β -hydroxymethyl-17 α - methyl-18-nor-androsta-1,4,13-trien-3-one, using <i>S. pombe</i> based biotransformation assay	95
E. Strahm, P.-E. Sottas, D. Dvorak, M. Saugy, C. Saudan: Steroid profiles in different ethnic groups of soccer players. A contribution to the determination of testosterone misuse in sports	97
M. Kohler, A. Thomas, K. Walpurgis, L. Horta, W. Schänzer, M. Thevis: Detection of proteases and their proteolysis and autolysis products in urine by LC-MS	107
YANG, Sheng; HE, Chunji; DONG, Ying; WANG, Shan; XU, Youxuan; WU, Moutian; JING, Zimeng; WU Qinyong; ZHU Huijuan; PAN Hui; GONG Fengying; GU Feng: The use of "Kit A" for detection of rhGH doping	117
M. Kohler, K. Püschel, A. Thomas, W. Schänzer, M. Thevis: Detection of recombinant growth hormone in plasma by a 2D-PAGE method: an update	127
HE, Chunji, YANG, Sheng, DONG, Ying, LI, Shengwei, XU, Youxuan, WU, Moutian: Homologous blood transfusion (HBT) test by cytometry for Chinese and non-Chinese population	137
N. Monfort, R. Ventura, A. Latorre, V. Belalcazar, M. López, J. Segura: Phthalate exposure: new clue to suspect illicit blood transfusion	147
S. Beuck, N. Schlörner, M. Kamber, W. Schänzer, M. Thevis: Hypoxia-inducible factor (HIF) pathway as target for doping purposes and mass spectrometric characterisation of orally available model HIF-stabilizers	155
C. Reichel, T. Geisendorfer: Detection of Epo-doping in blood	165
S. Lamon, S. Giraud, L. Egli, J. Smolander, M. Jarsch, K.-G. Stubenrauch, A. Hellwig, M. Saugy, N. Robinson: How to detect blood doping with subcutaneous or intravenous injection of C.E.R.A.	169

POSTER PRESENTATION	PAGE
A. Vonaparti, E. Lyris, I. Angelis, I. Panderi, M. Kouparis, L. Bonnington , C. Georgakopoulos: Screening of prohibited substances in human urine by a single LC-ESI-TOF-MS analysis	181
G. Bican, V. Pop, C. Colev, M. Lamor, I. Văjială: Optimization and validation of the quantification of morphine from urine by triple quadrupole LC/MS ²	185
V. Gougoulidis, T. Piper, U. Flenker, W. Schänzer: Comparison of normal-phase and reverse-phase HPLC clean up for ¹³ C/ ¹² C analysis of endogenous urinary steroids	189
M. Kolmonen, A. Leinonen, T. Kuuranne, I. Ojanperä: Combined solid phase extraction procedure for extensive doping screening	193
G. Muñoz, J.A. Muñoz-Guerra, F.A. Rodríguez: RRLC TM an alternative method to speed up the LC-MS/MS analysis, without lost of separation efficiency	197
E.D. Virus, E.N. Semenistaya, T.G. Sobolevsky, G.M. Rodchenkov: Implementation of HPLC/Orbitrap mass spectrometry as screening method for doping control	201
S. Strano Rossi, X. de la Torre, F. Botrè: A rapid method for the extraction and enantiomeric separation of amphetamine-type stimulants	203
M. Mazzarino, X. de la Torre, F. Botrè, N. Gray, D. Cowan: A rapid screening LC-MS/MS method based on conventional HPLC pumps for the analysis of low molecular weight xenobiotics: application to doping control analysis	207
G.J. Murray, J.P. Danaceau: Simultaneous extraction and detection of diuretics, beta-blockers and other xenobiotics in human urine by HPLC-MS/MS and UPLC-MS/MS	211

POSTER PRESENTATION	PAGE
W. Tszysznick, D. Stanczyk, M. Pasik, D. Kwiatkowska, A. Pokrywka: Validation of rapid UPLC/MS/MS qualitative screening method for detection of β -blockers in urine samples	217
C. Gómez, R. Bergés, J. Segura, R. Ventura: Detection of mesocarb metabolites excreted free and conjugated with sulphate in human urine by UPLC-MS/MS	221
G. Sigmund, M. Thevis, A. Koch, S. Guddat, W. Schänzer: Determination of methoxyphenamine in doping control analyses	225
V.F. Sardela, M.R.T. Motta, M.C. Padilha, H.M.G. Pereira, F.R. Aquino Neto: Detection of sibutramine metabolites as N-TFA and N-TFA, O-TMS derivatives	229
G. Fußhöller, W. Schänzer: Improved steroid profiling using GC tandem mass spectrometry - Preliminary results –	233
T. Piper, U. Flenker, W. Schänzer: Determination of $^{13}\text{C}/^{12}\text{C}$ ratios of endogenous urinary steroids excreted as sulphates: method validation and reference population	237
A. Beotra, S. Ahi, S. Jain: Urinary excretion profile of main mono hydroxylated metabolites of stanozolol by HPLC-ESI (+)-MS/MS	241
A. Leinonen, J. Apajalahti, T. Moisander, O. Siikanen, T. Kuuranne, M. Lauraeus Studies with steroids and fecal contamination of urine samples	245
B. Salema, J.N. Ruivo, X. de la Torre, M. Sekera, L. Horta: Oxandrolone excretion: effect of caffeine dosing	249
M. Galésio, J.L. Capelo-Martínez, X. de la Torre, F. Botrè: Speeding up the process: ultrasounds in sample preparation for steroids analysis	253
S. Kraiem, F. Oueslati, J.Hached, I. Trabelsi, A. Ben Romdhane, M.H. Loueslati: Contribution of ion-trap mass spectrometry in the determination of fragment origin of steroids	257

POSTER PRESENTATION	PAGE
H. Geyer, U. Mareck, N. Haenelt, W. Schänzer: Atypical steroid profiles in connection with ethanol findings in urine	261
J.L. Du Preez, E Grobbelaar, P.J. Van Der Merwe, P.N. Badenhorst: Stability of blood baseline parameters under various storage conditions	265
A. Gotzmann, J. Grosse, W. Schänzer: Detection of total β -hCG in doping control – A case study	269
A. Lüdke, U. Flenker, S. Lüdke, W. Schänzer: Influence of storage on the mobility values of human erythropoietin	273
A. Thomas, W. Schänzer, M. Thevis: Determination of insulin to C-peptide ratios as marker for a surreptitious insulin application	277
P. Anielski, D. Schwenke, S. Monecke, E. Jacobs, D. Thieme: Bacterial proteases in urine samples – effects on EPO analysis?	281
F. Garribba, S. Turi, X. de la Torre, F. Botrè: Technical improvement of the screening method for the detection of erythropoietins in urine	285
M. Mazzarino, F. Donati, X. de la Torre, F. Botrè, R.J. Huskie, D. Cowan: Development and validation of a rapid method for enzymatic digestion of HBOCs utilizing microwave irradiation	289
A. Chammakhi, S. Kraiem, H. Loueslati: Study of r-Met-hu- G- CSF (recombinant Granulocyte colony-stimulating factor) by isoelectric focusing and RP-HPLC	293
P. Kaliszewski, D. Michalak, A. Pokrywka, D. Kwiatkowska: Validation of differential immunoassays of hGH Isoforms: KIT 1 and 2	297
A. Lüdke, S. Lüdke, E. Völker-Schänzer, W. Schänzer: Detection of Mircera in blood plasma using isoelectric focusing combined with magnetic beads purification	301
N. Suknet, N. Saardpun, P. Wilairat, T. Kusamran, T. Anukarahanonta: Determination of prednisolone and prednisone in urine after therapeutic administration of an ophthalmic solution	305

POSTER PRESENTATION	PAGE
A. Beotra, S. Ahi, S. Dubey, A. Upadhyay, S. Jain: Application of liquid chromatography tandem mass spectrometry for the detection of ten long-term metabolites of Prednisolone	309
C. Rautenberg, D. Thieme: Structural investigation of candidate proteins in urine samples with demethylation activity	313
B. Salema, J. Ruivo, X. de la Torre, M. Sekera, L. Horta: Cologne protocol efficacy: Two unusual case studies	317
C. Howe, C. Goebel, R. Kazlauskas: Current and potential doping agents identified in customs and police seizures in Australia	321
A. Pokrywka, W. Trzyrsznic, D. Kwiatkowska: Problems of the use of pseudoephedrine by athletes	325
M. Vahermo, A. Leinonen, T. Suominen, M. Kolmonen, T. Kuuranne, J. Yli-Kauhaluoma: Synthesis of 17-dihydroexemestane as a reference compound in doping control	327
J.O. Thörngren, M. Garle: Determination of sulphate- and glucuronide-conjugated anabolic steroids by direct injection of urine to UPLC-MS/MS	331

TABLE OF CONTENTS

LECTURES	PAGE
H.M.G. Pereira, M.C. Padilha, R.M.A. Bento, T.P. Cunha, N.A.G. Lascas, F.R. Aquino Neto: Analytical and logistic improvements for the doping control analysis at the 2007 Pan-American Games	11
R. Kazlauskas: WADA list	21
P. Van Eenoo, W. Van Thuyne, O. Pozo- Mendoza, K. Deventer, L. Lootens, P. Van Renterghem, F.T. Delbeke: Results of several (small) research projects at DoCoLab in 2007	33
M. Tsivou, D. Livadara, D.G. Georgakopoulos, M. Koupparis, J. Atta-Politou, C.G. Georgakopoulos: Preservation of urine doping control samples – Preliminary results	41
K. Deventer, P. Van Eenoo, Guy Baele, O.J. Pozo, F.T. Delbeke: Stability study of thiazide diuretics	51
M. Thevis, M. Kohler, N. Schlörer, G. Fußhöller, W. Schänzer: Screening for quinolinone-derived selective androgen receptor modulators using GC-MS and LC-MS/MS	59
T. Kuuranne, A. Leinonen, W. Schänzer, M. Kamber, R. Kostinen, M. Thevis: Aryl-propionamide-derived selective androgen receptor modulators: Liquid chromatographic-tandem mass spectrometric characterization of the <i>in vitro</i> synthesized metabolites for doping control purposes	69
S. Guddat, M. Thevis, A. Thomas, W. Schänzer: Rapid screening of polysaccharide based plasma volume expanders dextran and hydroxyethyl starch in human urine by liquid chromatography - tandem mass spectrometry	71
M.K. Parr, H. Geyer, M. Gütschow, N. Haenelt, G. Opfermann, M. Thevis, W. Schänzer: New steroids on the “supplement” market	73
J. Henninge, I. Hullstein, I. Liborg, M. Lindøe, P. Hemmersbach: Longitudinal monitoring of steroid profiles – Improvements to the analytical procedure	83

LECTURES	PAGE
T. Kuuranne, K.-H. Pystynen, R. Kostiainen, A. Leinonen, M. Thevis, W. Schänzer: Metabolism of “new” anabolic steroids: Development of <i>in vitro</i> methodology in metabolite production and analytical techniques	89
L. Lootens, P. Van Eenoo, O.J. Pozo, P. Meuleman, G. Leroux-Roels, F.T. Delbeke: Validation of the metabolism of steroids in uPA ^{+/+} -SCID mice with humanized liver	99
J.P. Danaceau, M. S. Morrison, M.H. Slawson: Quantitative confirmation of testosterone and epitestosterone in human urine by LC-Q-ToF mass spectrometry for doping control	107
O.J. Pozo, W. Van Thuyne, P. Van Eenoo, K. Deventer, F.T. Delbeke: Direct quantification of steroid glucuronides by liquid chromatography tandem mass spectrometry	117
C.J. Walker, D.A. Cowan, V.H.T. James, J.C.Y. Lau, A.T. Kicman: Evaluation of the extent of urinary excretion of 19-norandrosterone in women and considerations regarding norethisterone administration	127
O.J. Pozo, P. Van Eenoo, K. Deventer, L. Lootens, S. Grimalt, J.V. Sancho, F. Hernandez, F.T. Delbeke: General guidelines for the CID fragmentation of 3-keto-anabolic steroids	131
W. Van Thuyne, P. Van Eenoo, W. Van Gansbeke, F.T. Delbeke: Implementation of DRS in doping control	141
U. Mareck, H. Geyer, U. Flenker, T. Piper, M. Thevis, W. Schänzer: Population based reference ranges and additional screening marker for the improvement of the detection of dehydroepiandrosterone misuse	149
T. Piper, U. Flenker, W. Schänzer: Determination of ¹³ C/ ¹² C ratios of endogenous urinary steroids: Method validation, reference population and implication for doping control purposes	151
H. J. Tobias, G. L. Sacks, Y. Zhang, J. T. Brenna, Progress towards comprehensive 2d gas chromatography combustion isotope ratio mass spectrometry (GCxGCC-IRMS)	153

LECTURES	PAGE
U. Flenker, S. Lüdke, U. Güntner, W. Schänzer: Which factors control $^{13}\text{C}/^{12}\text{C}$ -ratios of urinary steroids?	163
Y. Zhang, H.J. Tobias, J.T. Brenna: Uniform isotopic standards for gas chromatography combustion isotope ratio mass spectrometry of steroids	171
T. Piper, U. Flenker, W. Schänzer: Determination of D/H ratios of endogenous urinary steroids: Method validation and first results	181
P. Hemmersbach, Y. Dehnes, F. Mikkelsen, A. Lund, A. Solheim, L. Stølan, M. Drange,: Individual blood profiling – A means of improving the fight against doping	191
V. Agon, C.J. Howe, R. Kazlauskas, G.J. Trout: Aspects of the detection of insulin abuse in sport	201
A. Thomas, H. Geyer, M. Kamber, W. Schänzer, M. Thevis: Mass spectrometric determination of gonadotrophin-releasing hormone (GnRH) in human urine for doping control purposes by means of LC-ESI-MS/MS	211
C. Goebel, J. Simpson, D. Marinelli, C.J. Howe, G.J. Trout, R. Kazlauskas, D.J. Handelsman: Measurement of LH in urine. A test for doping?	213
M. Okano, A. Ikekita, M. Sato, S. Kageyama: Analysis of growth hormone-releasing peptides for doping control	223
M. Kohler, K. Püschel, D. Sakharov, A. Tonevitskiy, W. Schänzer, M. Thevis: Detection method for recombinant human growth hormone based on 2D-PAGE	233
E. Llop, R. Gutiérrez-Gallego, J. Segura, J. Mallorqui, J.A. Pascual: Glycan profiling discriminates between rEPO δ (Dynepo®, produced in human cells) and rEPO α/β (produced in CHO cells)	245
M. Kohler, C. Ayotte, P. Desharnais, U. Flenker, S. Lüdke, A. Lüdke, M. Thevis, E. Völker-Schänzer, W. Schänzer: Relative mobility values for the discrimination of endogenous and recombinant EPO on SDS gels	257

LECTURES	PAGE
C. Reichel, R. Kulovics, V. Jordan, M. Watzinger, T. Geisendorfer: SDS-PAGE of recombinant and endogenous erythropoietins: benefits and limitations of the method for application in doping control	267
S.A. Appolonova, M.A. Dikunets, G.M. Rodchenkov: Indirect detection of rHuEPO and synacthen administration in human urine	269
 POSTER PRESENTATION	
G. Bican, V. Pop, R. Subașu, M. Lamor, I. Vâjială: Improved detection of banned doping substances by triple quadrupole LC/MS ² technique	281
G. Fußhöller, W. Schänzer, D. Krumwiede: Improved screening of anabolic steroids in human urine using a new GC-triple quadrupole mass spectrometer - Preliminary results –	285
P. Anielski: Disintegration of hair samples vs. methanol extraction – Influences on the analysis of anabolic steroids	289
M.A. Dikunets, S.A. Appolonova, G.M. Rodchenkov: Comprehensive screening of urinary free fraction using HPLC-MS/MS	293
T. Sobolevsky, I. Kachala, S. Bolotov, G. Rodchenkov: Detection of L- and D-stereoisomers of methamphetamine in urine following derivatization with menthyl chloroformate	297
G. Sigmund, M. Thevis, A. Koch, S. Guddat, W. Schänzer: Methods for the detection of tuaminoheptane	301
E. Palonek, R. Rylin, M. Garle, G. Rasmanis: Screening for β -blockers in urine with on-line extraction and LC-MSMS detection	305
J.O. Thörngren, F. Österwall, M. Garle: Stereoselective confirmation of amines by chiral derivatization and UPLC-MS/MS	309

POSTER PRESENTATION	PAGE
M. Mazzarino, M.C. Braganò, S. Turi, F. Botrè: LC-ESI-MS/MS screening method for simultaneous detection in human urine of glucocorticoids, diuretics, some stimulants, some beta2-agonists, some beta-blockers, anti-oestrogens and new designer steroids	313
M. Vahermo, A. Leinonen, T. Suominen, T. Kuuranne, J. Yli-Kauhaluoma: Synthesis of mesocarb metabolites as reference compounds for doping analytics	317
R.E. Simoni, F.B. Scalco, L.N.L.F. Gomes, C.F. Arnaldo, T.M. Moutinho, J.F. Paulino, S.F. Silva, M.L.C. Oliveira, F.R. Aquino Neto: Screening for HES in human urine and possible application for dextran	321
V. Gougoulidis, G. Sigmund, U. Flenker, W. Schänzer: Determination of gamma-butyrolactone (GBL) -A tool for the detection of the administration of gamma-hydroxybutyric acid (GHB)-	325
M. Mazzarino, F. Botrè: Fast screening for the detection of HES and dextran	329
F. Oueslati, M. Maatki Z. Osman, , H. Loueslati: Identification by LC-ESI- MS/MS of new clomifene metabolites in urine	333
T. Sobolevsky, E. Virus, E. Semenistaya, V. Kachala, I. Kachala, G. Rodchenkov: Orastan-A: Structural elucidation and detection in urine	337
M.C. Padilha, H.M.G. Pereira, P.F. Aguiar, C.M.A. Silva, F.R. de Aquino Neto: Improvement in detection of 3'OH-stanozolol in human urine using a new ion trap mass spectrometry system	341
S.C. Voss, U. Flenker, B. Majer, W. Schänzer: Stability tests for haematologic parameters in an anti-doping context	345
S. Lamon, N. Robinson, P.E. Sottas, H. Henry, M. Kamber, P. Mangin, M. Saugy: Possible origin of undetectable EPO in urine samples	347
J. Henninge, I. Hullstein, G. Hagelin, P. Hemmersbach: Identification of growth hormone releasing hexapeptide (GHRP-6) in an unknown pharmaceutical preparation	351
C. Goebel, G.J. Trout and R. Kazlauskas: Implementation of insulin analysis by ASDTL	355

POSTER PRESENTATION	PAGE
Y. Dehnes, M. Borgen, M. Lönnberg, P. Hemmersbach: Shifted isoelectric profiles of endogenous erythropoietin possibly due to different physiological origin	359
F. Donati, F. Botrè: Using Advia 120 hematological analyzer as a fast screening method for HBOCs detection in human whole blood	363
A. Beotra, R.I. Madhusudhana, G. Sandeep, S. Jain, J.S. Sandhu: Detectability of glucocorticosteroid formulations available in Indian market following different routes of administration	367
V. Pop, G. Bican, M. Lamor: Flunisolide – Triamcinolone acetonide. MS differentiation in positive and in negative ionization mode. LC differentiation.	371
R. Jazwiec, D. Kwiatkowska, A. Pokrywka, D. Stanczyk: Use of porous graphite packed columns in analysis of doping control samples for glucocorticosteroids	375
H. Kraiem, F. Oueslati, S. S. Ben Amor, N. Fenina, H. Loueslati: Structural elucidation of seven prednisolone metabolites by LC-ESI- MS/MS using a PGC column	379
S. Nimsoongnern, D. Pinthong, S. Plasen, P. Wilairat, T. Kusamran, T. Anukarahanonta: The effect of <i>butea superba roxb.</i> , a Thai traditional medicine, on endogenous steroid levels in males	383

TABLE OF CONTENTS

LECTURES	PAGE
R.I.G. Holt, I. Erotokritou-Mulligan, D. Cowan, C. Bartlett, E.E. Bassett, E.E. Muller, A. Sartorio, P.H. Sönksen: The GH-IGF-2012 project: the use of growth hormone (GH)-dependent markers in the detection of GH abuse in sport: Intra-individual variation of IGF-I and P-III-P	11
M. Kohler, K. Püschel, W. Schänzer, M. Thevis: Mass spectrometric identification of human pituitary growth hormone variants	21
R. Kazlauskas: Supplements & WADA List	31
P. Van Eenoo, L. Lootens, W. Van Thuyne, K. Deventer, O. Pozo-Mendoza, F.T. Delbeke: Results of several (small) research projects at DoCoLab in 2006	41
M. Mazzarino, F. Botrè: How safe are our internal procedures? Some preliminary experimental evidence on the problem of “lab-oriented” potential masking agents	49
P. Van Eenoo, A. Spaerkeer, F.T. Delbeke: Measurement uncertainty – a practical top-down approach	59
M. Thevis, J.A. Loo, R.R. Ogorzalek Loo, W. Schänzer: Recommended criteria for the mass spectrometric identification of target peptides and proteins (< 8 kDa) in sports drug testing	67
A. Kazlauskas: Being expert in the 21st century	69
E. Grobbelaar, P.J. van der Merwe, J.H.W. Potgieter: Urinary concentrations of inhaled and orally administered Salbutamol	79
U. Mareck, N. Haenelt, M.K. Parr, S. Guddat, A. Thomas, M. Thevis, W. Schänzer: Direct quantification of Salbutamol in human urine by means of LC-MS/MS	87
M.K. Parr, A. Orlovius, S. Guddat, M. Gütschow, M. Thevis, W. Schänzer: Sulfoconjugates of heavy volatile nitrogen containing doping substances for improved LC-MS/MS screening	97

LECTURES	PAGE
R. Montes de Oca Porto, M.T. Correa Vidal, A. Rosado Pérez, M. Granda Fraga: Confirmatory procedure of Ephedrine by gas chromatography-mass spectrometry. Migration of the trimethylsilyl group in the N-acetyl-O-trimethylsilyl derivatives	103
B. Vitoriano, X. de la Torre: Study of Clomiphene metabolism by LC/MS/MS	113
M. Okano, A. Ikekita, M. Sato, S. Kageyama: Detection of Mepitiostane in doping analysis	123
H. Geyer, U. Flenker, U. Mareck, P. Platen, T. Piper, A. Schmechel, Y. Schrader, M. Thevis, W. Schänzer: The detection of the misuse of Testosterone gel	133
M.K. Parr, G. Opfermann, T. Piper, N. Schlörer, G. Fußhöller, A. Thomas, M. Thevis, W. Schänzer: Characterisation of steroid metabolites recently detected in doping control analyses	143
O.J. Pozo, K. Deventer, P. Van Eenoo, F.T. Delbeke: Endogenous interferences in the detection of anabolic steroids by liquid chromatography tandem mass spectrometry	153
A. Leinonen, J. Apajalahti, T. Moisander, O. Siikanen, T. Kuuranne, M. Lauraeus: Experiments on production of “endogenous Boldenone”	163
T. Piper, M. Hebestreit, U. Flenker, H. Geyer, W. Schänzer: A method to determine $\delta^{13}\text{C}_{\text{VPDB}}$ -values of trace amounts of Boldenone and its main metabolite	169
Ying Zhang, G.L. Sacks, J.T. Brenna: Fast Gas Chromatography Combustion Isotope Ratio Mass Spectrometry	179
A. Cawley, R. Kazlauskas, G. Trout, A. George: Metabolic ^{13}C fractionation: What it means for doping control	189
A. Cawley, R. Kazlauskas, G. Trout, A. George, R. Weatherby, S. Marshall-Gradisnik: Compound specific detection of endogenous steroid abuse in athletes	199
U. Flenker, F. Hülsemann, V. Gougoulidis, G. Sigmund, W. Schänzer: Elucidation of original and metabolic sources of Ephedrine by stable isotope analysis	209

LECTURES	PAGE
A.I. Silva Junior, H.M.G. Pereira, A. Casilli, F.R. Aquino Neto: Analytical challenges in doping control: GC x GC: is it an option?	217
W. Van Thuyne, P. Van Eenoo, F.T. Delbeke: Possibilities of SIM/scan analysis in doping control	227
X. Kioussi, A. Fragkaki, A. Vonaparti, M. Stamou, M. Demesticha, E. Lyris, Y.S. Angelis, G. Tsoupras, B. Wuest, M.W.F. Nielen, I. Panderi, M. Koupparis, C. Georgakopoulos: Time-of-Flight Mass Spectrometry: Unification of analytical methods and preventive screening in doping control analysis	235
J.O. Thörngren, F. Östervall, M. Garle: A new approach for screening, verifying and confirmation of prohibited doping substances	245
O.J. Pozo, W. Van Thuyne, P. Van Eenoo, K. Deventer, F.T. Delbeke: Use of liquid chromatography tandem mass spectrometry (LC-MS/MS) and gas chromatography (GC-MS) in the detection of Fluoxymesterone metabolites	253
M. Thevis, M. Kohler, W. Schänzer: Mass spectrometry of new growth promoting drugs: Hydantoin-derived selective androgen receptor modulators and growth hormone secretagogues	263
R. Gutiérrez Gallego, A. Pinyot Comelles, Z. Nikolovski, J. Bosch, J. Segura: Growth hormone secretagogues	273
J. Maurer, M. Kohler, W. Schänzer, M. Thevis: Identification of proteolytic enzymes in human urine	283
A. Thomas, M. Thevis, P. Delahaut, A. Bosseloir, W. Schänzer: Identification and determination of degradation products of human insulin and its long acting synthetic analogues in urine by means of ESI-LC-MS/MS	293
P. Desharnais, C. Ayotte: Towards the screening of urinary EPO by SDS-PAGE analysis	303
P.E. Groleau, P. Desharnais, C. Ayotte: Characterization of glycopeptides released from pmol levels of recombinant erythropoietin by nanoflow HPLC-Chip electrospray ionization coupled to ion trap mass spectrometry	305

LECTURES	PAGE
C. Reichel: Identification of Zinc-alpha-2-glycoprotein binding to clone AE7A5 anti-human Epo antibody by means of nano-HPLC and high-resolution accurate mass ESI-MS/MS	315
J. Segura, C. Fillat, D. Andreu, J. Llop, O. Millan, B.G. de la Torre, Z. Nikolovski, V. Gomez, N. Andreu, A. Pinyot, R. Castelo, J.D. Gispert, J.A. Pascual: Non invasive molecular imaging of gene expression potentially useful for doping control: Pilot study in cells and animals	325
G.J. Trout, M. Sultani, C. Goebel, C.J. Howe, R. Kazlauskas: Miscellaneous projects in sports drug testing at the National Measurement Institute, Australia, 2006 or, "an ASDTL Assortment"	327
 POSTER PRESENTATION	
S: Hudson, S. Maynard, M. Harrison: Can multiple instrumental analyses be replaced by a single analysis?	339
T.F.H. Bovee, J.C.W. Rijk, A.A.C.M. Peijnenburg, M.W.F. Nielen: A specific yeast androgen bioassay for the detection of androgens, anti-androgens and pro-androgens in supplements and urine	343
M. Maatki, S. Bouabdallah, S. Kraiem, A. Toumi: Optimization and validation of analytical method for anabolic steroids in nutritional supplements by GC/MS	347
A. Gotzmann, S.C. Voß, W. Schänzer: Abbott IMx [®] total β -hCG-kit versus Roche Elecsys [®] hCG STAT-kit: Validation and performance comparison	351
R. Pootrakronchai, M. Kaewklum, P. Wilairat, T. Kusamran; T. Anukarahanonta: Method validation for <i>d,l</i> -isomers of Methamphetamine and Amphetamine by GC/MS	355
M. Okano, M. Sato, A. Ikekita, S. Kageyama: A rapid ultra-performance liquid chromatography (UPLC [™]) /mass spectrometry – Applications in doping control	359

POSTER PRESENTATION	PAGE
K. Deventer, O.J. Pozo, W. Van Thuyne, P. Van Eenoo, F.T. Delbeke: Screening and confirmation of ritalinic acid in urine by LC-MS ⁿ	363
K. Koehler, H. Geyer, S. Guddat, A. Orlovius, M.K. Parr, M. Thevis, J. Mester, W. Schänzer: Sibutramine found in chinese herbal slimming tea and capsules	367
P. Gärtner, K. Hofbauer, G. Gmeiner, T. Geisendorfer: Synthesis and characterization of a metabolite of Tamoxifen	371
S. Jain, T. Kaur, R. Khanduja, S. Shweta, A. Beotra: Correlation of steroid profile data on GC-MSD with delta values on GC-IRMS after administration of Testosterone preparations to healthy volunteers with low and high T/E ratio	375
R. Picu, M. Zorio, M. Amor: The influence of hCG administration on the steroidic profile	381
J. Grosse, C. Rautenberg, L. Wassill, D. Ganghofner, D. Thieme: Degradation of doping-relevant steroids by <i>Rh. erythropolis</i>	385
S. Torrado, M. Roig, M. Farré, J. Segura, R. Ventura: Metabolic profile in human urine after oral administration of 19-Norandrostenediol as a nutritional supplement	389
G. Fußhöller, U. Mareck, A. Schmechel, W. Schänzer: Long-term detection of metandienone abuse by means of the new metabolite 17 β -hydroxymethyl-17 α -methyl-18-norandrost-1,4,13-trien-3-one	393
S. Guddat, W. Schänzer, P. Wachsmuth, M. Thevis: Doping control screening procedure for Trenbolone analogues in human urine by LC-(APCI)-MS/MS	397
A. Leinonen, T. Kuuranne, T. Moisander, K. Rautava: Artificial urine as sample matrix for calibrators and quality controls in determination of Testosterone to Epitestosterone ratio	401
Y. Dehnes, M. Borgen, P. Hemmersbach: Enzymatic digestion of EPO	405
I. Holländer, I. Bajla, M. Minichmayr, G. Gmeiner, C. Reichel: GASepo: Project summary 2004-2006	409
A. Kniess, E. Ziegler, D. Thieme, R. K. Müller: A hGH application study: Issues related to valid detection parameters	413

POSTER PRESENTATION	PAGE
H.A. Dimopoulou, T. Theodoridis, V. Galea, V. Christopoulou-Cokkinou, M.H. Spyridaki, C.G. Georgakopoulos: ISO/IEC 17025 Sysmex R-500 hematology reticulocyte analyzer validation	417
L. Avois, I. Bailloux, A. Desmarchelier, A. Lahaussais, N. Méchin, M. Saugy, J. de Ceaurriz: Synthetic glucocorticosteroids administration: Urinary excretion of Triamcinolone acetonide	419
M.T. Correa Vidal, D. Martínez, R. Montes de Oca, K. Alonso Pérez, M. Granda Fraga: Differences in urine excretion of Hydrocortisone (Cortisol) following two administration routes	425
C. Bakkene, J. Henninge, I. Hullstein, P. Hemmersbach: Urinary levels of glucocorticoids resulting from different routes of administration	429
W. Van Thuyne, F.T. Delbeke: Medication use in sports	433
M. Plata Andrés, A. Frutos Sicilia, C. Turmo Blanco, J. Muñoz-Guerra Revilla, A. F. Rodríguez Cano, C. Rodríguez Bueno: An information security management system for the doping control laboratory of Madrid: Achieving ISO 27001:2005 standard	437
S. Lüdke, M. Sauer, M. Paul, W. Schänzer: The Cologne import information system: A tool to highlight long term trends in the Black Market for drugs and doping substances	441

TABLE OF CONTENTS

LECTURES	PAGE
H. Geyer, K. Köhler, U. Mareck, M.K. Parr, W. Schänzer, M. Thevis Cross-contaminations of vitamin- and mineral-tablets with metandienone and stanozolol	11
M. Mazzarino, M. C. Braganò, F. Botrè: An LC/MS-MS screening method for synthetic glucocorticoids based on pharmacological structure-activity relationships	17
A. Gotzmann, M. Thevis, M. Bredehöft, W. Schänzer: Ciclesonide (Alvesco®) – a new glucocorticosteroid for inhalative treatment	27
C.J. Walker, D.A. Cowan, N.F. Taylor, A.T. Kicman: Determination of xenobiotic glucocorticoids in urine by gas chromatography–mass spectrometry	35
M.E. Toubert, M.C. van Engelen, C. Georgakopoulos, J.A. van Rhijn, M.W.F. Nielen: Multi-detection of corticosteroids in sports doping and veterinary control using high resolution liquid chromatography / time-of-flight mass spectrometry	45
C. Goebel, G.J. Trout, R. Kazlauskas: Progress in the simplification of drug screening	47
M. Mazzarino, F. Molaioni, S. Riggi, F. Rossi, F. Botrè: Speeding up the rate of antidoping analysis: some perspectives on the use of microwave assisted extraction and fast chromatography	55
M. Kolmonen, A. Leinonen, A. Pelander, I. Ojanperä, T. Kuuranne: Screening of doping agents using liquid-chromatography/time-of-flight mass spectrometry	65
K. Deventer, P. Van Eenoo, F.T. Delbeke: Improved clean-up for the detection of hydroxyethylstarch (HES)	71
P. Van Eenoo, A. Spaerkeer, L. Lootens, W. Van Thuyne, K. Deventer, F.T. Delbeke: Results of several (small) research projects at DoCoLab in 2005	79
M. Thevis, M. Kamber, W. Schänzer: Identification of metabolically stable selective androgen receptor modulators (SARMs) in human urine	87

LECTURES	PAGE
S. Appolonova, P. Baranov, G. Rodchenkov: Metabolism of non-steroidal phytoestrogens: ipriflavone and 5-methyl-7-hydroxy-isoflavone	91
U. Mareck, G. Fußhöller, H. Geyer, N. Haenelt, M. Thevis, M. Kamber, R. Brenneisen, W. Schänzer: Temporal indication of marijuana use	101
V. Sizoi, T. Sobolevsky, S. Appolonova, G. Rodchenkov: Prosidol: new piperidine-type narcotic analgesic	111
W. Van Thuyne, P. Van Eenoo, F.T. Delbeke: Comprehensive screening method for the detection of narcotics and stimulants using single-step derivatisation	121
R. Kazlauskas: Micellaneous projects in sports drug testing at the National Measurement Institute, Australia, 2005	129
G. Rodchenkov, T. Sobolevsky, V. Sizoi: New designer anabolic steroids from internet	141
C. Ayotte, D. Goudreault, D. Cyr, J. Gauthier, P. Ayotte, C. Larochelle, D. Poirier: Characterisation of chemical and pharmacological properties of new steroids related to doping of athletes	151
T. Kuuranne, A. Leinonen, M. Thevis, W. Schänzer, K.-H. Pystynen, R. Kostianen: Metabolism of “new” anabolic steroids: development of <i>in vitro</i> methodology in metabolite production and analytical techniques	161
M. Kohler, M.K. Parr, G. Opfermann, W. Schaenzer: Metabolism of 4-hydroxyandrostenedione and 4-hydroxytestosterone	169
L. Zhang, Y. Zhang, M. Xie, X. Liu, J. Wang, Y. Yan, X. Wang, Y. Li, M. Wu: Excretion study with different preparations of 1-testosterone	179
P. Van Eenoo, P. Mikulcikova, W. Van Thuyne, K. Deventer, F.T. Delbeke: Detection of 19-norandrosterone after ingestion of the oral contraceptives norethisterone acetate and lynestrenol and ethylestrenol	189
Y. Schrader, M. Thevis, W. Schänzer: Quantitative determination of metabolic products of 19-norandrostenediol in human plasma using gas chromatography / mass spectrometry	199

LECTURES	PAGE
L.G. Mackay, D. Burke, F.H. Liu, N. Sousou, J. Cuthbertson, V.V. Vamathevan, R. B. Myers: Production and certification of a reference material for the measurement of 19-norandrosterone in human urine	203
L. Ekström, J. Jakobsson, M. Garle, A. Rane: Large differences in testosterone excretion in Korean and Swedish men are strongly associated with a UDP-glucuronosyl transferase 2B17 polymorphism	211
W. Schänzer, H. Geyer, G. Fußhöller, N. Halatcheva, M. Kohler, M.-K. Parr, S. Guddat, A. Thomas, M. Thevis: Mass spectrometric identification and characterization of a new long-term metabolite of metandienone	217
L.G. Mackay, D. Burke, F.H. Liu, N. Sousou, J. Cuthbertson: Development of a high-accuracy IDMS method for 19-norandrosterone in urine for the certification of a reference material	219
G. Fußhöller, A. Koch, U. Mareck, A. Thomas, A. Schmechel, G. Sigmund, M. Thevis, W. Schänzer: New sample preparation procedure for the confirmation of stanozolol and its metabolites by means of GC/MSMS and LC/ESI-MSMS	229
M. Thevis, S. Horning, A. Makarov, W. Schänzer: Mass spectrometric characterization of efaproxiral (RSR13) and stanozolol using electrospray ionization with high resolution/high accuracy mass spectrometry	239
M.K. Parr, G. Opfermann, W. Schaenzer: Detection of new 17-alkylated anabolic steroids on WADA 2006 list	249
J.T. Brenna, G.L. Sacks, Ying Zhang, M.E. Brenna: Data analysis in GCC-IRMS	259
A.T. Cawley, R. Kazlauskas, G.J. Trout, J. Tjoa, T. Huynh, A.V. George: GC-C-IRMS analysis of endogenous reference compounds	267
C.Ayotte, C. Romiguère, A. Fakirian, U. Flenker, M. Hebestreit, T. Piper, W. Schänzer: The usefulness of GC/C/IRMS in determining the origin of low levels 19-NA – application in routine analysis	277
T. Piper, V. Gougoulidis, U. Flenker, W. Schänzer: Presentation of the IRMS results of suspicious samples with elevated T/EpiT ratios in 2005	289

LECTURES	PAGE
U. Flenker, M. Hebestreit, T. Piper, W. Schänzer: A new, effective and robust method to couple gas chromatography and isotope ratio mass spectrometry	299
R.I.G. Holt, I. Erotokritou-Mulligan, C.M. McHugh, D. Cowan, C. Bartlett, E.E. Bassett, P.H. Sönksen: The GH-2004 project: the use of growth hormone (GH)-dependent markers in the detection of GH abuse in sport	307
G. Such Sanmartín, R. Gutiérrez Gallego, J. Bosch, D. Andreu, J. Segura: 5 kDa and 17 kDa Hydrolysis Products of Human Growth Hormone	317
R. Stempfer, K. Vierlinger, A. Kriegner, G. Gmeiner, C. Nöhammer: Growth hormone elicits specific effects on blood cell gene expression levels	327
S. Giraud, C. Georgakopoulos, J. de Ceaurriz, C. Ayotte, J. Segura, M. Saugy: Homologous blood transfusion proficiency tests	335
S.C. Voß, B. Majer, W. Schänzer, M. Thevis: Validation and signal amplification of a flow cytometric method to detect homologous blood transfusion	343
D. Marinelli, V. Agon, C. Howe, A. Stenhouse, M. Sillence, G.J. Trout, R. Kazlauskas: EPO immunoaffinity columns for purification	345
C. Reichel, I. Holländer, G. Gmeiner: Improvement in the background correction of Epo IEF images	353
M. Bredehöft, M. Thevis, P. Delahaut, M. Kamber, W. Schänzer: Detection of Synacthen® in human plasma with LC-ESI-MS/MS after immunoaffinity purification	363
A. Thomas, M. Thevis, P. Delahaut, A. Bosseloir, W. Schänzer: Qualitative determination of rapid acting insulin analogues in urine by means of LC-MS/MS	367

POSTER PRESENTATION	PAGE
C. Rautenberg, J. Grosse, D. Thieme, L. Wassill, D. Ganghofner, R.K. Mueller: Testosterone degradation induced by <i>Rhodococcus eryth.</i> and <i>Comamonas</i> <i>test.</i>	379
M. Okano, M. Sato, Y. Nishitani, C. Omori, A. Ikekita: Analysis of carbonic anhydrase inhibitors in doping control	383
A.T. Cawley, R. Kazlauskas, G.J. Trout, A.V. George, R.P. Weatherby, S. Marshall-Gradisnik, A.J. Silk: 4'OH-androstenedione (4'OH-ADIONE): a confirmatory marker of androstenedione abuse in athletes	387
J. Wang, Y. Xu, Y. Zhang, X. Liu, H. Zhang, M. Wu: Testosterone with different delta value	391
C. Borges, N. Miller, M. Shelby, M. Hansen, C. White, M. Slawson, D. Crouch: Analysis of a challenging subset of WADA-banned steroids and anti- estrogens by LC/MS/MS	395
S. Guddat, G. Sigmund, A. Thomas, G. Opfermann, M. Thevis, W. Schänzer: Detection of meclofenoxate and its degradation products dimethylaminoethanol and <i>p</i> -chloro-phenoxyacetic acid	399
G. Sigmund, M. Thevis, A.K. Schiffer, W. Schänzer: Screening for N-desmethyl- and N-bisdesmethyl metabolites of Sibutramine using liquid chromatography-tandem mass spectrometry	403
M. Abidi, S. Karkeni, N. Ben Hamida, A. Toumi: Study of the behavior of the steroid profile under hydrolysis conditions after 4-androstenedione oral administration by GC/MS	407
D. Kwiatkowska, Z. Obmiński, A. Pokrywka, E. Turek-Lepa, R. Jaźwiec, R. Grucza: Sport-related differences in the urinary T/Et and A/E ratios among polish athletes	411
N. Suknet, S. Nimsoongnern, P. Wilairat, T. Kusamran, T. Anukarahanonta: Preliminary results on the carbon isotope ratios of endogenous steroids in urine collected from asian countries	415
K. Koehler, M.K. Parr, H. Geyer, C. Bode, W. Schaenzer: Serum testosterone and urinary steroid profiles after administration of a zinc supplement	419

POSTER PRESENTATION	PAGE
J. Son, D.-H. Kim, M.-J. Kang, M. Ho Choi: Screening and confirmation analyses of urinary plasma volume expanders, dextran and HES, in doping control	423
Sook Yi Mun, A.M. Normaliza, A. Manaf, A. A. Latiff: Rapid screening of plasma volume expanders using Benedict's solution	427
P.E. Groleau, P. Desharnais, C. Hamelin, C. Ayotte: Purification of EPO from urine retentates prior to IEF detection	431
P. Desharnais, P.E. Groleau, C. Hamelin and C. Ayotte: Intermediate neuraminidase activity: a possible link toward suspicious or "effort-like" EPO isoelectric profiles	435
H.M. G. Pereira, S.B. Ramos, M.Aur�lio Dal Sasso, E.S.C. Po�as, M.C. Padilha, L.N.F. Gomes, F. Radler de Aquino Neto: Study of endogenous profile of hCG in male Brazilian athletes	439
E. Hine, C. Goebel, G. Trout, R. Kazlauskas: The use of isotopically labelled internal standards for hCG analysis	443
S. Yang, C. Zhang, Y. Cai, X. Qian, M. Wu: The potential molecular marker in distinguishing exogenous recombinant human growth hormone using MALDI-TOF-MS/MS	447
F. Oueslati, N. Ben Hamida, H. Trabelsi, A. Toumi: Investigation on the rearrangement of triamcinolone	451
H.M.G. Pereira, M.C. Padilha, M.A.S. Marques, L.N.F. Gomes, F. Radler de Aquino Neto: Systematic study of glucocorticosteroids O-TMS derivatives	455
G. Bican, V. Pop, M. L�mor, I. V�jial�, G. V�jial�, B. Saglam, S. ����l, A. Temizer: The separation of betametasone from dexametasone by using LC/MS/MS technique with triple quadrupole and excretion studies of dexamethasone after intramuscular administration	459
L. Brooker, C. Goebel, R. Kazlauskas, G. Trout, A. George: Confirmation of triamcinolone acetonide use by LC-MS/MS	463
M. Abidi, S. Karkeni, N. Ben Hamida, A. Toumi: Study of a case of WADA criteria shortage in the passage from GC/MS analysis to GC/IRMS one and investigation of an additional positivity criterion related to the second analysis	467

POSTER PRESENTATION	PAGE
S. Hudson, S. Maynard: Unblocking the data dam	471
P.J. van der Merwe, P.M. van Zyl, G. Joubert: The effect of multiple doses of Tribulus Terrestris on serum LH and testosterone levels in healthy males	475
C. Judkins, C. Russell, M. Jennings, P. Watson: A crossover study of 19-nor-androstenedione contamination in sports supplements: preliminary findings	477
W. Van Thuyne, F.T. Delbeke: Czech supplements: the story continues	481
S. Torrado, R. Ventura, M. Farré, J. Segura: Determination of 19-norandrostenediol and its metabolites in human plasma after oral administration of a nutritional supplement	485
G. Opfermann, M. Kohler, G. Fußhöller, M.K. Parr, G. Sigmund, W. Schänzer Comparison of uncertainties: the standard deviations of the method of two calibration curves with different preparatory steps	489

TABLE OF CONTENTS

LECTURES	PAGE
F. Botrè, R. Borrelli, C. Colamonici, F. Garribba, M. Mazzarino, F. Rossi: Optimizing the cost/benefit ratio of the laboratory procedures: a way to match the WADA requirements (with the help of microwaves)	11
K. Deventer, P. Van Eenoo, F.T. Delbeke: Extension of an existing screening method for diuretics with beta-blocking agents	21
A. Gotzmann, M. Thevis, M. Bredehöft, W. Schänzer: Glucocorticosteroids in routine doping analysis: metabolism and detection of fluticasone-17-propionate	29
C. Goebel, G.J Trout, R. Kazlauskas: Corticosteroids by LC/MS/MS – a minimalist approach	39
E. Palonek, F. Österwall, M. Garle: Screening for corticosteroids in urine with on-line extraction and LC-MSMS detection	47
P. Van Eenoo, P. Mikulčíková, K. Deventer, W. Van Thuyne, F.T. Delbeke: Metabolism, excretion and detection of androst-4-ene-3,6,17-trione	57
M.K. Parr, G. Fusshoeller, G. Opfermann, M. Kohler, M. Hebestreit, W. Schaenzer: Synthesis of reference compounds for the identification of metabolites of 4-hydroxytestosterone	65
A. Kazlauskas, K. Crawford: Perceptions of anti-doping scientific work	75
M. Machnik, G. Sigmund, W. Schänzer: Antidepressants in sport – therapeutic use or doping abuse?	85
N. Pizarro, M. Farré, S. Abanades, M. Segura, J. Ortuño, M. Pujadas, J. Segura, R. de la Torre: Relevant metabolic and pharmacokinetic aspects of ecstasy consumption	95
W. Van Thuyne, F.T. Delbeke: Did caffeine use in sports change after the removal from the doping list ?	105

LECTURES	PAGE
G. Opfermann, U. Mareck, H. Geyer, S. Guddat, A. Koch, M. Kohler, M. Thevis, W. Schänzer: Detection of exemestane and its metabolites using GC-MS and LC-MS-MS: a comparative study for screening purposes	115
U. Mareck, H. Geyer, S. Guddat, N. Haenelt, A. Koch, G. Opfermann, M. Thevis, W. Schänzer: Screening for anastrozole in doping analysis	127
R. Kazlauskas: Miscellaneous projects 2004	137
M. Thevis, H. Geyer, U. Mareck, W. Schänzer: Screening for synthetic steroids in human urine by LC-ESI-MS/MS	147
M.W.F. Nielen, T.F.H. Bovee: The potential of bioassays and time-of-flight mass spectrometry in urine testing for banned and designer steroids	157
J. Hughes, C. Borges, M. Slawson, J. Taccogno, D. Crouch, B. Wuest: Detection and confirmation of anabolic steroids and metabolites in urine using routine accurate mass API-TOF LC/MS	159
T. Kuuranne, M. Ellfolk, K. Kuoppasalmi, A. Leinonen, W. Schänzer, M. Thevis, L. Hintikka, R. Kostianen, C. Georgakopoulos: Steroid glucuronides – synthesis and development of liquid chromatographic/ mass spectrometric analysis in the detection of doping in sport	169
F. Molaioni, M. G. Abate, R. Alocci, M. Mazzarino, F. Rossi, F. Botrè: Urine stability, steroid profile and T/E ratio: towards an index of sample degradation	179
M. Mazzarino, M.C. Braganò, F. Donati, F. Botrè: The effect of the oral administration of propyphenazone on the urinary concentration of testosterone and 19-nortestosterone metabolites	189
S. Simões, B. Vitoriano, C. Manzoni, X. de la Torre: 5-Alpha reductase inhibitors detection in doping analyses	199
M. Hebestreit, U. Flenker, G. Fußhöller, U. Güntner, H. Geyer, U. Mareck, W. Schänzer: Mission (im)possible? Gas chromatography/ combustion/isotope ratio mass spectrometry of trace amounts of urinary norandrosterone	209

LECTURES	PAGE
C. von Kuk, U. Flenker, U. Güntner, F. Hülsemann, W. Schänzer: Influence of changes in diet on the dynamics of $^{13}\text{C}/^{12}\text{C}$ -ratio in selected urinary steroids. Part I: study design, $^{13}\text{C}/^{12}\text{C}$ -ratio of applied foodstuffs and effect on anthropometrical data	219
U. Flenker, C. von Kuk, U. Güntner, F. Hülsemann, V. Gougoulidis, W. Schänzer: Influence of changes in diet on the dynamics of $^{13}\text{C}/^{12}\text{C}$ in selected urinary steroids: diet free from cholesterol	227
C. Goebel, C. Alma, G. Trout, R. Kazlauskas: HBOC detection - progress since 2000	235
M. Thevis, H. Geyer, U. Mareck, W. Schänzer: Detection of oral antidiabetic agents in human urine by LC-ESI-MS/MS	243
M. Thevis, A. Thomas, P. Delahaut, A. Bosseloir, W. Schänzer: Qualitative determination of synthetic insulin analogues in human plasma by means of LC-MS/MS	245
M. Zorzoli: Blood monitoring in anti-doping setting	255
S. Giraud, N. Robinson, P. Mangin, M. Saugy: Homologous blood transfusion detection. A new world in anti-doping field: flow cytometry	265
R. Gutiérrez Gallego, R. Ramírez Llanellis, J. Segura: The bitter-sweet difference between recombinant and endogenous hCG - preliminary data	275
R. Abellán, R. Ventura, M. Pilar Sardà, A.F. Remacha, F.A. Rodríguez, J.A. Pascual, J. Segura: Physiological effects of intermittent hypoxia in triathletes and detection of EPO abuse	287
F. Lasne, L. Martin, J. de Ceaurriz : Active urine and detection of recombinant erythropoietin	297
A. Khan, S.T. Truong, E.J. Breen, K. Nelson, C. Howe, N.H. Packer: New urinary EPO drug testing method using two-dimensional gel electrophoresis	305

LECTURES	PAGE
E. Giménez, V. Belalcazar, J.A. Pascual, R. Gutiérrez-Gallego, J. Segura, C. de Bolós: Polyclonal antibodies aimed to differentiate EPO and NESP	315
M. Sato, J. Nozaki, T. Shimazaki, Y. Takao, Y. Otsuka, M. Ueki: Detection of hGH doping by means of isoform selective immunoassays-3. Isoform ratio of hGH in serum and new approach to automate array detection of proteins by means of flowcytometry	327
C.J. Howe, G. J. Trout, R. Kazlauskas: Development of a test for recombinant human growth hormone	337
C. Howe, C. Goebel, G. Trout, R. Kazlauskas: Equine growth hormone	347
M. Thevis, R.R. Ogorzalek-Loo, J.A. Loo, M. Bredehöft, W. Schänzer: Probing for characteristics of growth hormone by LC-ESI-MS/MS	355
 POSTER PRESENTATION	
V. Pop, G. Vâjială, M. Lamor, G. Bican, M. Tone: Comparative analytical techniques for the identification of some androgenic anabolic steroids (GC/MS – LC/MS/MS)	369
A. Ikekita, M. Okano, M. Ueki, Y. Honda: Trilogy; ionization procedures to detect corticosteroids abuse by means of LC/MS	375
R. Bergés, M. Solé, R. Ventura, J. Segura: Detection of low molecular weight doping agents in urine ultrafiltrates obtained during EPO determination	379
R. Gutiérrez Gallego, G. Such-Sanmartin, J. Segura: A microtiter assay to detect the presence of glucose-based plasma volume expanders in urine	383
G. Fusshöller, U. Mareck, W. Schänzer: Improved detection of 3'-hydroxystanozolol using 3'-hydroxystanozolol-d ₃ as internal standard	387

POSTER PRESENTATION	PAGE
A. Leinonen, T. Moisander, K. Vuorensola, T. Kuuranne, T. Kotiaho, R. Ketola, R. Kostiainen: Gas chromatographic/mass spectrometric determination of ethisterone in urine by liquid-phase microextraction with in-fiber silylation	391
L. Avois, M. Saugy: Optimization of morphine and codeine hydrolysis in urine by experimental design for GC-MS quantification purpose	395
F. Garribba, M. Mazzarino, F. Rossi, F. Botrè: Recovery of polar and non polar substances from the ultrafiltrate fraction of the EPO aliquot	399
S. Kaewklum, M. Kaewklum, R. Pootrakronchai, U. Tassana, P Wilairat, T. Anukarahanonta: Detection of mitragynine and its metabolite in urine following ingestion of leaves of <i>mitragyna speciosa</i> korth	403
S. Jain, A. Beotra, T. Kaur: A case study: detection of 1-testosterone in urine by GC-MSD	407
S.M.S. Simões, M. Calçada, L. Horta, X. de la Torre: Methylprednisolone detection in urine following local and oral administrations	411
M. Bredehöft, M. Thevis, W. Schänzer: Excretion study: betamethasone-17,21-propionate ointment and possible metabolites in man analysed with LC-ESI-MS/MS	415
S. Guddat, M. Thevis, U. Mareck, H. Geyer, W. Schänzer: Identification of cyclodextrins by liquid chromatography–ESI-tandem mass spectrometry	419
S. Voss, A. Gotzmann, H. Geyer, U. Mareck, W. Schänzer: Evaluation of LH concentration in male and female urines. Effects of a single LH application on the steroid profile	423
V. Belalcazar, J.A. Pascual, S. Abanades, M. Farré, R. de la Torre: Stability of EPO in urine stabilized by sodium azide	427
I. Holländer, I. Bajla, M. Minichmayr, G. Gmeiner, C. Reichel: GASepo: system for analysis of images generated in EPO doping-control proteomics	433

POSTER PRESENTATION	PAGE
O. De Hon, S.S. Sterk: The Netherlands security system nutritional supplements elite sports (NZVT) - general characteristics of NZVT	437
K.L. Wubs, S.S. Sterk, L.A. van Ginkel, R.W. Stephany: The Netherlands security system nutritional supplements elite sports - stimulants analysis in food supplements (NZVT)	441
H.A. Herbold, S.S. Sterk, L.A. van Ginkel, R.W. Stephany: The Netherlands security system nutritional supplements elite sports (NZVT) (Pro)-Hormone analysis in food supplements for the NZVT	445
C. Rautenberg, J. Grosse, P. Anielski, D. Thieme, P. Hemmersbach, H.S. Lund, R.K. Mueller: Aspects of the in-situ formation of 19-norsteroids	449
D. Kwiatkowska, A. Pokrywka, R. Jazwiec, E. Turek-Lepa, B. Starosciak, S. Lewandowska-Pachecka, J. Pachecka, R. Grucza: The research of microbiological stability in anti-doping samples	453
A. Beotra, S. Jain, T. Kaur: Dope testing during 1 st Indo-Pak Games in India	457
L. Avois, C. Schweizer, M. Saugy: Concentration of nandrolone metabolites in urine after the therapeutic administration of an ophthalmic solution	461
M. Mazzarino, M.C. Braganò, F. Garribba, F. Rossi, F. Botrè: The idea of a threshold value for synthetic glucocorticoids: urinary excretion studies following different routes of administration	465
P. Anielski, D. Thieme, J. Große, R. K. Müller: Hair analysis of several anabolic substances	469
U. Sjöberg, E. Palonek, M. Garle: Results from screening for anabolic androgenic steroids outside sport	475
H. Geyer, I. Gorius, N. Dreyer, U. Mareck, M. Thevis, W. Schänzer: Investigation about the effects and the detection of finasteride	479
H.S. Lund, H. Alstad, P. Fedorcsák, R. Storeng, P. Hemmersbach: Endogenous nandrolone production: studies in granulosa cells from patients with polycystic ovary syndrom (PCOS)	483

POSTER PRESENTATION

PAGE

A. De la Cal, G. Muñoz, S. Vargas, J.A. Muñoz-Guerra, F.A. Rodriguez, C. Rodriguez:

487

A fast quantification of salbutamol using automated SPE and liquid chromatography mass spectrometry

TABLE OF CONTENT

LECTURES	PAGE
F. BOTRÈ, L. AMENDOLA, R. BORRELLI, C. COLAMONICI, F. GARRIBBA: The Effect of the WADA List on the Activity of the Antidoping Laboratories: Reconsidering the “Traditional” Organization of the GC-MS Screenings	15
W. VAN THUYNE, F.T. DELBEKE: Caffeine Use In Sports: An Overview before the Removal from the Doping List	27
K. DEVENTER, F.T. DELBEKE: Excretion Studies with Corticosteroids	37
M. MAZZARINO, F. ROSSI, F. BOTRÈ: Effect of the Systemic vs. Inhalatory Administration of Synthetic Glucocorticoids on the Urinary Steroid Profile	45
A. GOTZMANN, M. THEVIS, U. MARECK, M. BREDEHÖFT, S. GUDDAT, W. SCHÄNZER: LC-MS/MS Analysis of Glucocorticosteroids: First Experiences with Therapeutic Use Exemption in Routine Doping Analysis	55
U. MARECK, M. THEVIS, S. GUDDAT, A. GOTZMANN, M. BREDEHÖFT, H. GEYER, W. SCHÄNZER: Comprehensive Sample Preparation for Anabolic Steroids, Glucocorticosteroids, Beta-Receptor Blocking Agents, Selected Anabolic Androgenic Steroids and Buprenorphine in Human Urine	65
P.J. VAN DER MERWE, E. GROBBELAAR: Nutritional Supplements - The South African Scenario	69
M.K. PARR, H. GEYER, G. OPFERMANN, W. SCHÄNZER: Prescription Drugs and New Anabolic Steroids in Nutritional Supplements	71
ZHANG YINONG, LIU XIN, WU MOUTIAN, WANG JINGZHU, ZHANG HUYUE: Analytical Data of 1-Testosterone and the Preliminary Results of Excretion Study with 1-Testosterone	81
H. GEYER, A. GÜLKER, U. MARECK, M.K. PARR, , W. SCHÄNZER: Some Good News from the Field of Nutritional Supplements	91
A. KAZLAUSKAS, K. CRAWFORD: The Emerging Practice of Global Scientific Work	99

LECTURES	PAGE
Y. SCHRADER, W. SCHÄNZER: Plasma Levels of 19-Norsteroids after Administration of Oral and Sublingual Norandrostenedione	109
H. GEYER, U. FLENKER, U. MARECK, F. SOMMER, W. SCHÄNZER: Preliminary Results regarding the detection of the misuse of testosterone gel	121
M.K. PARR, G. OPFERMANN, W. SCHÄNZER: Analytical Properties of 4-Hydroxysteroids and some Esters	129
D.H. CATLIN, MICHAEL H.. SEKERA, B.D. AHRENS, B. STACEVIC, Y-C. CHANG, C.K. HATTON: Discovery and Detection of a Designer Steroid	139
M. THEVIS, G. OPFERMANN, W. SCHÄNZER: Mass Spectrometric Characterization of Synthetic Steroid Derivatives	141
M. MACHNIK, M. THEVIS, C. VON KUK, S. GUDDAT, W. SCHÄNZER: Gestrinone Analysis in Equine Urine by LC-MS/MS	149
S. DAUFELDT, A. ALLÉRA: SteroCheckTM: A Bioassay for the Determination of Agonistic and Antagonistic Steroid Hormone Activities	159
B. WÜST, M. THEVIS: High Resolution Quantitative Analysis of Beta-2-Agonists in Human Urine by LC/MS Using the Agilent LC/MSD TOF	169
D. THIEME, P. ANIELSKI, J. GROSSE, P. HEMMERSBACH, H. LUND, C. RAUTENBERG: Kinetic of In-situ Demethylation of Deuterated Endogenous Steroids in Urine Samples	177
P. VAN EENOO, A. SPAERKEER, F.T. DELBEKE: Stability Studies of Selected Doping Substances in Methanolic Solution	189
M. THEVIS, G. OPFERMANN, O. KRUG, W. SCHÄNZER: Synthesis of Stably Deuterated Ephedrines and Theobromine Promoted by <i>N</i> -Methyl- <i>N</i> -Trimethylsilyltrifluoroacetamide	195
S. GUDDAT, M. THEVIS, W. SCHÄNZER: Detection and Quantification of the Plasma Volume Expander Dextran in Human Urine	197

LECTURES	PAGE
U. MARECK, G. SIGMUND, G. OPFERMANN, H. GEYER, W.SCHÄNZER: Screening on Letrozole and its Metabolite in Doping Analysis	203
N. SAARDPUN, S. NIMSONGNERN, T. CHUTTHONG, R. POOTRAKRONCHAI, D. PINTHONG, T. KUSAMRAN, P. WILAIRAT AND T. ANUKARAHANONTA: The Excretion Study of Exemestane in Man	211
C. VON KUK, W. SCHÄNZER: Characteristics and Abundance of Various Conjugated Metabolites Commending the Analysis of the Sulphate Fraction	221
A. CAWLEY, R. KAZLAUSKAS, G. TROUT, A. GEORGE: Pure and Applied Aspects of Carbon Isotope Ratio Analysis in Doping Control	231
WANG JINGZHU, WU MOUTIAN, ZHANG YINONG, LIU XIN, ZHANG HUYUE: Delta Values of Different Steroids	241
U. GÜNTNER, U. FLENKER, C. AYOTTE, M. UEKI, W. SCHÄNZER: D/H-Isotope Analysis of Endogenous Steroids - First Results	251
R. KAZLAUSKAS: Miscellaneous Projects for 2003	261
R. GUTIÉRREZ GALLEGU, J. SEGURA, J. BOSCH, G. SUCH, D. ANDREU, M. UEKI, M. IRIE: Growth Hormone in Biological Fluids: What about Using Surface Plasmon Resonance?	269
R. ABELLAN, R. VENTURA, S. PICHINI, A.F. REMACHA, M.P. SARDA, S. DI CARLO, A. BACOSI, R. PACIFICI, J.A. PASCUAL, P. ZUCCARO, J. SEGURA: Indirect Biomarkers of rhGH and rhEPO misuse. Factors affecting their Measurement in Serum Samples	279
V. BELALCAZAR, R. GUTIÉRREZ, E. LLOP, J. SEGURA, J.A. PASCUAL: Assessing the Charge Heterogeneity of Different Erythropoietins	289
E.LLOP, R. GUTIÉRREZ, V. BELALCÁZAR, G.J. GERWIG, J.P. KAMERLING, J. SEGURA, JA. PASCUAL: Structural Features of EPO and Analogues: Glycosylation Profiles	297
K. NELSON, G. TROUT, C. HOWE, R. KAZLAUSKAS: The Effects of Exercise on Urinary Erythropoietin Levels and Isoform Distribution	309

LECTURES	PAGE
A. KHAN, J. GRINYER, S. TRUONG, E. BREEN, C. HOWE, B. HERBERT, K. WILLIAMS, N. PACKER: Detection of Recombinant Erythropoietin in Urine by Two-dimensional Gel Electrophoresis	317
 POSTER PRESENTATION	
M. HEBESTREIT, U. FLENKER, W. SCHÄNZER: Hardware-considerations for Purification of Steroids by Normal-Phase HPLC for GC-C-IRMS	323
A. LEINONEN, K. VUORENSOLA, L.-M. LEPOLA, T. KUURANNE, T. KOTIAHO, R. KETOLA, R. KOSTIAINEN: Applicability of Liquid-phase Microextraction (LPME) for Sample Preparation of Free Anabolic Steroids in Urine	329
S. STRANO ROSSI, F. MOLAIONI, F. BOTRÈ: Application of Solid Phase Microextraction for the Determination of Stimulants, Narcotics and other Doping Agents Excreted Free in Urine	335
G. MUÑOZ, J. MUÑOZ-GUERRA, F.A. RODRÍGUEZ, C. RODRÍGUEZ: An Automated SPE-LC/MS Method Permits a Highly Selective Analysis of Anabolic Steroids, Beta-Blocking Agents and Stimulants	341
R. BERGES, R. VENTURA, C. JIMENEZ, J. SEGURA: Incorporation of Acidic Doping Agents to Routine Screening Procedures	347
H.M. GUALBERTO PEREIRA, M.A. SÍPOLI MARQUES, F.R. AQUINO NETO: Analysis of Glucocorticosteroids by GC-MS in Doping Control	353
G. BICAN, G. VÂJIALĂ, M. LAMOR, V. POP, B. CHITIMIA: GC/MS Separation and Quantitation of Ephedrines	359
S. KARKENI, S. BOUABDALLAH, H. TRABELSI, K. BOUZOUTA: Quantification at Low Concentration of 19-Norandrosterone in Human Urine by GC/MS/MS/MS and GC/HRMS. A Comparative Study	365
L. AVOIS, H.S. LUND, P. HEMMERSBACH, M. SAUGY: Rapid Screening of HES in Urine with Colorimetric Detection	371

POSTER PRESENTATION	PAGE
M. MAZZARINO, D. LONGO, F. ROSSI, F. BOTRÈ: Perspectives of Capillary Electrophoresis Using Dynamic Capillary Coating for Routine Screening Procedures in Antidoping Analysis	377
S.A. APPOLONOVA, N.V. ARHIPENKO, V.A. SEMENOV: Use of Ion Trap Liquid Chromatography-Mass Spectrometry for Detection and Confirmation of Stanazolol Metabolites at Trace Levels in Doping Analysis	383
R. MONTES DE OCA, A. RODRIGUEZ, D. MARTINEZ, T. CORREA: Excretion Study of Danazol. New Metabolites Proposed for Doping Control	389
D. KWIATKOWSKA, K. CHROSTOWSKI, A. POKRYWKA, E. PARTYKA, B. WÓJCIKOWSKA – WÓJCIK, E. TUREK-LEPA, D. STANCZYK, D. MICHALAK, R. GRUCZA: Aldosterone Concentrations in the Blood Plasma and in the Urine Samples as the Biological Marker of Anabolic Androgenic Steroids (AAS) Abuse	395
M.A. SÍPOLI MARQUES, H.M. GUALBERTO PEREIRA, M.C. DE OLIVEIRA, I.B. TALHAS, F.R. AQUINO NETO: Validation of the Determination of Tibolone in Human Urine and Saliva Using Gas Chromatography – Mass Spectrometry for Doping Control and Clinical Studies	403
S.A. APPOLONOVA, V.A. SEMENOV: Validation of Liquid Chromatography – Electrospray Ionization Ion Trap Mass Spectrometry Method for the Determination of Mesocarb in Human Plasma and Urine	409
S.H. DENIATI, A. HAPSARI, L. ROSALINA: Gas Chromatographic - Mass Spectrometric Identification of Codeine, Morphine, and 6-Monoacetyl Morphine in Human Urine as Trimethylsilyl Derivatives	415
ZHOU XIN, CUI KAIRONG, WU MOUTIAN: Structural Elucidation of the Metabolite of Tamoxifen in Human Urine	421
T. INTHONG, U. TESANA, S. LOHWITHEE, P. WILAIRAT, T. ANUKARAHANONTA: Effect of Multiple High Doses of DHEA on Urinary Steroids Excretion	427
F. ROSSI, M. MAZZARINO, M.C. BRAGANÒ, F. BOTRÈ: Effect of Amino Acid Supplementation on the Urinary Steroid Profile Concentrations	433

POSTER PRESENTATION	PAGE
M. OKANO, M. SATO, M. UEKI: Five Year Follow-up Study on Steroid Profiles in Individuals -Stability and Intra-individual Variation of d-values-	439
G. STÜBIGER, M. MARCHETTI, C. REICHEL, G. GMEINER, G. ALLMAIER: Towards the Identification/Verification (Search for Molecular Substructure Markers) of Recombinant EPOs Applied in Doping Using Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry (MALDI-MS)	445
R. ABELLAN, R. VENTURA, S. PICHINI, R. DI GIOVANNANDREA, J.A. PASCUAL, M. BELLVER, R. OLIVE, R. PACIFICI, P. ZUCCARO, J. SEGURA: Serum Levels of EPO in Elite Athletes	453
DENG JING, YANG SHENG, YANG ZHIYONG, WU MOUTIAN: Statistics of Blood Test in 5th National Urban Games, China 2003	459
R. ABELLAN, R. VENTURA, S. PICHINI, J.A. PASCUAL, M. BELLVER, R. DI GIOVANNANDREA, R. OLIVE, R. PACIFICI, P. ZUCCARO, J. SEGURA: Serum Concentrations of P-III-P and IGF-I in Selected Populations of Athletes	465
W. VAN THUYNE, F.T. DELBEKE: Nutritional Supplements and Doping: Non-labelled Multiple Prohormones in a Czech Nutritional Supplement	471
P. ANIELSKI, D. THIEME, A. SCHLUPP, F. ELLENDORFF, R.K. MUELLER: Incorporation of Nandrolone in Horse Hair – Importance of Sweat	479
H.S. LUND, I.M. LARSEN, P. HEMMERSBACH, P. ANIELSKI, C. RAUTENBERG, J. GROSSE, D. THIEME: Inter-Laboratory Study of Low Levels of Nandrolone Metabolites	485
R.K.R. TAYLOR, A.T. CAWLEY, R. KAZLAUSKAS, G.J. TROUT, A.V. GEORGE: Validity of Carbon Isotope Ratio Measurements for Decomposed Urine Samples	491
M. LAMOR, I. VAJALA, G. VAJALA: The Quantification of Prohormones in Nutritional Supplements	497

TABLE OF CONTENT

LECTURES	PAGE
C. GOEBEL, G. TROUT, R. KAZLAUSKAS: A Rapid Screening Method for Diuretics Using Automated SPE and LC-MS-MS	13
K. DEVENTER, F.T DELBEKE: Validation of a Qualitative Screening Method for Corticosteroids by Liquid Chromatography Tandem Mass Spectrometry	23
A. GOTZMANN, M. BREDEHÖFT, M. THEVIS, W. SCHÄNZER: Detection of Prednisolone, Prednisone and 20-Dihydroprednisolone in Human and Equine Urine by Means of LC-MS/MS	33
M. THEVIS, W. SCHÄNZER: Effect of the Location of Hydrogen Abstraction on the Fragmentation of Diuretics in Negative Electrospray Ionization Mass Spectrometry	43
S.A. APPOLONOVA, A.V. SHPAK, V.F. SIZOI, V.A. SEMENOV: The Investigation of Metabolism of Mesocarb by LC/MSD Trap in Human Urine	45
W. VAN THUYNE, F.T. DELBEKE: Nutritional Supplements and Doping: The Ghent Experience	57
M.K. PARR, H. GEYER, G. SIGMUND, K. KÖHLER, W. SCHÄNZER: Screening of Nutritional Supplements for Stimulants and other Drugs	67
H. GEYER, M. BREDEHÖFT, U. MARECK, M.K. PARR, U. REINHART, W. SCHÄNZER: Oxandrolone and High Doses of Metandienone Found in Nutritional Supplements	77
M. MACHNIK, M. DÜE, M.K. PARR, W. SCHÄNZER: Anabolic Steroids in Plant Medicines for Horses	85
U. MARECK, G. SIGMUND, G. OPFERMANN, H. GEYER, W. SCHÄNZER: Identification of Non-steroidal Aromatase Inhibitors in Doping Analysis	91
SHEN LI, CUI KAIRONG, WU MOUTIAN: Screening and Confirmatory Analysis of Fenoterol, Bambuterol and its Metabolites in Human Urine by GC-MS	101
U. MARECK, A. KRESS, U.W. SCHWARZ, H. GEYER, W. SCHÄNZER: Feasibility Study on Commercially Available THC Drug Screen Test Devices	109

LECTURES	PAGE
R. GUTIERREZ GALLEG0, J. SEGURA: MALDI TOF Mass Spectrometry Screening for the Presence of Plasma Volume Expanders in Urine	119
M. THEVIS, G. OPFERMANN, W. SCHÄNZER: LC-ESI-MS/MS Screening and Confirmation Methods for β_2 -Agonists in Human or Equine Urine	129
R. VENTURA, M. VENTURA GARCÍA, R. BOQUÉ, A. MAROTO, J. RIU: Estimating Uncertainties of Analytical Results Using Information of Internal Quality Control, Intercomparison Exercises and Reference Materials	131
R. KAZLAUSKAS, D. COWAN: WAADS QA Programme 2002	141
P. VAN EENOO, F.T DELBEKE: Chromatographic and Mass Spectrometric Criteria in Doping and Related Areas	149
A. LEINONEN, T. KUURANNE, T. KOTIAHO, R. KOSTIAINEN: Screening of Unconjugated Anabolic Steroids in Urine by Liquid Chromatography / Mass Spectrometry	161
T. KUURANNE, M. KURKELA, M. THEVIS, W. SCHÄNZER, M. FINEL, R. KOSTIAINEN: Structure-Function Relationships in the Glucuronidation of Anabolic Androgenic Steroids by Recombinant Human UDP-Glucuronosyltransferases	163
A. KICMAN: Nandrolone Progress Report to the UK Sports Council from the Expert Committee on Nandrolone	167
C. VON KUK, U. FLENKER, W. SCHÄNZER: Urinary Steroid Sulphates: Sample Preparation, Reference Values and Investigations in Biosynthesis and Metabolism	169
U. FLENKER, W. SCHÄNZER: Expression of Differences in Isotopic Composition	179
A. CAWLEY, J. ROGERSON, K. RAHMAN, G.J. TROUT, R. KAZLAUSKAS: Preliminary Results on the Carbon Isotope Ratios of Ketonic Steroids in Urine Samples Collected from Different Countries	183
WANG JINGZHU, WU MOUTIAN, ZHANG YINONG, LIU XIN, YANG ZHIYONG: Androsterone, 5 α -Androstandiol and Testosterone for GC/C/IRMS – Discussion with Case Analysis	195

LECTURES	PAGE
P. PLATEN, S. SCHMIDT: Physiology of Ghrelin and Possible Use of Ghrelin as a Doping Agent	207
M. THEVIS, R.R. OGORZALEK LOO, J.A. LOO, W. SCHÄNZER: Doping Control Analysis of Bovine Hemoglobin-based Oxygen Therapeutics in Human Plasma by LC-ESI-MS/MS	217
M. THEVIS, R.R. OGORZALEK LOO, J.A. LOO, M. BRYER-ASH, W. SCHÄNZER: Mass Spectrometric Identification of Synthetic Insulins	227
C. AYOTTE: Litigation and Doping Controls: Defending Positive Findings of Endogenous Steroids	239
A. KAZLAUSKAS, K. CRAWFORD: Understanding International Scientific Expert Work	247
POSTER PRESENTATION	PAGE
H.M.G. PEREIRA, M.A.S. MARQUES, I.B. TALHAS, F.R. DE AQUINO NETO: Analysis of Androgenic Steroids, β_2 -Agonists and Other Substances by GC-MS-ITD	259
F.M.A. PEREIRA, M.A.S. MARQUES, M.C. DE OLIVEIRA, A. DOS SANTOS PEREIRA, F.R. DE AQUINO NETO: Determination of Urinary Androgenic Glucuronides by Gas Chromatography-Mass Spectrometry	265
T. HUYNH, G.J. TROUT, R. KAZLAUSKAS: The Detection of Low Level Anabolic Agents in Bovine and Human Urine Using LC-ESI-MS-MS	271
M.A.S. MARQUES, H. GEYER, W. SCHÄNZER, G. OPFERMANN, H.M.G. PEREIRA, F.R. DE AQUINO NETO: Oxandrolone: Its Reaction with Methanol during Storage: Metabolites and Artifact Formation due to the Incorporation of an Ethylmercapto Group into Persilylated Oxandrolones	277
I. BASTOS TALHAS, M.A.S. MARQUES, H.M.G. PEREIRA, F.R. DE AQUINO NETO: Analysis of Tetrahydroisoquinoline β_2 -Agonists by GC-MS-ITD	283

POSTER PRESENTATION	PAGE
C. SCHWEIZER, P. MANGIN, M. SAUGY: High Amount of Salbutamol: A Case Report	289
D. KWIATKOWSKA, K. CHROSTOWSKI, A. POKRYWKA, E. PARTYKA, B. WÓJCIKOWSKA-WÓJCIK, E. TUREK-LEPA, D. STANCZYK, D. MICHALAK, R. GRUCZA: The Influence of Physical Exercise on Excretion of 19-Norandrosterone in Bodybuilders' Urine.	295
M. THEVIS, G. SIGMUND, W. SCHÄNZER: Confirmation of Ephedrine – Comparison between GC-MS and LC-MS/MS	303
H.S. LUND, K. JÓNSDÓTTÍR, J.O. KULLERUD, S. AASEN, M. SANDELL, P. HEMMERSBACH, E. HAUG: Excretion Studies with Hydroxyethyl Starch	309
XU YOU-XUAN, ZHANG JIAN-LI, QIN YANG, LIU XIN, WU MOUTIAN: Identification of the Metabolites of Salmeterol in Urine of Mice by LC/MS/MS and GC/MS	315
S. GUDDAT, M. THEVIS, W. SCHÄNZER: The Diuretic Mannitol – A Problem in Doping Analysis	323
C. D'ANGELO, G. CABALLERO, O. TEME CENTURIÓN, G. CASES, C. OCHOA, M. FRAGUÍO, E. CECCARELLI, M. TOTOLLO, G. ZACCARO, E. ZADORECKI: Confirmation of 11-Nor- Δ^9 -tetrahydrocannabinol-9-carboxylic Acid in Urine by Ion Trap GC-MS/MS	329
D. MARTINEZ, A. ALVAREZ, M.T. CORREA, A. RODRIGUEZ, X. DE LA TORRE, R. DE LA TORRE : Endogenous Steroids Profiles Preliminary Evaluation for a Cuban Athletes Population	335
LIU XIN, ZHANG YINONG, WANG JINGZHU, YANG ZHIYONG, WU MOUTIAN: Endogenous Steroid Profiles of Urine Samples Obtained from the 10 th Chinese National Winter Games	341
A.T. KICMAN, J.K. FALLON, D.A. COWAN, C. WALKER, S. EASMON, D. MACKINTOSH: <i>Candida albicans</i> in Urine can Produce Testosterone: Impact on the Testosterone/Epitestosterone Sports Drug Test	349
YANG SHENG, WU MOUTIAN, XIE MINHAO, DENG JING, YANG ZHIYONG, FANG ZILONG, GUO JIANJUN, ZHANG CHANGJIU: Statistical Results of Routine Blood Test for Five Parameters Related to Sydney On-Model	355

POSTER PRESENTATION	PAGE
B. BIALAS, W. SCHÄNZER: Validation of EPO Prescan Parameters - Hct, Hb, %Reti - The Influence of Physical long-term Exercise, Long Distance Flying and the Diurnal and Annual Variation of these Parameters	365
T. GEISENDORFER, G. GMEINER: Analysis of Nutritional Supplements Using Gel-Permeation as a Clean Up Step	373
L.M.P. DAMASCENO, R.M.A. BENTO, L.N.L.F. GOMES, M.A.S. MARQUES, S.B. RAMOS, A.N.B. SOUZA, F.R. AQUINO NETO: Doping Control During the VII South American Games in Brazil	377
S.W. WESTWOOD, S.R. DAVIES, G.J. TARRANT: Preparation of Certified Reference Materials for Use in Doping Analysis for Steroid Prohormones and 19-Nor Steroids	383

TABLE OF CONTENT

LECTURES

PAGE

C. AYOTTE, C. GUAY, M. CLÉROUX, D. GOUDREAU, A. FAKIRIAN: The Origin of Elevated Levels of Norandrosterone in Human Urine: Half-truths vs Facts	13
S. JÄTHUN, H. S. LUND, P. FEDORCSÁK, R. STORENG, P. TORJESEN, P. HEMMERSBACH: Synthesis of Nandrolone in the Human Ovary	23
U. MARECK-ENGELKE, G. SIGMUND, G. OPFERMANN, H. GEYER, W. SCHÄNZER: Identification of the Aromatase Inhibitor Aminoglutethimide in Doping Analysis	35
T. BASSINDALE, D.A. COWAN, S. DALE, A.J. HUTT, A.T. KICMAN: Disposition of Androstenedione and Testosterone Following Oral Administration of Androstenedione to Healthy Female Volunteers; Influence on the Urinary T/E Ratio	51
P. VAN EENOO, F.T. DELBEKE, N. DESMET: Excretion Studies with a Supplement Containing 1(5 α)-Androstene-3 β ,17 β - diol	61
V.P. URALETS, P.A. GILLETTE: 5 α -Androstan-3,17 β -diol and 1,4-Androstadien-3,17-dione, New Anabolic Steroids Available on the InterNet as Nutritional Supplements. Metabolism and Detection in Urine	73
H. GEYER, M.K. PARR, U. REINHART, Y. SCHRADER, U. MARECK-ENGELKE, W. SCHÄNZER: Analysis of Non-Hormonal Nutritional Supplements for Anabolic Androgenic Steroids – an International Study	83
M.K. PARR, H. GEYER, U. REINHART, W. SCHÄNZER: Approaches towards an Improved Analysis of Nutritional Supplements for Anabolic Androgenic Steroids	87
M. THEVIS, G. OPFERMANN, W. SCHÄNZER: Mass Spectrometric Behaviour of Diuretics after Electrospray Ionisation and Collision-induced Dissociation	97
T. KUURANNE, A. LEINONEN, K. KUOPPASALMI, S. PEDERSEN-BJERGAARD, K. RASMUSSEN, T. KOTIAHO, R. KOSTIAINEN: Liquid-phase Microextraction (LPME) as a Sample Purification Method in LC-MS/MS Analysis of Anabolic Steroid Glucuronides	105

L. AMENDOLA, C. COLAMONICI, F. GARRIBBA, F. BOTRÈ: Microwave-assisted Derivatization: Application to the Analysis of Diuretics and Corticosteroids	109
R. KAZLAUSKAS, D. COWAN: WAADS QA Programme 2001/2002	119
R. VENTURA, C. JIMÉNEZ, J. SEGURA, R. DE LA TORRE AND THE MEMBERS OF THE CONSORTIUM OF ALADIN 2002: R. DE LA TORRE, R. VENTURA, W. SCHÄNZER, D. COWAN, P. HEMMERSBACH, J. WILLIAMS, R. KAZLAUSKAS, D. CATLIN Stability Studies of Selected Doping Agents in Urine Samples (I): Caffeine and Ephedrine Derivatives	127
J.A. PASCUAL, F. LASNE, C. HOWE, M. SAUGY, P. HEMMERSBACH, V. BELALCAZAR, L. MARTIN, J. GRAINGER Y. PFISTER, P. MANGIN, G. NISSEN-LIE, V. SKIBELI: Project for Inter-Laboratory Comparison of the Method for the Detection of rhEPO in Human Urine. Results, Conclusions and Current Status	137
G. NISSEN-LIE, P. HEMMERSBACH, E. HAUG E, G. TJØNNFJORD, P. TORJESEN, V. SKIBELI: Charge Analyses of Human Erythropoietin and Analogues	147
N. ROBINSON, Y. PFISTER, P. MANGIN, M. SAUGY: One Year's Experiment with the Blood Screening Test to Fight against rhEPO Doping.	161
C. ALMA, G.J. TROUT: Detection of Haemoglobin Based Oxygen Carriers	171
A. GOTZMANN, S. VOSS, M. MACHNIK, W. SCHÄNZER: Detection of Hemopure® and Hemoglobin in Human Plasma by HPLC/UV and Different Types of Columns – an Approach to Screen for this Substance in Doping Analysis	181
M. THEVIS, S. GUDDAT, W. SCHÄNZER: Determination of HES, Dextran and Mannitol in Human Urine	191

POSTER PRESENTATION

	PAGE
A. KRESS, MARECK-ENGELKE, U., GEYER, H., W. SCHÄNZER: Alternative Bulk Materials to XAD-2 (Serdolit® AD-II, Serva)	205
C. VON KUK, W. SCHÄNZER: Estrogens as Additional Parameters of Steroidprofile in Doping Analysis	211
C. R. CARDOSO, M. A. S. MARQUES, I. B. TALHAS, R. C. CAMINHA, F. R. AQUINO NETO: Determination of Oxymetholone in Human Plasma and Saliva by High Resolution Gas Chromatography -Mass Spectrometry	217
D. LONGO, C. COLAMONICI, F. MOLAIONI, F. BOTRÈ: Synephrine (Oxedrine): Analytical and Pharmacological Issues	223
S. KERKENI, S. BOUABDALLAH, H. TRABELSI, K. BOUZOUTA: Brief Report on the Doping Control during the XIVèmes Mediterranean Games in Tunis from 2nd to 15th of September 2001	229
A. WINGENDER, G. SIGMUND, W. SCHÄNZER: Local Anaesthetics in Sport	235
S.-H. PENG, C. DE BOLÒS, J. SEGURA, J.A. PASCUAL: Capillary Electrophoresis Behaviour of Recombinant Human Erythropoietin	241
G. NISSEN-LIE, K. BIRKELAND, P. HEMMERSBACH, E. HAUG, V. SKIBELI: Urinary Charge Patterns of Recombinant Human Erythropoietin during Controlled Administration in Athletes	245
J. GRINYER, B. HERBERT, N. PACKER, C. HOWE AND, G.J. TROUT: Development of an Immobilised pH Gradient Gel for the EPO Urine Test	249
P. J. VAN DER MERWE, E. GROBBELAAR, D. YEOWART: Stability of 19-Norandrosterone and 19-Noretiocholanolone Glucuronide in Urine under Various Storage Conditions	253
G.J. TROUT, S. SOO, K. KELLY: Longitudinal Variability of T/E Ratios in Australian Athletes	261
G. E. VÂJIALA, M. LAMOR, R. SUBASU: The Tracing Out of the Contamination with Doping Agents of the Nutritional Supplements	267
K. AARSKOG, H. S. LUND, C. HELLE, P. HEMMERSBACH: Nutritional Supplements – A Risk Assessment	273
H. M. G. PEREIRA, M. A. S. MARQUES, F. R. AQUINO NETO: Initial Study of Incidental Contamination of Clostebol in Athletes by Sexual Intercourse	279

TABLE OF CONTENT

LECTURES

PAGE

M.THEVIS, G.OPFERMANN, W.SCHÄNZER: Screening and Confirmation Methods for the Detection of Plasma Volume Expanders in Human Urine	13
D. DE BOER, H. VENEMA, A. CASTAÑERA AJENJO, L.J.A.L.DOS REYS, R.A.A. MAES: Profiling Cannabinoids; the Significance of the Detection of 11-Nor- Δ^9 -Tetrahydrocannabivarin-9-carboxylic Acid	19
M.K. HENZE, H. SPAHN-LANGGUTH, W. SCHÄNZER: Reactions of Salbutamol and Reproterol with Urine Matrix Components - Preliminary Results	29
M. THEVIS, W. SCHÄNZER: High Speed Determination of β -Blockers in Human Urine by LC/MS/MS	35
G. GMEINER, T. GEISENDORFER, J. KAINZBAUER, M. NIKOLAJEVIC: Quantification of Ephedrine in Urine without Sample Preparation	43
U. MARECK-ENGELKE, G. SIGMUND, G.OPFERMANN,H. GEYER, W. SCHÄNZER: Screening for Tamoxifen, Clomiphene and Cyclofenil in Doping Analysis	53
H. GEYER, U. MARECK-ENGELKE, A. WAGNER, W. SCHÄNZER: The Analysis of "Non-Hormonal" Nutritional Supplements for Prohormones	63
D. GOUDREAULT, P. BHÉRER, J.-F. LÉVESQUE, D. POIRIER, C. AYOTTE: Androstenedione Metabolism: End of the Story ...	73
V.P. URALETS , P.A. GILLETTE: Individual Variations of Urinary Steroid Profiles in Glucuronide and Sulfate Fractions after DHEA Oral Administration	85
P. VAN EENOO, F.T. DELBEKE, N. DESMET, P. DE BACKER: Excretion Studies with 7-Keto-Dehydroepiandrosterone	91
J. MARCOS, J.A. PASCUAL, X. DE LA TORRE, J. SEGURA: Fast and Comprehensive Screening of Anabolic Agents and other Compounds in Human Urine by GC/MS/MS	99
M.THEVIS, G.OPFERMANN, W.SCHÄNZER: Synthesis and GC/MS-Characterization of Glucuronide Conjugates of Anabolic Steroids (2)	107

	PAGE
V. P. URALETS, P.A. GILLETTE: Enhanced Steroid Screening achieved by fast GC/MS with Hydrogen Carrier Gas	115
M. MACHNIK, Y. SCHRADER, W. SCHÄNZER: Plasma Levels of 19-Norsteroids after Oral and Buccal Administration of Norandrostedione	125
C. AYOTTE, D. GOUDREAU, A. LAJEUNESSE, M. CLÉROUX, Y. RICHARD, A. CHARLEBOIS, J.-P. COUTURE, A. FAKIRIAN: GC/C/IRMS and GC/MS in "Natural" Steroids Testing	133
M. UEKI, Y. TAKAO, M. OKANO, A. IKEKITA, M. SATO: Differentiation of Endogenous and Exogenous Steroids in Urine by Means of Isotope Ratio Mass Spectrometry	145
C. WA, M. WU, Y. ZHANG, X. LIU, C. ZHANG: Distinguish Endogenous and Exogenous Epitestosterone Using GC/C/IRMS with TLC Purification	155
R. KAZLAUSKAS: Sydney Olympics 2000: An Overview	167
U. FLENKER, W. SCHÄNZER: Kinetic Isotope Effects during Metabolism of Δ^4 -Steroids	179
U. FLENKER, W. SCHÄNZER: $^{13}\text{C}/^{12}\text{C}$ - Ratios in Caffeine from Different Sources and in Urinary Excreted Caffeine	187
G.J. TROUT, K.R. EMSLIE, C. HOWE, R. KAZLAUSKAS, F. LASNE: An Overview of Testing for EPO at the Sydney 2000 Olympic Games and Beyond	191

POSTER PRESENTATION

PAGE

H. M. G. PEREIRA, M. A. S. MARQUES, J. N. CARDOSO, F. R. AQUINO NETO: Derivatization Study on Endogenous and Synthetic Corticosteroids by Gas Chromatography Mass Spectrometry	203
B. YAP, R. KAZLAUSKAS: Rapid HPLC Screening of Chlorothiazide, Torasemide, Xipamide and Benzthiazide in the Sydney 2000 Olympic Games	209
H. TRABELSI, I. TRABELSI, F. RAOUAFI, K. BOUZOUTA: Simultaneous Determination of Ephedrines in Urine by RP-HPLC	215
F. BOTRÈ, M. MAZZARINO, E. PODESTÀ, F. ROSSI, F. MAZZEI: Is there a Place for Electroanalysis in the Antidoping Laboratory?	223
A.T. CAWLEY, G.J. TROUT, R. KAZLAUSKAS: Quantitation of Urinary Caffeine by GC/MS using ¹³ C Caffeine as Internal Standard	229
G. VAJIALA, M. LAMOR, B. CHITIMIA: Benzbromarone, a Possible Masking Agent of Anabolic Androgenic Steroids (2)	233
C. MANZONI, D. DE BOER, M. CALÇADA, I. PÓVOA, C. MARTINS, L.J.A.L.DOS REYS: Some Analytical Data Relevant for the Detection of 1-Benzylpiperazine, a Pharmacological Alternative for Amphetamine	239
H.BAÉZ, C. CAMARGO, H. OSORIO: Simultaneous Determination and Quantitation of Cocaine Metabolites in Urine by GC/MS. Could Possibly Some of Them Be Used as New Reliable Markers of Cocaine Ingestion in Addition to Benzoyllecgonine ?	245
L.M.P. DAMASCENO, R.M.A. BENTO, L.N.L.F. GOMES, R. DE LA TORRE, F.R. AQUINO NETO: Mesocarb Analysis Revisited	253
G. SIGMUND, , G. OPFERMANN, I. SEINSCH, W. SCHÄNZER: Detection of Bupropion and Metabolites	259
F. BOTRÈ, L. AMENDOLA, M. MAZZARINO, F. MOLAIONI, B. NERI, F. ROSSI, G. DE FEO: One Year of Nandrolone at the Antidoping Laboratory of Rome	265
M. MAZZARINO, F. BOTRÈ, F. ROSSI, E.PAONE, J. PECORI-GIRALDI: Lack of Increased Diuresis after Topical Administration of the Carbonic Anhydrase Inhibitor Dorzolamide	269

	PAGE
S. WESTWOOD, D. HANCOCK, B. KING, H. WANG, J. MAKRYNIKOLAS, S. STARLING: Stability Trials of Anabolic Steroid Reference Materials	275
Y. XU, Y. QIN, S. PENG: Observation of Degradation of Some Doping Agents in Plasma	281
E. SETIAWATI, F.D. SUYATNA, M.S. WIRIA, D. ULAMSARI: Profile of Urinary Excretion in Indonesian Volunteers after DHEA Administration	287
R.M.A. BENTO, L.M.P. DAMASCENO, H.M.G. PEREIRA, L.N.L.F. GOMES, J.N. CARDOSO, F.R. DE AQUINO NETO: Evaluation of Some Energetic and Nutritional Supplements in Brazil: Can They Originate a Positive Case for Stimulants in Doping Control?	293
M.S. HIFNAWY, S.M. AZZAM, S.N. SOLIMAN, I.B. SHAHEED, S.M. ABDEL LATIF: Egyptian Desert Truffles, Androgenic Natural Product, Possibility of Abusing in Sport	299
C.P. D'ANGELO, G.M. CABALLERO, O. TEME CENTURIÓN, C. DI NARDO, G.G. CASES, C.F. OCHOA, L. CHINCHILLA, E. CECCARELLI, M. E. ZADORECKI, G. ZÁCCARO, M. SOL FRAGUÍO: Steroidprofile and Peptides Hormones in Urine of Argentine Athletes	305
B. BIALAS, D. SCHWENKE, W. SCHÄNZER, R.K. MÜLLER: Diurnal Variation of Indirect Parameters for the Detection of Recombinant Human Erythropoietin Abuse in Athletes	311
M. WU, X. LIU, S. WANG, L. SHEN: Detection of LH (luteinizing hormone) in Sport - One Year Statistics	317
C. FOURACRE, R. KAZLAUSKAS: Diuretics Screening and Confirmation Using LC/MS/MS	321

TABLE OF CONTENT

I	NUTRITIONAL SUPPLEMENTS	PAGE
	P.VAN EENOO, F.T.DELBEKE, N.DESMET, P.DE BACKER: Excretion Studies with <i>Tribulus Terrestris</i>	13
	H.GEYER, U.MARECK-ENGELKE, W.SCHÄNZER: The Analysis of Nutritional Supplements for Anabolic – Androgenic Steroids	23
	A.GOTZMANN, B.KOMANNNS, A.ADIB, M.BREDEHÖFT, W.SCHÄNZER: Creatine - A Doping Substance ?	33
II	NEW ASPECTS IN DOPING ANALYSIS	
	M.THEVIS, G.OPFERMANN, W.SCHÄNZER: Rapid Screening Method to Detect Hydroxyethyl Starch (HES) in Human Urine	41
	D.THIEME, J.GROSSE, R.LANG, R.K.MUELLER, A.WAHL: Suitability of HPLC/MS-MS for the Detection of Diuretics	47
	L.DAMASCENO, R.VENTURA, J.ORTUNO, M.FARRÉ, J.CARDOSO, J.SEGURA, C.JIMÉNEZ: Analytical Methodology for the Detection of β_2 -agonists in Urine by GC/MS	57
	M.K.HENZE, G.OPFERMANN, H.SPAHN-LANGGUTH, W.SCHÄNZER: Screening of Beta-2-Agonists and Confirmation of Fenoterol, Reproterol, Orciprenaline and Terbutaline after Cyclisation with Formaldehyde	59
	U.FLENKER, V.GOUGOULIDIS, W.SCHÄNZER: Confirmation of Doping with Synthetic Endogenous Anabolic Steroids: Validation of the Method and Concepts of Inference	69
	N.ROBINSON, B. MARTI, P. MANGIN, M.SAUGY: Secondary Markers of Erythroid Activity: Any Use for Doping Diagnosis in Professional Cyclists?	79
	M. ZORZOLI, L. SCHATTENBERG, P. MANGIN: The Medical Monitoring of the International Cycling Union	83

III TOOLS FOR THE ANALYSIS OF ANABOLIC STEROIDS PAGE

M.THEVIS, E.NOLTEERNSTING, G.OPFERMANN, W.SCHÄNZER: 89
 Synthesis and GC/MS-Characterization of Glucuronide Conjugates of Anabolic Steroids

T.KUURANNE, A.LEINONEN, O.AITIO, K.KUOPPASALMI, R.KOSTIAINEN: 99
 Enzyme-assisted Synthesis and Mass Spectrometric Behaviour of Anabolic Steroid Glucuronides

S.WESTWOOD, D.HANCOCK, C.MOULE, B.NOBLE, S.STARLING: 109
 Progress in the Preparation of Anabolic Steroid Reference Materials & Certified Reference Materials

V.P.URALETS, P.A.GILETTE: 119
 Some Useful Applications of *Helix Pomatia* Juice in Anabolic Steroid Testing. Essential Metabolites of Sulfate Fraction.

D.H.VAN DE KERKHOF, J.W.ZWIKKER, V.E.M.KAATS-RICHTERS, 129
 K.BOUWMAN, R.D.VAN OOIEN, D.DE BOER, R.A.A.MAES:
 Trimethylsilylation of 3-Keto- Δ^4 -ene Steroids:
 Thermodynamic Versus Kinetic Control of Enolization

IV DETECTION OF 19-NORANDROSTERONE

P.HEMMERSBACH, A.H.HÅGENSEN, J.MISUND: 141
 Determination of Urinary Norandrosterone Excretion in Females during one Menstrual Cycle by Gas Chromatography / Mass Spectrometry

U.MARECK-ENGELKE, G.SCHULTZE, H.GEYER, W.SCHÄNZER: 145
 19-Norandrosterone in Pregnant Women

W.SCHÄNZER, A.BREIDBACH, H.GEYER, C.V.KUK, E.NOLTEERNSTING, 155
 M.THEVIS:
 Metabolism of Nortestosterone, Norandrostenedione and Norandrostenediol:
 Identification of 3 α -hydroxyestr-4-en-17-one glucuronide and
 3 α ,16 α -dihydroxy-5 α -estran-17-one glucuronide and sulphate

V POSTER PRESENTATION	PAGE
D.MIRSON, A.RIDOLFI, P.QUIROGA, G.PASCUALI, H.GONZALEZ, C.LÓPEZ, E.VILLAAMIL, O.ROSES: Urinary Excretion of Cocaine, Ecgonine Methyl Ester and Benzoylecgonine Following Ingestion of Coca Leaves Decoction	175
R.VENTURA, L.DAMASCENO, J.CARDOSO, J.SEGURA: Confirmation β -Agonists in Urine by GC/MS Using the Diagnostic Evidence of two Consecutive Derivatization Procedures	183
N.HALATCHEVA, E.DANEVA: Some Aspects of Investigation of Extraction, Derivatisation and Excretion of Terbutaline and Salbutamol	189
D.KAROVA, M.ANGUELOVA, N.HALATCHEVA: Amiloride - Detection and Excretion Study under Condition of Steroid Screening Procedure	197
I.BAILLOUX, S.DE BARROS, A.LAHAUSOIS, J.-C.MATHURIN, J.DE CEAURRIZ: LC-MS and LC-MS/MS in Doping Control Analysis of Synthetic Glucocorticoids	203
M.FERRY, J.-C.MATHURIN, M.BECCHI, J.DE CEAURRIZ: Influence of Pregnenolone Administration on IRMS Analysis	209
G.VAJIALA, R.MIHAILESCU, M.LAMOR: Benzbromarone - A Possible Masking Agent of Androgen Anabolic Steroids; Identification by GC/MS and its Action upon the Steroid Profile (1)	215
C.D'ANGELO, L.MBARAK, G.CASES, E.CECCARELLI, L.CHINCHILLA, C.DI NARDO, L.IGLASIAS, C.OCHOA, O.TEME CENTURIÓN, E.ZADORECKI, G.CABALLERO: Quantification of Epitestosterone and Testosterone in Urine by Gas Chromatography-Mass Spectrometry	221
J.GROSSE, R.LANG, R.K.MUELLER, D.THIEME, A.WAHL: Appearance of an Oxabolone Metabolite after Administration of OTC 19-Norsteroids - Metabolite or Artefact ?	227
C.RODRÍGUEZ, J.MUNOZ-GUERRA, M.PLATA, C.FERNÁNDEZ, A.F.RODRÍGUEZ, D.CARRERAS: Statistical Analysis Relating to Detection of 19-Norandrosterone in 17283 Samples analysed in the Doping Control Laboratory of Madrid during 1998 and 1999	233

	PAGE
C.RODRÍGUEZ, J.MUNOZ-GUERRA, M.PLATA, C.FERNÁNDEZ, A.F.RODRÍGUEZ, D.CARRERAS: Antidoping Testing at the VII IAAF World Championships in Athletics, 21-29 August 1999 Sevilla (Spain)	239
P.J.VAN DER MERWE, H.S.L.KRUGER, J.W.PIETERSE, M.J.PRETORIUS, N.J.DE KOCK: Report on the Doping Control during the 7 th All Africa Games in South Africa	245

TABLE OF CONTENT

	PAGE
I NEW ASPECTS IN DOPING ANALYSIS	
R.K. MUELLER, J. GROSSE, D. THIEME, R. PREISS: Banned Agents and Related Compounds - How many ?	13
J.-C. MATHURIN, J. DE CEAURIZ, M.-T. SICART, B. MARION, M. AUDRAN, M.-P. KRAFFT: Development of an Analytical Strategy for Detection of Perfluorocarbons (PFCs) for Anti- Doping Control: Analysis of Breath and Blood Samples after i.v. Injection of a PFC's Emulsion in Rats	21
M. THEVIS, G. OPFERMANN, W. SCHÄNZER: GC/MS-Detection of Hydroxyethyl Starch (HES) in Human Urine	31
D. DE BOER, L.J.A.L. DOS REYS, I.J. BOSMAN, R.A.A. MAES: The Detection of the Use of some Popular Hallucinogenic Compounds, including those of <i>Psilocybe</i> Mushrooms	41
U. MARECK-ENGELKE, H. GEYER, W. SCHÄNZER: Tetrahydrocannabinol (THC) in Dope Control	51
D. GOUDREAULT, A. FAKIRIAN: Selegiline Urinary Metabolites	61
H. GEYER, E. NOLTEERNSTING, W. SCHÄNZER: Finasteride - A Substance for Manipulation in Dope Control ?	71
R. S. BLACK, L. D. BOWERS: A Potential Case of Fluvoxamine-Induced Inhibition of Caffeine Metabolism	81
B. YAP, R. KAZLAUSKAS: Corticosteroids and Exercise-Stress Response	85
II ANABOLIC AGENTS	
M. SAUGY, N. ROBINSON, C. CARDIS, C. SCHWEIZER, L. RIVIER, P. MANGIN, C. AYOTTE, J. DVORAK: Nandrolone Metabolites in Football Players: Utility for <i>in</i> and <i>out</i> of Competition Tests	95

B. LE BIZEC, I. GAUDIN, A. POHU, F. MONTEAU, F. ANDRE: Identification of Endogenous 19-Norandrosterone in Human Urine	109
V.P. URALETS, P.A. GILLETTE: Over-the-Counter Δ^5 Anabolic Steroids 5-Androsten-3,17-dione; 5-Androsten-3 β ,17 β -diol; Dehydroepiandrosterone and 19-Nor-5-androsten-3,17-dione: Excretion Studies in Men	121
R.K. MUELLER, R. PREISS, M. KRUEGER: Anabolic Steroids and Enhanced Aggressiveness	131
J. GROSSE, D. THIEME, R. LANG, R.K. MUELLER: Formebolone Detection	143
B. VITORIANO, D. DE BOER, C. MANZONI, A. AJENJO, L.J.A.L.DOS REYS: Preliminary Results of the Implementation of some Metabolites of the Anabolic Androgenic Testolactone in the Screening Procedures	153
D.H. VAN DE KERKHOF, P.M. VAN DER VOORT, D. DE BOER, R.A.A. MAES: Confirmation of Endogenous Boldenone Production: A Procedure for an <i>in vitro</i> Experiment	161
J.-F. LEVESQUE, CH. AYOTTE: Criteria for the Detection of <i>Androstenedione</i> Oral Administration	169
S. WESTWOOD, B. NOBLE, C. MOULE: Synthesis and Characterisation of Steroid Metabolites for Use as Analytical Reference Materials	181
R. BERGÉS, J. SEGURA, K.D. FITCH, A.R. MORTON, X. DE LA TORRE, R. VENTURA, M. MAS, M. FARRÉ: Discrimination of Prohibited Oral Use of Salbutamol in Sport from Authorized Inhaled Asthma Treatment: Update	193
P.J. VAN DER MERWE: The Influence of the Use of Multiple Doses of DHEA on the Steroid Profile	203
J.F. LEVESQUE, C. AYOTTE: The Oral Administration of DHEA : The Efficiency of Steroid Profiling	213

III TECHNIQUES OF MS DETECTION AND SAMPLE PREPARATION

J. ROGERSON, G.J. TROUT: GC-C-IRMS Detection of Steroid Metabolites - Some Hardware Considerations	223
---	-----

M. BECCHI, F. PERRET, D. FOREST, J.C. MATHURIN, J. DE CEAURRIZ: Carbone Isotope Ratio Mass Spectrometry of Endogenous Corticosteroids	233
U. FLENKER, E. NOLTEERNSTING, H. GEYER, W. SCHÄNZER: A Screening Method for Synthetic Testosterone and its Precursors based on GC/C/IRMS	241
G. TROUT, S. SOO, R. KAZLAUSKAS: A Single Screen for Steroids using HRMS	249
T. KUSAMRAN, X. DE LA TORRE, R. DE LA TORRE, B. RASMUSSEN, P. WILAIRAT, T. ANUKARAHANONTA: Monitoring of Low Concentration Anabolic Steroids in Urine Samples from the 13 th Asian Games by Ion-trap GC/MS/MS	255
M. WU, Y. ZHANG, X. LIU, C. ZHANG: CID Mass Spectrometric Characterization of some Epimeric Anabolic Androgenic Steroids	267
R. KAZLAUSKAS, T. HUYNH, A. STENHOUSE, S. SOO, J. TJOA, B. YAP: Automated Solid Phase Extraction	281

IV PEPTIDE HORMONES

K.I. BIRKELAND, K. FISKUM, B. BJERKE, E. HAUG, P. HEMMERSBACH: Physiological and non-Physiological Variations in Serum Levels of Soluble Transferrin Receptor - Implications for Use as Indicator of Doping with rhEPO	289
K.R. EMSLIE, C. HOWE, G. TROUT: Measurement of Urinary Erythropoietin Levels in Athletes	291
B. BIALAS, A. BREIDBACH, W. SCHÄNZER: Individual Reference Ranges for Serum Erythropoietin (sEPO) - Part II: Influence of Long Distance Flying	301

V POSTER PRESENTATION

X. LIU, Y. ZHANG, M. WU, C. ZHANG: The Steroid Profiles after Oral Administration of Testosterone Undecanoate with Different Doses	311
--	-----

M.A.S. MARQUES, C.H.B. BIZARRI, J. N. CARDOSO, F.R. DE AQUINO NETO Effect of Finasteride on the Urinary Steroid Profile: A Case Study	317
T. KUURANNE, M. VAHERMO, A. LEINONEN, K. KUOPPASALMI, J. TASKINEN, E. ELOVAARA, R. KOSTIAINEN: ESI-MS and MS/MS Detection of the Glucuronide Conjugate of 17 α -methyl-5 β -androstan-3 α ,17 β -diol and its D ₃ -labelled Analogue	323
R. ARMSTRONG, S. BIDDLE, E. HOUGHTON: Highly Specific, Low Level Detection of Stanozolol and Metabolites using Solid Phase Extraction and ELISA Technology	329
M.K. HENZE, G. OPFERMANN, W. SCHÄNZER: Liquid-Liquid Extraction-pH-Profiles of Selected Beta-2-Sympathomimetic Agonists	335
E. HABER, J. MUNOZ-GUERRA, C. SORIANO, D. CARRERAS, C. RODRIGUEZ, F.A. RODRIGUEZ: Automated Preparation for Screening of Anabolic Steroids in Urine in HP 7686 PrepStation System	341
R. GRUCZA, J. SMORAWINSKI, D. KWIATKOWSKA: Application of Ketoconazole Test in Doubtful Doping Cases of Polish Athletes	347
I. SEINSCH, C.V. KUK, M. MACHNIK, G. SIEBIG, S. HORNING, G. SIGMUND, A. BREIDBACH, W. SCHÄNZER Detection of Nortestosterone Application in Horses. A Screening Method for Nortestosterone in Horse Serum with a Possible Confirmation in Urine	353
V. CIRIMELE, P. KINTZ, A. TRACQUI, B. LUDÉS: Identification of 10 Corticosteroids in Human Hair by Liquid Chromatography Ionspray Mass Spectrometry	359
A. KNIEß, R.K. MÜLLER, J. KRATZSCH: Quantitation of Human Growth Hormone, Insulin-like Growth Factors I and II (IGF-I and II) and IGF Binding Protein-2 and -3 in Athletes [„Blood Study“ of the German Antidoping Commission (ADK)]	365
H. BÁEZ-G., C. CAMARGO-G.: The Occurrence of Cocaine and Metabolites in Hair of Drug Abusers. Possible Determination of Cut-Off Values	371
XU YOUXUAN, PENG SHIQI, QIN YANG, YANG SHUMIN: Determination of Urinary Clopamide by Using LC/APCI/MS	377

A. POKRYWKA, D. KWIATKOWSKA, D. STANCZYK, K. CHROSTOWSKI:
Midodrine (Gutron) Detection in Urine Samples.
Should Midodrine be Added to the IOC Doping List ?

383

Table of Contents

I Anabolic Agents

D. THIEME, J. GROSSE, H. SACHS, R.K. MUELLER: Detection of Several Anabolic Steroids of Abuse in Human Hair	9
M. MACHNIK, H. GEYER, S. HORNING, A. BREIDBACH, P. DELAHAUT, W. SCHÄNZER: Longterm Detection of Clenbuterol in Human Scalp Hair by Means of Gaschromatography / High Resolution Mass Spectrometry (GC/HRMS)	31
W. SCHÄNZER, H. GEYER, S. HORNING: 17,17-Dimethyl-18-nor-5 β -androst-1,13-dien-3 α -ol (18-Normetenol) in Longterm Detection and Confirmation of Positive Metandienone Cases	37
K. CHROSTOWSKI, D. KWIATKOWSKA, E. PARTYKA, B. WÓJCIKOWSKA-WÓJCIK: Danazol Detection in Doping Analysis in Urine	53
YINONG ZHANG, MOUTIAN WU, XIN LIU, CHANGJIU ZHANG: Analysis of Urinary Metabolites of Mibolerone in Man by Gas Chromatography / Tandem Mass Spectrometry	65
S. RENDIC, E. NOLTEERNSTING, W. SCHÄNZER: Metabolism of Anabolic Steroids by Recombinant Human Cytochrome P450 Enzymes	81

II Detection of 19-Norandrosterone

M. CIARDI, R. CICCOLI, M.V. BARBARULO, R. NICOLETTI: Presence of Norandrosterone in "Normal" Urine Samples	97
P. VAN EENOO, F.T. DELBEKE, F.H. DE JONG, P. DE BACKER: Urinary Metabolites of Endogenous Nandrolone in Women: A Case Study	105
U. MARECK-ENGELKE, H. GEYER, W. SCHÄNZER: 19-Norandrosterone - Criteria for the Decision Making Process	119
N. ROBINSON, C. CARDIS, A. DIENES, C. SCHWEIZER, M. SAUGY, L. RIVIER: Immunoaffinity Chromatography Combined with the Ion Trap Technique in order to Detect Traces of 19-Norandrosterone	131

III Steroid Profiling

M. UEKI, M. OKANO, A. IKEKITA: Nagano Strategy against Natural Hormone Doping - Testosterone, DHT, Androstenedione and DHEA -	145
V.P. URALETS, P.A. GILLETTE, R.K. LATVEN: Over-the-Counter Anabolic Steroids 4-androsten-3,17-dione; 4-Androsten-3 β ,17 β -diol, and 19-Nor-4-androsten-3,17-dione: Excretion Studies in Men	147
P. VAN EENOO, F.T. DELBEKE, N. DESMET, P. DE BACKER: Excretion Studies with 4-androstene-3,17-dione	171
M. GARLE, E. PALONEK: Androstenedione: Excretion Studies from Single and Multiple Dose Experiments	181
S.H. PENG, J. SEGURA, M. FARRÉ, J.C. GONZÁLEZ, X. DE LA TORRE: Overall Biological Markers of Oral Testosterone Undecanoate Misuse	185
C. SCHWEIZER, C. CARDIS, M. CAUDERAY, L. RIVIER, M. SAUGY: Profile Variations through Puberty in Young Adolescent Girls	205
R. DE LA TORRE, X. DE LA TORRE, J. SEGURA, M.T. SMEYERS, R. VENTURA, J.M. TORRES, C. ALÍA, T. BARÓ: Urine Contamination by Micro-Organisms and Alterations in the Endogenous Steroid Profile. A Prospective Study	223
R. GRUCZA, J. SMORAWINSKI, K. CHROSTOWSKI: Ketoconazole Test - A Case Study	237

IV Techniques of MS Detection

U. FLENKER, S. HORNING, E. NOLTEERNSTING, H. GEYER, W. SCHÄNZER: Measurement of ¹² C/ ¹³ C-Ratios to Confirm Misuse of Endogenous Steroids	243
XIN LIU, MOUTIAN WU, YINONG ZHANG, CHANGJIU ZHANG: Application of TSQ-7000 in Doping Control Analysis	257
G. TROUT; J. MURBY, R. KAZLAUSKAS: High Resolution Mass Spectrometry in the Antipodes	269
S. HORNING, M. HOEHN, H. MUENSTER, H. GEYER, W. SCHÄNZER: GC/HRMS-ION TRAP Screening and Confirmation of Anabolic Steroids	277
R. CICCOLI, F. ROSATI, F. ROSSI, R. NICOLETTI: One Year Use of AUTOSPEC-TOF: Experience of Antidoping Lab	287

in Rome

V Peptide Hormones

- A. BREIDBACH, W. SCHÄNZER: 301
Individual Reference Ranges for serum Erythropoietin (sEPO) -
A Possible Approach to Detect Misuse
- P. HEMMERSBACH, J. STRAY-GUNDERSEN, J. HALLÉN, E. HAUG, 311
R. BAHR, K.I. BIRKELAND:
The Effects of Supraphysiological Doses of Erythropoietin in Healthy
Young Men
- V. SKIBELI, G. NISSEN-LIE, A. NOREAU, P. TORJESEN, 313
P. HEMMERSBACH, K.I. BIRKELAND:
Immuno-Affinity Extraction of Erythropoietin from Human Serum
by Magnetic Beads
- A. LEINONEN, R. TÄHTELÄ, E. KARJALAINEN: 331
Detection of Human Chorionic Gonadotropin in Urine by two Different
Immunoassays

VI Stimulating Substances

- V.A. SEMENOV, S.L. BOLOTOV, V.F. SIZOI: 337
New Stimulant of Russia - Carphedon
- J. GROSSE, D. THIEME, R. LANG, R.K. MUELLER: 349
Elucidation of Carphedon Doping - Designer Psychostimulant in Sports
- D.H. VAN DE KERKHOF, D. DE BOER, R.A.A. MAES: 361
The Position of the Hydroxy Group in the Main Bromantane Metabolite
- KAIRONG CUI, MOUTIAN WU, XIN LIU, YINONG ZHANG, SHAN WANG: 375
Study on the Metabolites of Bromantane in Urine using GC/MS and
GC/Tandem MS/MS
- D. GOUDREAULT, C. AYOTTE: *) 391
The Identification of Fenozolone Urinary Metabolites

*) This paper was presented during the 15th Cologne Workshop on Dope Analysis, 23rd till 28th February, 1997. As a matter of fact it was not published in the Proceedings connected to this Workshop: 'Recent Advances in Doping Analysis (5), Köln 1998'. We apologize for this misunderstanding.

VII New Aspects

R. BERGÉS, J. SEGURA, R. VENTURA, X. DE LA TORRE, M. MAS, M. FARRÉ, K.D. FITCH, A.R. MORTON, M. UEKI: Oral <i>versus</i> Inhaled Salbutamol: Is Distinction Possible by Urine Analysis?	405
H. GEYER, U. MARECK-ENGELKE, W. SCHÄNZER: The Black Market of Anabolic Agents	421
R. KAZLAUSKAS, A. LISI, G. TROUT: Chiral Derivatisation	431
K. CHROSTOWSKI, D. KWIATKOWSKA, A. POKRYWKA, K. BAL: Aminoglutethimide Detection in Urine Samples	443
P.J. VAN DER MERWE, J. PRETORIUS, E. KRUGER: The Influence of Antimalarial Drugs on Dope Testing	455

VIII Poster Presentation

N. HALATCHEVA, A. TSOUTSOULOVA-DRAGANOVA, D. CAROVA: Analyses of Urine Samples of the First Bulgarian "Methadone Baby"	469
A. TSOUTSOULOVA-DRAGANOVA, N. HALATCHEVA, V. KURTEVA, D. CAROVA, A. Andreeva, M. ANGUELOVA: Investigations on a "Black Market's Drug - Carphedon"	475
G. SIGMUND, I. SEINSCH, W. SCHÄNZER: Detection of Phentermine and Phentermine Derivatives as Metabolites of Oxethazine	483
I. BELLAHN, E. NOLTEERNSTING, G. OPFERMANN, W. SCHÄNZER: Preliminary Results of Excretion Studies with Salbutamol	489

Table of Contents

I Anabolic Agents

W. SCHÄNZER, H. GEYER, S. HORNING: Long-term Determination of Metandienone and Mestanolone	13
H. SAUERWEIN, A. GLEIXNER, H.H.D. MEYER: Clenbuterol: Longterm Detection via Hair Analysis	27
D. DE BOER, K.M. HÖLD, D.J. CROUCH, D.G. WILKINS, D.E. ROLLINS, R.A.A. MAES: The Potential Use of Hair in Doping Control in General and in the Detection of Stanozolol in Particular	41
A.T. KICMAN, S.B. COUTTS, D.J. HANDELSMAN, F.C.W. WU, D. A. COWAN: Adrenal Gland Contribution to Urinary Epitestosterone in Men	49

II Steroid Profiling

U. MARECK-ENGELKE, H. GEYER, W. SCHÄNZER: The Interpretation of Female Steroid Profiles	51
M. UEKI, M. OKANO, A. IKEKITA, T. HIRUMA, M. SATO: Epiandrosterone Glucuronide as a Sign to Indicate Natural Hormone Doping	71
R. KAZLAUSKAS: Effects of Dehydroepiandrosterone on Urinary Steroids	83
R. GRUCZA, K. CHROSTOWSKI, D. KWIATKOWSKA, A. POKRYWKA, A. CHAJEWSKI: Changes of Steroid Profiles in Male and Female Athletes	91

III Sample Preparation

H. GEYER, W. SCHÄNZER, U. MARECK-ENGELKE, E. NOLTEERNSTING, G. OPFERMANN: Screening Procedure for Anabolic Steroids - The Control of the Hydrolysis with Deuterated Androsterone Glucuronide and Studies with Direct Hydrolysis	99
R. DELA TORRE, X. DELA TORRE, A. ARTOLA, S. CORCIONE, S. DICENTA, J. SEGURA: Hydrolyses Procedures in Sample Preparation. Esterase Activity Associated to Helix Pomatia Glucuronidase Preparations	103
M. MACHNIK, P. DELAHAUT, S. HORNING, W. SCHÄNZER: Preparation of Immuno Affinity Columns	121
G. SIGMUND, S. HORNING, I. SEINSCH, W. SCHÄNZER, M. DONIKE: Confirmation of Clenbuterol - Sample Preparation and HRMS	129

IV Techniques of MS Detection

S. HORNING, H. GEYER, A. GOTZMANN, W. SCHÄNZER: Detection of Exogenous Steroids by ¹³ C / ¹² C Analysis	135
E. NOLTEERNSTING, W. SCHÄNZER: Performance Test of the new Mass Selective Detector HP 5973 in Dope Analysis of Anabolic Androgenic Steroids	149
D. THIEME, J. GROSSE, R.K. MUELLER, A. WAHL: Interpretation of High Resolution and Tandem MS Data: Two Relevant Cases of Anabolic Steroid Metabolites at pg Level in Blood and Urine	157
J. MUNOZ-GUERRA, D. CARRERAS, C. SORIANO, C. RODRÍGUEZ, A.F. RODRÍGUEZ: Use of Ion Trap (GC-MS-MS) Mass Spectrometry for Detection and Confirmation of Anabolic Substances at Low Concentration Levels in Doping Analysis	169
M.A. POPOT, P. GARCIA, Y. BONNAIRE: Screening and Confirmation Method for the Detection of Synthetic Corticosteroids in Human Urine	185

V Peptide Hormones

S. RENDIC, S. PICKETT, B. BROMLEY: Human Recombinant Erythropoietin (rhEPO) - Physiology and Biochemistry	191
A. BREIDBACH, W. SCHÄNZER: Erythropoietin with Nichols Institute Diagnostics Chemiluminescence Immunoassay for Erythropoietin after Gelfiltration	209
S.M YANG, X.B WANG, Z.L FANG, SH. WANG, Y. QIN, M.Q YI, H. GAO, B.H XU, L. ZHOU, F.X ZENG, J.J GUO, ZH. Y YANG, J. DENG, M.H XI, Z.Y YANG, CH.J ZHANG: Observation on Hematology and Biochemistry of Six Chinese Following rhEPO Administration	215
K. CHROSTOWSKI, R. GRUCZA: Diagnostic Validity of HDL-C, CK and LH Measured in Blood Serum for Discrimination of AAS Users during 'on' and 'off' Cycle in Body Builders	223

VI Stimulating Substances

A. TSOUTSOULOVA-DRAGANOVA, N. HALATCHEVA, D. KAROVA: Metabolism of Benzphetamine and Clobenzorex in Human Urine	231
D. DE BOER, M.L.D. DE GRAAF, P. GORTER, R.A.A. MAES: The Implementation of the Detection of the Abuse of 3,4-methylenedioxymethamphetamine and Analogues in Doping Control Screening Procedures	249
W. SCHÄNZER, A. GOTZMANN: The Cologne Protocol to Follow-up Positive Caffeine Cases	259
C. SCHWEIZER, C. CARDIS, M. SAUGY, L. RIVIER: Nicotine in Sport: Use or Abuse	269
M. UEKI, A. IKEKITA, M. OKANO, T. HIRUMA: Bromantan: - Japanese Experience -	279
V.F. SIZOV, S.L. BOLOTOV, V.A. SEMENOV: Study of Bromantan Metabolites Structure	287

VII New Aspects

H. GEYER, P. BERSCHICK, U. MARECK-ENGELKE, W. SCHÄNZER: DNA Typing for the Confirmation of Manipulation in Dope Control: A Casework	301
M.I. MAGUREGUI, M.B. BARROSO, R.M. ALONSO, R.M. JIMENEZ: Capillary Electrophoresis (CE) for the Screening and Quantitative Determination of some Diuretics and β -blockers	303
W. SCHÄNZER, G. SIGMUND: Excretion Studies with Dextropropoxyphene	305
XU YOUXUAN, WU MOUTIAN, SHEN LI, WU YUN, WANG SHAN, CUI KAIRONG, ZHANG CHANGJIU: Studies on the Analysis of Dextropropoxyphene and its Metabolite in Human Urine	311
V.P. URALETS, P.A. GILLETTE, R.K. LATVEN: Fruitful Application of Steroid Methodology for Drug of Abuse Testing: Comprehensive Benzodiazepine Screening and Confirmation	317
S. Horning, W. Schänzer, B. Sample HRMS Analyses Performed at the 1996 Summer Olympic Games	

Table of Contents

Obituary: Prof. Dr. rer. nat. Manfred Donike

I Biochemical Aspects of Steroid Hormones

V. ROGOZKIN, B. FELDKOREN: Feasible Mechanism of the Testosterone Anabolic Action	13
S. RENDIC: Drug Interactions in Biosynthesis and Metabolism of Steroid Hormones: The Role of Human Cytochrome P450s	21

II Anabolic Androgenic Steroids

W. SCHÄNZER, S. HORNING, G. OPFERMANN, M. DONIKE: Gas Chromatography/Mass Spectrometry Identification of Long-term Excreted Metabolites of the Anabolic Steroid 4-Chloro-1,2-dehydro-17 α - methyltestosterone in Humans	33
V.P. URALETS, P.A. GILLETTE, R.K. LATVEN: Occurrence of 19-Nordehydro-Androsterone/Etiocholanolone in Nandrolone Positive Specimens	35
D. THIEME, J. GROSSE, R.K. MUELLER: Observations on new Metabolites of Clostebol by High-Resolution-MS	43

III Steroid Profile

X. DE LA TORRE, J.A. PASCUAL, J. ORTUNO, J. SEGURA: Steroid Profile and Sports A Cluster Analysis of Samples from Barcelona '92 Olympic Games	59
X. DE LA TORRE, J. SEGURA, Z. YANG, Y. LI, M. WU: Testosterone Detection in Different Ethnic Groups	71
C. AYOTTE, A. CHARLEBOIS: T/E Values: Measurements and Observations	91

P. HEMMERSBACH, K.I. BIRKELAND, H.R. NORLI, S.H. RINGERTZ: Urine Storage Conditions and Steroid Profile Analysis	99
H. GEYER, U. MARECK-ENGELKE, W. SCHÄNZER, M. DONIKE: The Cologne Protocol to Follow up High Testosterone / Epitestosterone Ratios	107
C. AYOTTE, A. CHARLEBOIS, S. LAPOINTE, D. BARRIAULT, M. SYLVESTRE: Validity of Urine Samples: Microbial Degradation	127
U. MARECK-ENGELKE, U. FLENKER, W. SCHÄNZER: Stability of Steroid Profiles (6): The Influence of Oral Contraceptives on Steroid Profiles	139
C. SCHWEIZER, C. CARDIS, M. CAUDERAY, L. RIVIER, M. SAUGY: T/E Ratio Variations through Puberty in Male Adolescents	159
S.B. COUTTS, A.T. KICMAN, D.A. COWAN: Intramuscular Administration of 5 α -Dihydrotestosterone Heptanoate: Changes in the Urinary Hormone Profile	173
W. SCHÄNZER: Metabolism of Anabolic Androgenic Steroids: 5 α - and 5 β -Reduction of 3-Keto-4-ene Steroids	185
U. FLENKER, E. NOLTEERNSTING, W. SCHÄNZER, M. DONIKE: Detection and Classification of Different Male Steroid Profiles by Means of Multivariate Statistics	203

IV Sample Preparation

PH. DELAHAUT: Immunoassays and Immunoaffinity Chromatography for the Detection of Drug Residues	211
M. MACHNIK, P. DELAHAUT, S. HORNING, W. SCHÄNZER: Purification and Concentration of Anabolic Steroids by Immuno Affinity Chromatography (IAC)	223

A. GOTZMANN, H. GEYER, W. SCHÄNZER: HPLC Clean-up for Urine Samples with Disturbing Background for Confirmation of 17 β -methyl-5 β -androst-1-ene-3 α ,17 α -diol (Epimetenediol)	239
--	-----

G. OPFERMANN, W. SCHÄNZER: Trimethylsilylation - Aspects for Derivatisation	247
--	-----

V Techniques of MS Detection

S. HORNING, W. SCHÄNZER: Basics of High Resolution Mass Spectrometry	253
---	-----

S. HORNING, W. SCHÄNZER: Steroid Screening Using GC/HRMS	261
---	-----

M. GARLE: Ion Trap - Different Problems and Discussion	271
---	-----

S. HORNING, H. GEYER, M. MACHNIK, W. SCHÄNZER, A. HILKERT, J. OEßELMANN: Detection of Exogenous Testosterone by ¹³ C/ ¹² C Analysis	275
---	-----

VI Peptide Hormones

P. LAIDLER, D.A. COWAN, R.C. HIDER, A.T. KICMAN: Qualitative Analysis of hCG for Confirmatory Purposes	285
---	-----

C. CARDIS, C. SCHWEIZER, M. SAUGY, L. RIVIER: Ketoconazole Test: Blood versus Urine Values	305
---	-----

A. BREIDBACH, P. PLATEN, W. SCHÄNZER: Erythropoietin - Influence of Physical Strain and Application on Concentrations in Blood and Urine	319
--	-----

VII Improvement of Detection

A. DURUSSEL, C. CARDIS, C. SCHWEIZER, L. RIVIER,
G. BRISSON, M. SAUGY:

Influence of Creatine Intake upon Biochemical Parameters in Urine

323

E. UMPIERREZ, D. LORENZO: Three Cases of Misleading Results in Drug Analysis re-analyzed by GC/MS	335
R. VENTURA, G. GONZÁLEZ, M.T. SMEYERS, R. DE LA TORE, J. SEGURA: Screening of β -Adrenergic Antagonists in Human Urine by ELISA Techniques	343
D. DE BOER, M. VAN BEEK, C.H.J. BEKKERS, R.A.A. MAES: The Detection of the Administration of Salmeterol in Urine after Inhalation	357
S. ZHU, S. YANG: Determination of Benzthiazide in Human Urine by HPLC-ES/MS	*) 371
S. YANG, S. ZHU, Z. YANG: Detection of Mesocarb in Human Urine by HPLC-Electrospray / Mass Spectrometry	*) 377

VIII Organisation of Doping Control

F.T. DELBEKE: Doping Control in Flanders: Facts, Results and Statistics	385
E. NOLTEERNSTING, I. MATONDO, E. MURWISI, W. SCHÄNZER: Brief Report of the Doping Analyses during the 6th All Africa Games in Harare 1995 (September, 13th - 24th)	403

*) These papers were presented during the 13th Cologne Workshop on Dope Analysis 12th to 17th March, 1995. As a matter of fact they were not published in the Proceedings connected to this Workshop: 'Recent Advances in Doping Analysis (3), Köln 1996'. We apologize for this misunderstanding.

The Editors

Table of Contents

Ad personam Prof. Dr. Manfred Donike

W. Schänzer

J. Segura

I Metabolism of Anabolic Steroids

<i>S. Rendic:</i> Human Cytochrome P450 (CYP) Enzymes in Doping Control: Metabolism, Interactions, Adverse Effects	13
<i>D. Goudreault and C. Ayotte:</i> Investigation of Mesterolone Urinary Metabolites by GC/MS	55
<i>L. D. Bowers:</i> Metabolic Pattern of Milboleron	81
<i>V.P. Uralets, P.A. Gillette, B. DuVall and R.K. Latven:</i> Trenbolone: Screening and Confirmation	83

II Steroid Profiling

<i>H. Geyer, W. Schänzer, U. Mareck-Engelke and M. Donike:</i> Factors Influencing the Steroid Profile	95
<i>M. Ueki, A. Ikekita, M. Fujisaki, T. Hiruma and M. Okano:</i> Steroid Profiles, Disease and Gender Verification - Inborn Errors of Metabolism -	115
<i>K. Chrostowski, M. Daniewski, E. Partyka, I. Plewka and W. Szpindler:</i> Effect of Metandienone Abuse on the Urinary Steroid Profile in Body Builders	131
<i>U. Mareck-Engelke, H. Geyer, U. Schindler, U. Flenker, R. Iffland and M. Donike:</i> Influence of Ethanol on Steroid Profile Parameters	143
<i>T.J.A. Seppenwoolde-Waasdorp, D. de Boer, H.M.J. Van Engelen, A.D. Vrijdag and R.A.A. Maes:</i>	157

Evaluation of Endogenous Steroid Profiles in Urine (2)
Effects of Ethanol Intake Reinvestigated

<i>A. Leinonen, T. Karila and T. Seppälä:</i> An Increased Testosterone to Epitestosterone Ratio due to High Doses of Ethanol - A Case Report on a Female Powerlifter	167
---	-----

<i>U. Mareck-Engelke, U. Flenker and M. Donike:</i> Stability of Steroid Profiles (5): The Annual Rhythm of Urinary Ratios and Excretion Rates of Endogenous Steroids in Female and its Menstrual Dependency	177
---	-----

<i>E. Nolteernsting, W. Schänzer and M. Donike:</i> Experiences with D3Testosterone/D3 Epitestosterone as Internal Standards for Screening and Confirmation of T/E Ratios	191
---	-----

III Dihydrotestosterone (DHT) and Endogenous Steroids

<i>W. Schänzer, S. Horning and M. Donike:</i> Synthesis and Metabolism of [16,16,16- ² H ₃]-5 α -Dihydrotestosterone	201
--	-----

<i>H. Geyer, W. Schänzer, U. Schindler and M. Donike:</i> Changes of the Urinary Steroidprofile after Sublingual Application of Dihydrotestosterone (DHT)	215
---	-----

<i>M. Ueki, M. Fujisaki, A. Ikekita, T. Hiruma and M. Okano:</i> Some Followed up Cases of Doping with Naturally Occurring Steroids - Testosterone and Dihydrotestosterone	231
--	-----

IV Improvement of Analytical Methods

<i>R. De la Torre, R. Badia, J. Segura, M. Pavesi, A. Artola, A. Redón and R. Herrera:</i> Quantitation of Drugs of Abuse by GC-MS. The European Experience	247
---	-----

<i>D. de Boer, K.M. Höld, B. van der Horst-Brigot, M. Elhamdi, L. van Schaik, J. Zuidema and R.A.A. Maes:</i> Potential Role for Saliva as a Biological Specimen in Doping Analysis	259
---	-----

<i>Sanaullah and L.D. Bowers:</i> Direct Measurement of Testosterone and Epitestosterone Glucuronates and Sulfates with HPLC/MS and HPLC/MS/MS	271
--	-----

<i>L.D. Bowers:</i> Steroid Analysis on the Ion Trap: Selective Ion Storage; Resonant and Nonresonant MS/MS	277
<i>D. Thieme, J. Grosse, R. Lang and R.K. Mueller:</i> Application of High-Resolution-MS and Tandem-MS to the Identification of Anabolic Agents	285
<i>L. Huber:</i> Good Laboratory Practice in Doping Control	299
<i>M. Kabouris, P. Platen and M. Donike:</i> Detection of Human Growth Hormone in Urine of Athletes	313

V Advances in Detection

<i>S. Horning, W. Schänzer and M. Donike:</i> Steroid Profiling in Human Blood	325
<i>M. Saugy, C. Cardis, C. Schweizer, N. Dima-Simonin, F. Grange, C. Brandt-Casadevall and L. Rivier:</i> Identification Problems of Urine Samples in Doping Controls Resolved by DNA-PCR	337
<i>I. Seinsch, G. Sigmund, S. Horning and M. Donike:</i> Detection of Salbutamol in Horse Urine	349
<i>R.K. Mueller, J. Grosse, R. Lang and D. Thieme:</i> Identification and Evaluation of Unusual Screening Results in Doping Control	357
<i>M. Garle, C. Beckman, K. Stenback and U. Bergman:</i> Prevention of Misuse of Anabolic Steroids in Sweden	365
<i>E. Nolteernsting, G. Opfermann and M. Donike:</i> 1-(N,N-Diisopropylamino)-n-Alkanes: A New Reference System for Systematical Identification of Nitrogen Containing Substances by Gas-Chromatography and Nitrogen Specific or Mass Spectrometrical Detection	369

Table of Contents

I Blood Analysis - Expectations - Possibilities

<i>K. I. Birkeland, P. Hemmersbach, E. Haug:</i> Blood Sampling in Doping Control - Which New Information may be Obtained?	9
<i>S. Rendic:</i> Binding of Anabolic Steroids to Human Serum Albumin and Possible Interactions with other Drugs	15
<i>S. Horning, W. Schänzer, M. Donike:</i> Steroid Profiling in Human and Horse Blood: Some Results	39
<i>S. Horning, W. Schänzer, M. Donike:</i> GC/HR MS Determination of the Serum/Plasma Testosterone / 17- α -Hydroxyprogesterone Ratio and its Significance	51
<i>X. De la Torre, J. Segura, A. Poletini:</i> Detection of Testosterone Esters in Human Plasma by GC/MS and GC/MS/MS	59
<i>C. Ayotte:</i> Determination of Free Methyltestosterone in Plasma Samples	81

II Steroid Analysis

<i>W. Schänzer, M. Donike:</i> Synthesis of Deuterated Steroids for GC/MS Quantification of Endogenous Steroids	93
<i>E. Nolteernsting, H. Geyer, U. Mareck-Engelke, W. Schänzer, M. Donike:</i> Standardisation of the T/E-Determination by Deuterated Internal Standards	113
<i>U. Mareck-Engelke, H. Geyer, M. Donike:</i> Stability of Steroid Profiles (3): Ratios and Excretion Rates of Endogenous Steroids in Male Urines Collected over 24 Hours	121
<i>U. Mareck-Engelke, H. Geyer, M. Donike:</i> Stability of Steroid Profiles (3): Ratios and Excretion Rates of Endogenous Steroids in female Urines Collected four Times over 24 Hours	135

<i>M. Donike, U. Mareck-Engelke, S. Rauth:</i> Statistical Evaluation of Longitudinal Studies, Part 2: The Usefulness of Subject Based Reference Ranges in Steroid Profiling	157
<i>T.J.A. Seppenwoolde-Waasdorp, R.P.G. van Heeswijk, D. de Boer, R.A.A. Maes:</i> Evaluation of Endogenous Steroid Profiles in Urine (1) Effect of Illness and the Use of Antibiotics	167
<i>G. Debruyckere, R. de Sagher, C. Van Peteghem:</i> Detection of Interferences in Urinary Anabolic Steroid Analysis	173
<i>P. Hemmersbach, S. Tomten, S. Nilsson, H. Oftebro, O. Havrevoll, B. Oen, K. Birkeland:</i> Illegal Use of Anabolic Agents in Animal Fattening - Consequences for Doping Analysis	185
<i>L. D. Bowers:</i> Effect of Sulfinpyrazone on Urinary Secretion of Steroid Conjugates	193
<i>H. Geyer, U. Mareck-Engelke, E. Nolteernsting, G. Opfermann, M. Donike:</i> The Matrix Problem in Calibration of the GC/MS for Endogenous Steroids. The Search for an Artificial Urine	199
<i>W. Schänzer, H. Geyer, A. Gotzmann, S. Horning, U. Mareck-Engelke, R. Nitschke, E. Nolteernsting, M. Donike:</i> Endogenous Production and Excretion of Boldenone (17 β -hydroxyandrost-1,4-dien-3-one), an Androgenic Anabolic Steroid	211

III Detection of Peptide Hormones

<i>M. Saugy, C. Cardis, L. Rivier:</i> Urinary Human Growth Hormone (U-HGH) I. Measurements in Non-Athlete Volunteers after Intra-Muscular or Subcutaneous hGH Injections	213
<i>M. Saugy, C. Cardis, L. Rivier, G. Brisson, C. Ayotte, P. Hemmersbach, E. Haug, J. Segura:</i> Urinary Human Growth Hormone (U-HGH): II. Measurements in Competition Tests: More the Expression of the Renal Function than the Endocrinological Status	223
<i>C. Liu, L.D. Bowers:</i> Studies toward Confirmation of HCG using HPLC/MS	235

IV Improvement of Analytical Techniques

<i>K.O. Börnsen, E. Gassmann, M. Schär, H.M. Widmer:</i> Matrix Assisted Laser Desorption and Ionization - Mass Spectrometry: A New Analytical Tool	243
<i>M. Herold, H. Dollekamp, R. Grimm:</i> Micropreparative Peptide Separation by Capillary Electrophoresis	251
<i>L. Bowers, V. Abbott:</i> Evaluation of Extraction Methods and Third Generation HPLC columns for Analysis of Diuretics	261
<i>A. Gotzmann, W. Schänzer, H. Geyer, M. Donike:</i> Detection of Trenbolone by HPLC	269
<i>D. Thieme, J. Große, R. Lang, R.K. Mueller:</i> Detection of Mesocarb Metabolite by LC - TS/MS	275
<i>F.T. Delbeke:</i> A Threshold Level for Theophylline in Urine: Preliminary Results	285
<i>A. Breidbach, G. Sigmund, M. Donike:</i> Combination of Screening Procedures - Mesocarb Detection as an Example	301
<i>D. de Boer, R.D. van Ooijen, R.A.A. Maes:</i> Thermostable Derivatives of Mesocarb and its p-hydroxy Metabolite	305
<i>J. Große, R. Lang, R.K. Mueller, D. Thieme:</i> Detection of Tamoxifen Metabolites in Urine by GC/MS	317
<i>D. de Boer, R.M.A. van de Wal, K.L. Bos, R.A.A. Maes:</i> Fluoroacyl-(S)-prolyl Derivatization for the Enantiomeric Profiling of 3,4-methylenedioxymetamphetamine, Methylphenidate, Ephedrines and their Major Metabolites in Urine	329
<i>L. Rivier, M. Saugy:</i> Coca and Cocaine: What can be done in Doping Analysis	339
<i>A. Tsoutsoulova-Draganova:</i> Investigation on Products of Thiazide Diuretics in Human Urine	357
<i>A. Lisi, R. Kazlauskas, G. Trout, E. Nolteernsting, M. Donike:</i> Buprenorphine by GC-MS after Derivatization by Direct Extractive Alkylation	367

C. Ayotte, A. Charlebois, D. Goudreault, C. Lévesque:
Improvements of Drug Detection and Analysis by Appropriate
Preparation of the Injection Port of the Gas Chromatograph

375

V Organisation of Doping Analysis and Doping Control

<i>P. Hemmersbach, B. Bjerke, K. Birkeland, E. Haug:</i> Short Report from the Doping Analysis During the XVII Olympic Winter Games	393
<i>J. Segura, R. de la Torre, J.A. Pascual, R. Ventura, M. Farré, R.R. Ewin, J. Cami:</i> Antidoping Control Laboratory at the Games of the XXV Olympiad Barcelona'92. Part I. Management of Resources	403
<i>J. Segura, R. de la Torre, J.A. Pascual, R. Ventura, M. Farré, R.R. Ewin, J. Cami:</i> Antidoping Control Laboratory at the Games of the XXV Olympiad Barcelona'92. Part II. Strategies and Results	413
<i>I. Bruunshuus, D. Cowan, G. Hill, H. Olesen:</i> Quantities and Units in Drugs of Abuse	431

Table of Contents

I. Steroid Analysis

<i>W. Schänzer and M. Donike:</i> Review - Synthesis of 6 β -Hydroxy-3-Keto-4-Ene Steroids. And Synthesis of 6 β -Hydroxy Metabolites of Anabolic Steroids	9
<i>A. Leinonen, L. Savonen and K. Kuoppasalmi:</i> Improved Purification of Anabolic Steroids for GC/MS-Analysis	25
<i>M. Donike, S. Rauth, U. Mareck-Engelke, H. Geyer and R. Nitschke:</i> Evaluation of Longitudinal Studies, the Determination of Subject Based Reference Ranges of the Testosterone/Epitestosterone Ratio	33
<i>J. Baenziger and L. Bowers:</i> Variability of T/E Ratios in Athletes	41
<i>T.J.A. Waasdorp, D. de Boer, L. van Schaik, H. Gerretsen, P. Schoone and J.H.H. Thijssen:</i> Testosterone and Epitestosterone under certain Physiological and Pathological Conditions	53
<i>P. Hemmersbach, K. Esbensen, H.R. Norli, K.I. Birkeland and F. Westad:</i> Chemometric Evaluation of Urinary Steroid Profiles in Doping Control	61
<i>X. De la Torre, J. Ortuno, J. Cabrer and E. Vilardell:</i> Stanozolol, Metenolone and Steroid Profile	69
<i>U. Mareck-Engelke, H. Geyer and M. Donike:</i> Stability of Steroid Profiles (2): Excretion Rates from Morning Urines	85
<i>D. de Boer, L. van Schaik, T.J.A. Waasdorp and R.A.A. Maes:</i> The Influence of Propyphenazone on the Excretion of Steroids	91
<i>H. Geyer, U. Mareck-Engelke, W. Schänzer and M. Donike:</i> Simple Purification of Urine Samples for Improved Detection of Anabolic and Endogenous Steroids	97
<i>D. de Boer, T.J.A. Waasdorp, P. Schoone and J.H.H. Thijssen:</i> The Power of the Ketoconazole Test	105

II. Improvement of Analytical Techniques

<i>C. Ayotte:</i> Old Doping Agent, Old Method: Pemoline TMS-Derivative	111
<i>PJ van der Merwe:</i> Simultaneous Quantification of Ephedrines in Urine by HPLC	117
<i>A. Aumatell and R.J. Wells:</i> Chiral Differentiation of the Optical Racemethorphan and Raceorphan in Urine by Capillary Zone Electrophoresis	125
<i>M. Ueki, M. Fujisaki, S. Miyamoto, A. Takahashi and T. Hiruma:</i> Problem in the Detection of High Potency Drug (Screening and Conclusive Confirmation of Buprenorphine)	135
<i>A.M. Lisi, R. Kazlauskas and G.J. Trout:</i> The GC-MS Quantitation of urinary 11-nor-delta-9- Tetrahydrocannabinol-9-carboxylic acid after Derivatization by Direct Extractive Alkylation	145
<i>S. Horning and M. Donike:</i> High-Resolution GC/MS	155
<i>M.V. Barbarulo, F. Buiarelli, M. Ciardi, A. Giarrusso and F. Rosati:</i> Negative Chemical Ionisation in Doping Analysis	163

III. Detection of Peptide Hormones

<i>L.D. Bowers and K. Fregien:</i> HPLC/MS Confirmation of Peptide Hormones in Urine: An Evaluation of Limit of Detection	175
<i>G.R. Brisson, R. Gareau and C. Ayotte:</i> Induced Haemostatic Shift: A Possible Tool for EPO Detection	185

IV. Metabolism of Dope Agents

<i>Y. Xu, L. Shen, X. Liu and C. Zhang:</i> Analytical and Metabolic Study of Clenbuterol in Human and Rats' Urine	191
<i>S. Rendic and M. Slavica:</i>	

Urinary Excretion and Metabolism of Orally Administered Mefenorex	197
---	-----

V. Organisation of Doping Analysis and Doping Control

<i>M. Garle:</i> The Anti-Doping Work in Sweden	231
--	-----

<i>H. Olesen:</i> Codevalues, Syntax and Terminology for Dope Agents	233
---	-----

TABLE OF CONTENT

I	STEROID ANALYSIS	PAGE
V. ROGOZKIN:		11
Mechanism of Anabolic Androgenic Steroid Action		
S. RENDIC:		27
Metabolism of Testosterone		
M. DONIKE:		47
Steroid Profiling in Cologne		
M. DONIKE, S. RAUTH, A. WOLANSKY:		69
Reference Ranges of Urinary Endogenous Steroids Determined by Gas-Chromatography/Mass Spektrometry		
U. MARECK-ENGELKE, H. GEYER, M. DONIKE:		87
Stability of Steroid Profiles		
P. HEMMERSBACH, K.I. BIRKELAND, B. BJERKE, T. SAND, N. NORMAN:		91
The use of Endocrine Parameters in the Evaluation of Doping Analysis Results		
W. SCHÄNZER, M. DONIKE:		97
Metabolism of Anabolic Steroids in Man: Synthesis and Use of Reference Substances for Identification of Anabolic Steroid Metabolites		
V. VLADIMIROVA, A. TSOUTSOULOVA-DRAGANOVA, M. ANGELOVA:		101
Detection, Identification and Excretion Profile of Oxymetholone Metabolites in Urine		
D. DEBOER, S.N. BENSINK, A.R. BORGGREVE, R.D. VANOOIJEN, R.A.A. MAES:		121
III – GC/MS/MS Analysis of 19-Norsteroids during Pregnancy		
T.J.A. WAASDORP:		123
Evaluation of the T/LH Ratio		
K. LINNET:		125
Effect of Urine Matrix on the Testosterone/Epitestosterone Calibration Curve		
E. PALONEK, M. GARLE:		131
Single Injection of Testosterone to 7 Volunteers: Results from this Study		

H. GEYER, W. SCHÄNZER, M. DONIKE: Probenecid as Masking Agent in Dope Control – Inhibition of the Urinary Excretion of Steroid Glucuronides	141
---	-----

II IMPROVEMENT OF ANALYTICAL TECHNIQUES	PAGE
---	-------------

YING JIAO, MINGHE YANG, ZEYI YANG ET AL.: Traditional Chinese Medicines and Sports	153
---	-----

M. DONIKE, HO-SANG SHIN: Chirality in Doping Analysis	159
--	-----

M.DONIKE, S. RAUTH, B. SAMPLE: Excretion of Ephedrines and Endogenous Steroids under Conditions of Controlled Water Intake and of Water Diuresis	163
--	-----

A. LEINONEN, L. SAVONEN, U. LAAKKONEN: Screening and Identification of Cocaine	177
---	-----

C. AYOTTE: Clenbuterol: Screening and Confirmation	185
---	-----

P.J. VAN DER MERWE: Identification of Ephedrines as their Carbon Disulfide Derivatives	197
---	-----

YANG SHUMIN, ZHANG CHANGJIU, CUI KAIRONG: Detection of Mesocarb in Urine by HPLC and GC-MSD	199
--	-----

A.M. LISI, R. KAZLAUSKAS, G.J. TROUT: Diuretic Screening in Human Urine by Gas Chromatography Mass Spectrometry. Part 2	213
---	-----

P. SIMEONOV, A. TSOUTSOULOVA-DRAGANOVA, V. VLADIMIROVA: Analysis of Etozolin and Piretanide in Human Urine by Gas Chromatography/Mass Spectrometry	221
--	-----

III HIGH PERFORMANCE LIQUID CHROMATOGRAPHY
--

R. VENTURA, T. NADAL, M.J. PRETEL, A. SOLANS, J.A. PASCUAL, J. SEGURA: Possibilities of Liquid Chromatography-Mass Spectrometry for the Identification of Labile Compounds	231
--	-----

M.V. BARBARULO, F. BUIARELLI, M. CIARDI, A. GIARRUSSO, F. ROSATI: Analysis of Corticosteroids by HPLC-UV and HPLC-MS Particle Beam Interface	249
---	-----

C. IMAZ, D. CARRERAS, R. NAVAJAS, C. RODRIGUEZ, A.F. RODRIGUEZ, J. MAYNAR, R. CORTES: Determination of Ephedrine in Urine by HPLC	269
---	-----

GOTZMANN, M. DONIKE: Quantitative Caffeine determination by Direct Injection of Urine	281
--	-----

IV IMMUNOLOGICAL METHODS IN DOPING ANALYSIS	PAGE
--	-------------

R.DE LA TORRE, R. BADIA, M. GRACÍA, G. GONZÁLEZ, M. FARRÉ, X. LAMAS, J. SEGURA: Screening of some Dope Agents by Immunological Methods	285
--	-----

M. GARLE, R. OCKA, E. PALONEK: One Year Experience of Trenbolone Measurement by ELISA	303
--	-----

W. SCHÄNZER, P. DELAHAUT, E. VÖLKER, M. DONIKE: Immunoaffinity Chromatography in Isolation of Anabolic Steroids	307
--	-----

V ORGANISATION OF DOPING ANALYSIS AND DOPING CONTROL

J.P. LAFARGE: Insertion de la robotique dans les procédures de préparation des échantillons avant analyse.	321
---	-----

J. SEGURA, J.A. PASCUAL, R. VENTURA, J.I. USTARAN, A. CUEVAS, R. GONZÁLEZ: The Experience of Antidoping Control at the XI Panamerican Games in Havana, Cuba	325
---	-----

J.A. PASCUAL, ROB R. EWIN, J. SEGURA: Automated Control of Doping Samples and their Analyses Preparing for Barcelona '92 Part I. Development of a new Laboratory Information Management System (LIMS) for Doping Control	345
--	-----

ROB R. EWIN, J.A. PASCUAL, J. SEGURA: Automated Control of Doping Samples and their Analyses Preparing for Barcelona '92 Part II. Automation, Reporting and the Local Area Network	369
--	-----

M. KAMBER:

389

Case Studies from Switzerland – Proposition for Standardization of Doping
Control Materials